

TM 5-4120-222-2

DEPARTMENT OF THE ARMY TECHNICAL M

RETURN TO GOV. USE ONLY

**ORGANIZATIONAL, DIRECT AND GENERAL SUPPORT
MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LIST**

**AIR CONDITIONER: COMPACT VERTICAL 208 V,
3 PHASE, 18,000 BTUH COOLING, 12,000 BTUH
HEATING (TRANE MODELS)**

50/60 CYCLE MODEL CE20VAL6 FSN 4120-973-4589

400 CYCLE MODEL CE20VAL4 FSN 4120-858-5795

Changes in force: C1 and C2

TM 5-4120-222-
C2

CHANGE

NO. 2

HEADQUARTERS
DEPARTMENT OF THE ARMY
Washington, DC, 14 June 1969

Organizational, Direct and General Support
Maintenance Repair Parts and Special Tools List

AIR CONDITIONER: COMPACT VERTICAL 208 V,
3 PHASE, 18,000 BTUH COOLING, 12,000 BTUH
HEATING (TRANE MODELS)
50/60 CYCLE MODEL CE20VAL6 NSN 4120-00-973-4589
400 CYCLE MODEL CE20VAL4 NSN 4120-00-858-5795

Current as of 30 April 1976

TM 5-4120-222-24P, 22 May 1969, is changed as shown on the reverse
of this page.

By Order of the Secretary of the Army:

Official:

FRED C. WEYAND
General, United States Army
Chief of Staff

PAUL T. SMITH
Major General, United States Army
The Adjutant General

INSTRUCTIONS

SHOWN BELOW ARE THE LATEST CHANGES TO NATIONAL STOCKNUMBERS (NSN) WHICH AFFECT ITEMS IN THE DATA IS ORGANIZED AS FOLLOWS: THE "FROM" COLUMN WILL SHOW THE OLD NSN, IF ONE WERE ASSIGNED MANUFACTURERS PART NUMBER AND MANUFACTURERS CODE APPEAR IN "FROM" COLUMN REFER TO INDEX FOR LOGICAL MANUAL. THE "TO" COLUMN SHOWS THE NEW NSN. IN THE "FIG" COLUMN, THE NUMBER OF THE FIGURE WHICH THE ITEM IDENTIFIED BY THE NSN IS SHOWN. THE "ITEM" COLUMN PIN-POINTS THE ITEM NUMBER OF THE WHICH IS IDENTIFIED BY THE NSN. IF FIGURE AND ITEM NUMBER ARE BLANK REFER TO THE INDEX FOR LOGICAL MANUAL. THE LAST COLUMN, "TM", IDENTIFIES THE TECHNICAL MANUAL IN WHICH THESE CHANGES SHOULD BE MADE. AND-INK CHANGES MAY BE MADE BY POSTING THE NEW DATA TO THE PARTS LISTINGS AND TO THE INDEX.

| FROM | TO | FIG | ITEM | TM | |
|-------|-------|---------------|------|----|--------|
| COB35 | 78462 | 4130006038696 | 9 | 12 | TM5-41 |



THEN... JOT DOWN THE
DOPE ABOUT IT ON THIS
FORM, TEAR IT OUT, FOLD
IT AND DROP IT IN THE
MAIL!

SOMETHING WRONG WITH THE

FROM: (YOUR UNIT'S COMPLETE ADDRESS)

DATE

PUBLICATION NUMBER

DATE

TITLE Air Conditioner

Vertical, 208 V, 3 PH

BTUH Cooling, 12,000

TM 5-4120-222-24P C2

BE EXACT... PIN-POINT WHERE IT IS

IN THIS SPACE TELL WHAT IS WRONG
AND WHAT SHOULD BE DONE ABOUT IT:

PAGE
NO.

PARA-
GRAPH

FIGURE
NO.

TABLE
NO.

1. Do you feel the information contained in this publication will assist you in the performance of your job?

☐

Yes

☐

No

2. Is the information in this change publication displayed for ready reference to the basic publication?

☐

Yes

☐

No (Please give your recommendation for improvement.)

3. Please give us your job title and level of maintenance at which you are working.


(job title)

Maintenance level (org, DS, etc.)

OTHER COMMENTS

TEAR ALONG DOTTED LINE

FILL IN YOUR
UNIT'S ADDRESS



FOLD BACK

DEPARTMENT OF THE ARMY

FOR
DEPA

OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE, \$300

Commander
U.S. Army Troop Support Co
ATTN: DRSTS-MPP
4300 Goodfellow Boulevard
St. Louis, Missouri 63120

FOLD BACK

CHANGE }
No. 1 }

HEADQUARTERS
DEPARTMENT OF THE ARMY
Washington, D.C.

**Organizational, Direct and General Support
Maintenance Repair Parts and Special Tools List**

**AIR CONDITIONER: COMPACT VERTICAL, 208 V, 3 PHASE,
18,000 BTUH COOLING, 12,000 BTUH HEATING (TRANE MODEL
50/60 CYCLE, CE20VAL6, FSN 4120-973-4589
400 CYCLE, CE20VAL4, FSN 4120-858-5795**

Current as of 30 March 1971

TM 5-4120-222-24P, 22 May 1969, is changed as follows:

Page 1. Section IV is changed as follows:

Page 13. Section V is changed as follows:

| (1) SMR code | (2) Federal stock No | (3) Description Reference No. & mfr. code | (4) Unit of issue | (5) Qty inc in unit | (6) 15-day organizational maint allowances | | | | (7) Illustrations | | |
|---------------------------------------------------------------------------|-------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|----------------------------|---------------------------------|-----------------------------------------------------|-------------|--------------|---------------|----------------------|------------------------------------|--|
| | | | | | (a) 1-3 | (b) 6-20 | (c) 21-98 | (d) 99-100 | (a) Figure No. | (b) Item or symbol No. | |
| | | Section IV — REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE | | | | | | | | | |
| | 4130-456-9801 4130-436-1407 | ATTENUATOR, SOUND: *** GRILLE, METAL: *** | | | | | | | | | |
| PO 00080 X20 00226A PO 00257 PO 00276 PO 00279 | 5340-178-1364 5365-410-9516 5330-834-9653 | CONNECTOR, RECEPTACLE POWER: (96906) MS3106R22S BUSHING, SLEEVE, RUBBER: *** SPACER, SLEEVE: *** WASHER, FLAT, RUBBER: *** | ea. | 1 | | | | | | | |

[illegible]

All changes, additions, or deletions of Federal Stock Numbers, or Manufacturer's Part Numbers, shall be properly reflected in the index.

By Order of the Secretary of the Army:

Official:

W. C. WESLEY
General, United States Army
Chief of Staff

VERNE L. BOWERS,
*Major General, United States Army,
The Adjutant General.*

Distribution:

To be distributed in accordance with DA Form 12-25, Section III, (qty rqr block No. 542) organizational maintenance records for Air Conditioners, 18,000 BTU, Compact.

TECHNICAL MANUAL

No. 5-4120-222-24P

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, D. C.ORGANIZATIONAL, DIRECT AND GENERAL SUPPORT MAINTENANCE
REPAIR PARTS AND SPECIAL TOOLS LISTAIR CONDITIONER: COMPACT VERTICAL 208 V, 3 PHASE
18,000 BTUH COOLING, 12,000 BTUH HEATING (TRANSFORMER
MODELS) 50/60 CYCLE MODEL CE20VAL6 FSN 4120-
973-4589 400 CYCLE MODEL CE20VAL4 FSN 4120-
858-5795

Current as of 10 March 1969

SECTION I. INTRODUCTION

Scope -----
 General -----
 Explanation of columns -----
 Special information -----
 How to locate repair parts -----
 Abbreviations -----
 Federal supply codes for manufacturers -----
 Recommendations for maintenance manual improvements -----

SECTION II. PRESCRIBED LOAD ALLOWANCE

SECTION III. SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT FOR
ORGANIZATIONAL MAINTENANCE (NOT APPLICABLE)

SECTION IV. REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE

Group 15. Frame

1501 Frame assembly -----

18. Body, Cab, Hood and Hull

1801 Panels -----

22. Body, Chassis or Hull, and Accessory Items

2202 Accessory items -----

2210 Data plates -----

40. Electric Motors

4000 Motor assembly -----

4009 Control panels, housing, cubicles -----

4010 Master or auxiliary control assembly -----

42. Electrical Equipment

4203 Fuse -----

18. Body, Cab, Hood and Hull

1801 Panels

22. Body, Chassis or Hull, and Accessory Items

2202 Accessory items

2210 Data plates

40. Electric motors

4000 Motor assembly

4001 Rotor assemblies

4002 Stator assemblies

4005 Frame, supports and housing

4006 Starting and protective devices

4009 Control panels, housing, cubicles

4010 Master or auxiliary control assembly

4011 Circuit breakers

4012 Switches

4018 Terminal blocks

42. Electrical Equipment

4203 Fuse

4213 Rectifier

47. Gages

4702 Gages

52. Refrigeration and Air Conditioning Components

5200 Gas compressor assembly

5217 Refrigerant piping

5230 Condenser

5235 Hydrating equipment

5241 Evaporator

5243 Blower assembly

5244 Thermostatic controls

5245 Air filters

5247 Heating units

95. General Use Standardized Parts

9501 Bulk material

SECTION VI. SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT FOR DS, GS
MAINTENANCE (NOT APPLICABLE)

SECTION VII. FEDERAL STOCK NUMBER AND REFERENCE NUMBER INDEX

SECTION I

INTRODUCTION

1. Scope

This manual lists repair parts required for the performance of organizational, direct support, general support maintenance of the air conditioner.

2. General

a. The repair parts list is arranged as follows:

(1) Individual parts and major assemblies are listed alphabetically by item name within the numbered functional groups.

(2) Assembly components and subassemblies are indented and listed alphabetically by item name under major assemblies.

b. This Repair Parts and Special Tools List is divided into the following sections:

(1) *Prescribed Load Allowance (PLA)*—Section II. A consolidated listing of repair parts quantitatively allocated for initial stockage at the organizational level. *This is a mandatory minimum stockage allowance.*

(2) *Special Tools, Test and Support Equipment*—Section III. A list of special tools, test and support equipment authorized for the performance of maintenance at the organizational level (Not Applicable).

(3) *Repair Parts*—Section IV. A list of repair parts authorized for the performance of maintenance at the organizational level.

(4) *Repair Parts*—Section V. A list of repair parts authorized for the performance of maintenance at the direct support, general support, and depot level.

(5) *Special Tools, Test and Support Equip-*

3. Explanation of Columns

The following provides an explanation of the columns in the tabular lists in Section VI.

a. *Source, Maintenance, and Allowance Codes (SMR).*

Note. Common hardware items are available in Army supply channels and are assigned maintenance codes only. Source codes, and Maintenance Allowances are not assigned to this category.

(1) *Source Code.* Indicates the status and source for the listed item. The codes used are:

| Code | Explanation |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| P | Applied to repair parts procured or supplied from DSA supply system, and authorized for the indicated categories. |
| M | Applied to repair parts procured or stocked but authorized for indicated maintenance categories. |
| A | Applied to assemblies which are procured or stocked as such but which are made up of more units, each of which is stocked under a separate stock number and description. Applied to parts procured and stocked and authorized for indicated maintenance categories. |
| X | Applied to parts and assemblies which are not procured or stocked but which are normally below the minimum stockable end item, and which should result in retirement. |

| Code | Explanation |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | parts will be requisitioned with supporting justification through normal supply channels. |
| C | Applied to repair parts authorized for local procurements. If not obtainable from local procurement, such repair parts will be requisitioned through normal supply channels with a supporting statement of nonavailability from local procurement. |
| G | Applied to major assemblies that are procured with PEMA (Procurement Equipment Missile Army) funds for initial issue only to be used as exchange assemblies at DSU and GSU maintenance level. These assemblies will not be stocked above DSU and GSU level or returned to depot supply level. |

(2) *Maintenance Code.* Indicates the lowest category of maintenance authorized to install the listed item. The maintenance level codes are:

| Code | Explanation |
|------|-----------------------------|
| O | Organizational maintenance |
| F | Direct support maintenance |
| H | General support maintenance |
| D | Depot maintenance |

(3) *Recoverability Code.* Indicates whether unserviceable items should be returned for recovery or salvage. Items not coded are expendable. Recoverability codes are:

| Code | Explanation |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| R | Applied to repair parts and assemblies which are economically repairable at DSU and GSU activities and normally are furnished by supply on an exchange basis. |
| T | Applied to high dollar value recoverable repair parts which are subject to special handling and are issued on an exchange basis. Such repair parts normally are repaired or overhauled at depot maintenance activities. |
| U | Applied to repair parts specifically selected for salvage by reclamation units because of precious metal content, critical materials, high dollar value reusable casings or castings. |

required. A part number or other number is preceded by the applicable general supply code for manufacturers. Repair parts quantities in sets, and assemblies are shown with pair part name.

d. Unit of Issue. Indicates the basis for issue, e.g., ea, pr, ft, y.

e. Quantity Incorporated in Pack. Indicates the actual quantity contained in the pack.

f. Quantity Incorporated in Group. Indicates the quantity of the item used in the group.

g. Fifteen-Day Organizational Allowances.

(1) The allowance column is divided into four subcolumns. Indicated in the first column opposite the first appearance of the item is the total quantity of items authorized for support of equipments supported. Subsequent appearances of the same item will have allowance columns but will have in the first column a reference to the first appearance of the item. Items authorized for use but not for initial stockage are indicated by an asterisk in the allowance column.

(2) The quantitative allowance column indicates the organizational level of maintenance required for a 15-day prescribed load for a 15-day number of equipments supported. The allowances of organizations authorized additional loads will multiply the number of loads authorized by the quantitative allowance reflected in the appropriate column to obtain the total quantity authorized.

(3) Organizational units authorized maintenance for more than 100 of a particular item shall determine the total quantity required by converting the equipment allowance to a decimal point before the next to the last number to indicate hundredths and then multiplying the decimal factor by the parts

list. Revisions to the range of items authorized will be made by this Command based upon engineering experience, demand data, or TAERS information.

h. Thirty-Day DS/GS Maintenance Allowances.

(1) The allowance columns are divided into three subcolumns. Indicated in each subcolumn, opposite the first appearance of each item, is the total quantity of items authorized for the number of equipments supported. Subsequent appearances of the same item will have no entry in the allowance column, but will have in the description column a reference to the first appearance of the item. Items authorized for use as required but not for initial stockage are identified with an asterisk in the allowance column.

(2) The quantitative allowances for DS/GS levels of maintenance will represent initial stockage for a 30-day period for the number of equipments supported.

(3) Determination of the total quantity of parts required for maintenance of more than 100 of these equipments can be accomplished by converting the equipment quantity to a decimal factor by placing a decimal point before the next to last digit of the number to indicate hundredths, and multiplying the decimal factor by the parts quantity authorized in the 51—100 allowance column. Example, authorized allowance for 51—100 equipments is 40; for 150 equipments multiply 40 by 1.50 or 60 parts required.

i. One-Year Allowances Per 100 Equipments/Contingency Planning Purposes. Indicates opposite the first appearance of each item the total quantity required for distribution and contingency planning purposes. The range of items indicates total quantities of all authorized items required to provide for adequate support of 100 equipments for one year.

j. Depot Maintenance Allowance Per 100 Equipments. Indicates opposite the first appearance of each item the total quantity authorized for depot maintenance of 100 equipments. Subsequent appearances of the same item will have

4. Special Information

a. Identification of the usable publications are:

| Code | Used on |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| A | Applies to air conditioner serial numbers 25990 through 259827 through 259827 through 264189; 280747 through |
| B | Applies to air conditioner serial numbers 283755 through 292437; 292437 through 292447; 303326 through 303337; 303334; 315122; 3151378706; 379343 through 401988; 3786431380 through 431385. |
| C | Applies to air conditioner serial numbers 259827 through 264189; 280747 through 280765; 292437 through 298409; 298410; 298439 through 298460; 298480; 303133 through 307701; 308232; 339943; 339944 through 410724; 413831 |
| D | Applies to air conditioner serial numbers 413868 through 482027; 482033 |
| E | Applies to air conditioner serial numbers 450447; 485647; 485648; 502516 |
| F | Applies to air conditioner serial numbers 432470; 450516 through 450660; 481962; 491990; 491991; 507543; 516957 through |

Uncoded items are applicable in this manual.

b. Repair parts mortality 7200 hours of operation per year

c. Parts which require manually at a category higher than the installation will indicate in the higher category.

d. The following publications air conditioner and its components

(2) *Second.* The illustration column of the page refers to a figure number.

(3) *Third.* Locate the figure and identify the repair parts, noting the item number.

(4) *Fourth.* Refer back to the page of the parts listing. Find the item number in the illustration column that corresponds with the figure number.

b. When Federal Stock number or reference number is known:

(1) *First.* Using the Index of Federal Stock Numbers and Reference Numbers, find the pertinent Federal stock number or reference number. This index is in ascending alpha-numeric sequence cross-referenced to an index number.

(2) *Second.* Using the Repair Part Listing, find the index number referenced in the Index of Federal Stock Numbers and Reference Numbers.

6. Abbreviations

| | |
|-----|------------------------|
| ar | as required |
| dc | direct current |
| deg | degree (s) |
| dia | diameter |
| ft | foot (feet) |
| hp | horsepower |
| id | inside diameter |
| in. | inch (es) |
| lg | long (length) |
| lh | left hand |
| mtg | mounting (s) |
| No. | number (s) |
| NPT | National Pipe Thread |
| od | outside diameter |
| rh | right hand |
| rpm | revolutions per minute |
| rl | roll (s) |
| sh | sheet |
| thd | thread (ed) |
| thk | thick (ness) |
| v | volt (s) |
| w | wide (width) |

7. Federal Supply Codes for Manufacturers

| Code | Manufacturer |
|-------|-----------------------|
| 00000 | Ordnance Corps |
| 00644 | National Lock Co. |
| 01422 | McIntire Co |
| 01479 | Whirlpool Corporation |

| Code | Manufacturer |
|-------|----------------------------------------------------------------------------|
| 09519 | Buffalo Forge Co. |
| 14859 | Metals and Controls Inc. Co Group |
| 15605 | Cutler-Hammer Inc. |
| 16764 | Delco-Remy Division of Gen Corp. |
| 21335 | Fafnir Bearing Co. |
| 21585 | Farr Co. |
| 25472 | Goodrich B F Co. The |
| 28520 | Heyman Mfg. Co. |
| 30327 | Imperial-Eastman Corp. |
| 41947 | Mueller Brass Co. |
| 42689 | National Lock Co. |
| 46175 | Peerless Electric Div of H I |
| 49367 | Pyle-National Co. |
| 56878 | Standard Pressed Steel Co. |
| 57711 | Stewart F W Corp. |
| 58553 | Superior Valve and Fittings |
| 58849 | Syntron Co. |
| 59730 | Thomas and Betts Co. |
| 60532 | Trane Co. The |
| 61311 | U S Electric Motors Inc. |
| 61864 | United-Carr Fastener Corp |
| 61957 | United Shoe Machinery Cor |
| 64731 | Welco Industries Inc. |
| 66295 | Witteck Mfg. Co |
| 70255 | Alco Valve Co. |
| 70485 | Atlantic India Rubber Worl |
| 70892 | Bead Chain Mfg. Co. The |
| 71286 | Camlock Fastener Corp. |
| 71400 | Bussman Mfg. Division of |
| 71785 | Cinch Mfg. Co. and Howard |
| 72962 | Elastic Stop Nut Corp of A |
| 73646 | Gardner Wire Company |
| 73597 | Groov-Pin Corp. |
| 74193 | Heinemann Electric Co. |
| 75165 | Johns-Manville Corp. |
| 75382 | Kulka Electric Corp. |
| 75543 | Lavelle Rubber Co. |
| 76381 | Minnesota Mining and Mfg |
| 77820 | Bendix Corp. The Scintilla |
| 78189 | Shakeproof Division of Illir Inc |
| 78462 | Sporlan Valve Co. |
| 78553 | Tinnerman Products Inc. |
| 79136 | Waldes Kohinoor Inc. |
| 79500 | Westinghouse Electric Corp |
| 81343 | Society of Automotive Engi |
| 81346 | American Society for Testi |
| 81349 | Military Specifications Pro Standardization Div Dire Logistic Services DSA |

| Code | Manufacturer |
|------------|--------------------------------------------------------------------------------------------------|
| 96160 ---- | Blackhawk Industries |
| 96214 ---- | Texas Instruments Inc. Apparatus Division |
| 96906 ---- | Military Standards Promulgated by Standardization Div Directorate of Logistic Services DSA |
| 97403 ---- | Engineer Research and Development Laboratories |

8. Recommendations for Main Improvements

Report of errors, omissions, and suggestions for improving this publication from individual users is encouraged. Reports should be submitted on a DA Form 202 (Changes to DA Publications) and forwarded direct to the Commanding General, Mobility Equipment Command, AMSME-MPP, 4300 Goodfellow Road, St. Louis, Mo. 63120.

SECTION II

PRESCRIBED LOAD ALLOWANCE

| (1) Federal stock number | (2) Description useable on code | (3) Qty inc in unit pack | (4) 15-day org | |
|-----------------------------------|-------------------------------------------------------------------------------------------------|--------------------------------------|-------------------|-------------|
| | | | (A) 1-5 | (B) 6-20 |
| | 4000—MOTOR ASSEMBLY | | | |
| 4130-302-1811 | MOTOR ASSEMBLY, FAN: blower, ac, 1.62 hp, 208 V, 3800 rpm, 400 cycle 405835 (61311) A C D | | * | * |
| 6105-955-5338 | MOTOR, ELECTRIC: blower, ac, 1.42 hp, 208 V, 3450 rpm, 60 cycle 405832 (61311) B | | * | * |
| | 4203—FUSE | | | |
| 5920-939-5442 | FUSE, CARTRIDGE KAW5 (71400) D E F | | 2 | 2 |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) USABLE ON CODE UNIT OF MEAS | (5) QTY INC IN UNIT | 15-DAY OR MAINTENANCE | |
|--------------------|-----------------------------------|-------------------------------------------------------------------|---------------------------------------------------|---------------------------------|--------------------------|-----------|
| | | | | | (a) | (b) |
| | | | | | 1-5 | 6-20 |
| 00001 | | SECTION IV - REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE | | | | |
| 00001A | | GROUP 15 - FRAME | | | | |
| 00001B | | 1501 - FRAME ASSEMBLY | | | | |
| X20 00003 | 4130-981-6620 | GUARD, FAN: CONDENSER (60532) GRD65 | AB | EA | 1 | |
| 0 00006 | 5310-188-7972 | NUT, BLIND RIVET: CABING TO BASE MTG (25472) A8K160 | C | EA | 4 | |
| 0 00009 | | PLUG, PIPE: BASE, FRONT (60532) PLU118 | CDEF | EA | 1 | |
| 0 00010 | 4730-289-5176 | PLUG, PIPE: BASE, FRONT (60532) PLU90 | AB | EA | 3 | |
| 0 00011 | | PLUG, PIPE: BASE, LH AND RH (60532) PLU118 | CDEF | EA | 2 | |
| 0 00014 | 5305-984-6194 | SCREW, MACHINE: CONDENSER GUARD MTG (96906) MS35206-246 | AB | EA | 8 | |
| 0 00017 | 5310-809-8544 | WASHER, FLAT: CONDENSER GUARD MTG (96906) MS27183-7 | AB | EA | 8 | |
| 0 00019 | 5310-209-5309 | WASHER, LOCK: CONDENSER GUARD MTG (96906) MS35338-23 | AB | EA | 16 | |
| 00020 | | GROUP 18 - BODY, CAB, HOOD AND HULL | | | | |
| 00020A | | 1801 - PANELS | | | | |
| X20 00022 | | ATTENUATOR, SOUND: AIR NOISE SUPPRESSOR (97403) 13211E3798 | | EA | 1 | |
| X20 00042 | | CLIP, TUBE: TEMPERATURE CONTROL TUBE MTG (61864) 49444 | ABCDEF | EA | 1 | |
| X20 00044 | | COVER ASSEMBLY, CARBURETOR: FILTER (60532) COV255 | ABCDEF | EA | 1 | |
| X20 00045 | | COVER, CARBURETOR: FILTER (60532) COV237 | ABCDEF | EA | 1 | |
| X20 00056 | 4130-981-6622 | CHAIN ASSEMBLY: DOOR CLOSING (60532) CHN2 | CDEF | EA | 1 | |
| X20 00057 | 5340-835-1853 | SPRING, HELICAL, EXTENSION: DAMPER DOOR CLOSING (73646) E7C | CDEF | EA | 1 | |
| M O 00069 | | GASKET: CARBURETOR COVER (60532) GKT371 MANUFACTURE FROM: | ABCDEF | EA | 1 | |
| P O 00070 | 5330-505-6609 | RUBBER, SHEET, CELLULAR (5/16 IN. x 10 1/4 IN. | ABCDEF | FT | | S.F.E GRP |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) USABLE ON CODE | (5) UNIT OF MEAS | (6) QTY INC IN UNIT | 15-DAY ORGA MAINTEN | |
|--------------------|-----------------------------------|-------------------------------------------------------------------------------------------------|-----------------------------|---------------------------|---------------------------------|------------------------|--------|
| | | | | | | (a) | (b) |
| | | | | | | 1-5 | 6-20 |
| X20 00073 | | GRILLE, DISCHARGE: TOP, FRONT (60532) GRL16 | AB | EA | 1 | | |
| X20 00074 | | GRILLE, DISCHARGE: TOP, FRONT (60532) GRL27 | CDEF | EA | 1 | | |
| X20 00075 | | GRILLE, INTAKE: FRONT CENTER (60532) GRL17 | AB | EA | 1 | | |
| X20 00076 | | GRILLE, INTAKE: FRONT CENTER (60532) GRL22 | D | EA | 1 | | |
| X20 00077 | | GRILLE, INTAKE: FRONT CENTER (60532) GRL33 | CDEF | EA | 1 | | |
| X20 00078 | | GRILLE, INTAKE: FRONT CENTER (60532) GRL29 | CDEF | EA | 1 | | |
| X20 00080 | | GRILLE, METAL: CONDENSER COIL GUARD (60532) GRL32 | CDEF | EA | 1 | | |
| X20 00081 | | GROMMET: TOP PARTITION PANEL, EXPANSION VALVE TUBE (75543) L4449-196 | ABCDEF | EA | 1 | | |
| M O 00111 | | INSULATION, RUBBER: TOP PANEL (60532) INS42 MANUFACTURE FROM: | CDEF | EA | 1 | | |
| P O 00112 | 5330-505-6610 | RUBBER, SHEET, CELLULAR (12 IN. X 17 IN. REQUIRED) | CDEF | FT | | SEE | GRP 95 |
| O 00125 | 5310-188-7969 | NUT, BLIND RIVET: CONDENSER COIL GUARD TO PANEL MTG (96906) MS27130-14K | CDEF | EA | 4 | | |
| O 00127 | | NUT, BLIND RIVET: INTAKE GRILLE MTG, No. 8-32 THD SIZE (61957) A8K160 | AB | EA | 8 | | |
| O 00128 | | NUT, BLIND RIVET: PANEL AND GUARD MTG (25472) A8K75 | AB | EA | 19 | | |
| O 00129 | 5310-188-7969 | NUT, BLIND RIVET: PANEL, GRILLE AND GUARD MTG, No. 8-32 THD SIZE, (96906) MS27130-14K | CDEF | EA | 54 | | |
| O 00130 | | NUT, BLIND RIVET: SUPPORT AND CONE ASSEMBLY MTG, No. 8-32 THD SIZE (25472) A8K120 | A | EA | 8 | | |
| O 00131 | 5310-188-7969 | NUT, BLIND RIVET: SUPPORT AND CONE ASSEMBLY MTG, No. 8-32 THD SIZE (96906) MS27130-14K | CDEF | EA | 8 | | |
| O 00133 | 5310-089-6304 | NUT, SHEET, SPRING: HOLE COVER MOUNTING (94222) 12-11020-13 | ABCDEF | EA | 6 | | |
| O 00134 | 5310-089-6304 | NUT, SHEET, SPRING: LOWER FRONT PANEL MTG (94222) 12-11020-13 | | EA | 6 | | |
| X20 | | PANEL ASSEMBLY, ACCESS | CDEF | EA | 1 | | |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) UNIT OF MEAS USABLE ON CODE | (5) QTY INC IN UNIT | (6) 15-DAY ORGA MAINTENANCE | |
|--------------------|-----------------------------------|----------------------------------------------------------------------------------|-------------------------------------------------------|---------------------------------|-----------------------------------|-------------|
| | | | | | (a) | (b) |
| | | | | | 1-5 | 6-20 |
| M O 00138 | | GASKET: FRONT PANEL (60532) GKT373 MANUFACTURE FROM: | AB | EA | 2 | |
| P O 00139 | 5330-505-6609 | RUBBER, SHEET, CELLULAR (3/8 IN. X 16 IN. REQUIRED FOR EACH GASKET) | AB | FT | | SEE GRP 950 |
| X1 00140 | | PANEL, FRONT (60532) PNL1117 | AB | EA | 1 | |
| O 00141 | 5305-984-7441 | SCREW, PANEL FASTENER: FRONT PANEL MTG (94222) 12-11-613-12 | AB | EA | 2 | |
| O 00142 | 5310-836-9578 | WASHER, FLAT: FRONT PANEL MTG SCREW (94222) 12-11014-11 | AB | EA | 2 | |
| X20 00152 | | PANEL, TOP (60532) PNL1309 | B | EA | 1 | |
| X20 00155 | | PAULIN: UNIT COVER (60532) COV312 (As REQUIRED) | ABCDEF | EA | | |
| X20 00156 | | PENDANT, BEAD CHAIN (60532) CHN3 | CDEF | EA | 1 | |
| X20 00157 | | PLUG, BUTTON: CENTER PARTITION (60532) PLU83 | ABCDEF | EA | 1 | |
| X20 00158 | | RETAINER ASSEMBLY, FILTER: BLOWER (60532) RTR18 | ABCDEF | EA | 1 | |
| X20 00159 | | RETAINER, FILTER: BLOWER (60532) RTR15 | ABCDEF | EA | 1 | |
| X20 00160 | 5325-724-7655 | STUD ASSEMBLY, TURNLOCK FASTENER: RETAINER ASSEMBLY MTG (71286) 12S1-9-1AA | ABCDEF | EA | 2 | |
| O 00161 | 5310-530-9963 | WASHER, SPLIT: STUD TO RETAINER MTG (71286) 5S3-1 | ABCDEF | EA | 2 | |
| X20 00162 | 4130-983-2335 | RETAINING RING ASSEMBLY: HOLE COVER MTG (78553) C6974-22-41 | ABCDEF | EA | 4 | |
| X20 00163 | | RING, INLET: BLOWER INTAKE FAN (60532) RNG177 | ABCDEF | EA | 1 | |
| X20 00175 | 4130-981-6621 | SCREEN ASSEMBLY: FRESH AIR INLET (60532) SRN23 | ABCDEF | EA | 1 | |
| O 00178 | 5305-984-6194 | SCREW, MACHINE: FRESH AIR INLET SCREEN MTG | | EA | 19 | |
| O 00179 | 5305-043-6642 | SCREW, MACHINE: HOLE COVER MTG | AB | EA | 10 | |
| O 00180 | 5305-043-6642 | SCREW, MACHINE: HOLE COVER MTG | ABCDEF | EA | 10 | |
| O 00181 | | SCREW, MACHINE: INLET RING MTG (88044) AN515-8-10 | AB | EA | 8 | |
| O 00182 | 5305-984-6194 | SCREW, MACHINE: INLET RING MTG | CDEF | EA | 16 | |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) USABLE ON CODE | (5) UNIT OF MEAS QTY INC IN UNIT | (6) 15-DAY ORGANIZATION MAINTENANCE | | |
|--------------------|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-------------------------------------------------------|-------------------------------------------|------|---------|
| | | | | | (a) | (b) | |
| | | | | | 1-5 | 6-20 | |
| O 00185 | 5305-151-1564 | SCREW, MACHINE: PAULIN MTG | ABCDEF | EA | 14 | | |
| O 00186 | 5305-984-6194 | SCREW, MACHINE: TOP PANEL MTG (96906) MS35206-246 | | EA | 36 | | |
| O 00187 | 5305-984-7441 | SCREW, PANEL, FASTENER: ACCESS PANEL MTG (94222) 12-11-613-12 | CDEF | EA | 2 | | |
| O 00188 | 5305-053-1114 | SCREW, TAPPING, THREAD FORMING: HOLE COVER MTG (96906) MS24621-11 | CDEF | EA | 22 | | |
| O 00189 | 5305-053-1114 | SCREW, TAPPING, THREAD FORMING: HOLE COVER MTG (96906) MS24621-11 | CDEF | EA | 14 | | |
| X20 00190 | | SEALER (76381) EC800 | AB | EA | 1 | | |
| X20 00191 | | SEALER, ADHESIVE (76381) M6244 | AB | EA | 1 | | |
| X20 00192 | | SEALER, ADHESIVE (76381) EC1126 | AB | EA | 1 | | |
| M O 00193 | | SPONGE STRIP: FRONT PANEL (60532) GKT373 MANUFACTURE FROM: | CDEF | EA | 1 | | |
| P O 00194 | 5330-505-6609 | RUBBER, SHEET, CELLULAR (3/8 IN. X 16 IN. REQUIRED) | CDEF | FT | | SEE | GRP 950 |
| M O 00195 | | SPONGE STRIP, PANEL: LEFT AND RIGHT SIDE (60532) GKT410 MANUFACTURE FROM: | DEF | EA | 2 | | |
| P O 00196 | 5330-505-6610 | RUBBER, SHEET, CELLULAR (4 IN. REQUIRED FOR EACH SPONGE) | DEF | FT | | SEE | GRP 950 |
| M O 00197 | | SPONGE STRIP, PANEL: TOP AND BOTTOM (60532) GKT409 MANUFACTURE FROM: | DEF | EA | 2 | | |
| P O 00198 | 5330-505-6610 | RUBBER, SHEET, CELLULAR (16 IN. REQUIRED FOR EACH SPONGE) | DEF | FT | | SEE | GRP 950 |
| X20 00199 | | STUD, TURN BUTTON FASTENER: PAULIN MTG (61864) 408 | ABCDEF | EA | 2 | | |
| O 00211 | 5310-836-9578 | WASHER, FLAT: ACCESS PANEL MTG SCREW (94222) 12-11014-11 | CDEF | EA | 2 | | |
| O 00213 | 5310-809-8544 | WASHER, FLAT: DISCHARGE GRILLE, FRESH AIR INLET SCREEN, INTAKE COVER, INTAKE GRILLE AND CONDENSER GRILLE MTG (96906) MS27183-7 | | EA | 52 | | |

| (1) MFR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) USABLE ON CODE | (5) UNIT OF MEAS | (6) QTY INC IN UNIT | 15-DAY ORGANIZATIONAL MAINTENANCE ALW | | | |
|--------------------|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------|---------------------------------|------------------------------------------|------|-------|--------|
| | | | | | | (a) | (b) | (c) | (d) |
| | | | | | | 1-5 | 6-20 | 21-50 | 51-100 |
| 0 219 | 5310-209-5309 | WASHER, LOCK: DISCHARGE GRILLE, CONDENSER GRILLE, FRESH AIR INLET SCREEN, INTAKE COVER, INTAKE GRILLE AND CBR COVER MTO (96906) MS35338-23 | | EA | 52 | | | | |
| 0 220 | | WASHER, LOCK: INLET RING MTO (96906) MS35338-12 | AB | EA | 8 | | | | |
| 0 221 | 5310-209-5309 | WASHER, LOCK: INLET RING MTO (96906) MS35338-23 | CDEF | EA | 16 | | | | |
| 0 222 | 5310-045-3299 | WASHER, LOCK: PAULIN MTO | ABCDEF | EA | 14 | | | | |
| 0 223 | 5310-045-3299 | WASHER, LOCK: TOP PANEL MTO (96906) MS35338-12 | ABCDEF | EA | 18 | | | | |
| 224 | | GROUP 22 - BODY CHASSIS OR HULL, AND ACCESSORY ITEMS | | | | | | | |
| 224A | | 2202 - ACCESSORY ITEMS | | | | | | | |
| 0 225 | | BLOCKOFF PANEL ASSEMBLY: CONTROL BOX TO REMOTE CONTROL (97403) 13211E8392 | | EA | 1 | | | | |
| 0 226 | 4130-967-5979 | CABLE ASSEMBLY, SPECIAL: CONTROL BOX TO REMOTE CONTROL (60532) CON25 | | EA | 1 | * | * | * | * |
| 227 | | 2210 - DATA PLATES | | | | | | | |
| 0 232 | | PLATE, DATA: ELECTRIC MOTOR (61311) 405860 | B | EA | 1 | | | | |
| 0 233 | | PLATE, DATA: ELECTRIC MOTOR (61311) X36945 | A | EA | 1 | | | | |
| 0 234 | | PLATE, IDENTIFICATION: COMPRESSOR (60532) PLT170 | BCDEF | EA | 1 | | | | |
| 0 235 | | PLATE, IDENTIFICATION: COMPRESSOR (01479) 474881 | EF | EA | 1 | | | | |
| 0 236 | | PLATE, IDENTIFICATION: COMPRESSOR (01479) 474993 | EF | EA | 1 | | | | |
| 0 237 | | PLATE, IDENTIFICATION: COMPRESSOR (01479) 474941 (CE20VAL6 ONLY) | F | EA | 1 | | | | |
| 0 238 | | PLATE, IDENTIFICATION: MODEL AND SERIAL NUMBER (60532) PLT196 | CDEF | EA | 1 | | | | |
| 0 239 | | PLATE, IDENTIFICATION: TEMPERATURE (60532) PLT152 | ABCDEF | EA | 1 | | | | |
| 0 240 | | PLATE, IDENTIFICATION: WIRING DIAGRAM, FRONT LOWER PANEL (60532) PLT238 | CDEF | EA | 1 | | | | |
| 0 241 | | PLATE, INDICATING: COLOR TAG (60532) PLT222 | CDEF | EA | 1 | | | | |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) UNIT OF MEAS USABLE ON CODE | (5) QTY INC IN UNIT | (6) 15-DAY ORGA MAINTEN | |
|--------------------|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|---------------------------------|-------------------------------|------|
| | | | | | (a) | (b) |
| | | | | | 1-5 | 6-20 |
| X20 00246 | | PLATE, NAME: CENTER PARTITION, COMPRESSOR CIRCUIT BREAKER (60532) PLT157 | B | EA | 1 | |
| O 00247 | 5305-175-3230 | SCREW, DRIVE: ELECTRIC MOTOR PLATE (96906) MS21318-14 | AB | EA | 2 | |
| O 00248 | 5305-175-3230 | SCREW, DRIVE: MOTOR ROTATION PLATE MTO (96906) MS21318-14 | CD | EA | 2 | |
| O 00250 | 5320-582-3304 | RIVET, BLIND: TEMPERATURE PLATE MOUNTING (96906) MS20600AD4W2 | CDEF | EA | 6 | |
| O 00251 | 5320-582-3494 | RIVET, BLIND: PLATES MTO (96906) MS20600AD4W4 | CDEF | EA | 14 | |
| O 00252 | 5320-899-0981 | RIVET, BLIND: WIRING DIAGRAM PLATE MTO (61957) AD42BS | AB | EA | 8 | |
| 00253 | | GROUP 40 - ELECTRIC MOTORS | | | | |
| 00254 | | 4000 - MOTOR ASSEMBLY | | | | |
| O 00255 | | BOLT, SHOULDER: BLOWER MOTOR MTO, BOTTOM (60532) BLT72 | ABCDEF | EA | 2 | |
| X20 00256 | | BUSHING, RUBBER: BLOWER MOTOR MTO, BOTTOM (60532) BUS53 | ABCDEF | EA | 2 | |
| X20 00257 | | BUSHING, SLEEVE, RUBBER: BLOWER MOTOR MTO, REAR (60532) BUS54 | BCDEF | EA | 4 | |
| X20 00258 | | GASKET, FAN MOTOR: BLOWER MOTOR MTO, REAR (60532) GKT485 | ABCDEF | EA | 1 | |
| P O R 00259 | 4130-302-1811 | MOTOR ASSEMBLY, FAN: BLOWER, AC, 1.62 HP, 208V, 3800 RPM, 400 CYCLE (61311) 405835 (ELECTRIC MOTORS AND REPAIR PARTS ARE TO BE REQUISITIONED BY COMPLETE IDENTIFYING NOMENCLATURE. COMPLETE MOTOR AND FRAME NAME PLATE DATA MUST BE SHOWN ON THE REQUISITION TO INSURE SUPPLY OF THE PROPER REPAIR PARTS OF THE MOTOR) (THIS MOTOR IS INTERCHANGEABLE WITH MOTOR, FSN 6105-949-8629) (INCLUDES COMPONENTS OF PARTS KIT, STOCK No. 4130-961-8326) | ACD | EA | 1 | * |
| P O R 00260 | 6105-955-5338 | MOTOR, ELECTRIC: BLOWER, AC, 1.42 HP, 208V, 3450 RPM, 60 CYCLE (61311) 405832 (ELECTRIC MOTORS AND REPAIR PARTS ARE TO BE REQUISITIONED BY COMPLETE IDENTIFYING NOMENCLATURE. COMPLETE MOTOR AND FRAME NAME PLATE | B | EA | 1 | * |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) UNIT OF MEAS USABLE ON CODE | (5) QTY INC IN UNIT | (6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW | | | | |
|--------------------|-----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|---------------------------------|-------------------------------------------------|------|-------|--------|---|
| | | | | | (a) | (b) | (c) | (d) | |
| | | | | | 1-5 | 6-20 | 21-50 | 51-100 | |
| O R 00261 | 6105-949-8629 | MOTOR, FAN: BLOWER, AC, 208v, 400 CYCLE, 3700 RPM (ELECTRIC MOTORS AND REPAIR PARTS ARE TO BE REQUISITIONED BY COMPLETE IDENTIFYING NOMENCLATURE. COMPLETE MOTOR AND FRAME NAME PLATE DATA MUST BE SHOWN ON THE REQUISITION TO INSURE SUPPLY OF THE PROPER PARTS OF THE MOTOR) (THIS MOTOR AS A COMPLETE UNIT IS INTERCHANGEABLE WITH MOTOR ASSEMBLY, FSN 4130-302-1811) | E | EA | 1 | * | * | \ * | * |
| O R 00262 | 6105-949-8627 | MOTOR, FAN: BLOWER, 208v, 3 PHASE, 50/60 CYCLE, 3450 RPM (64731) 4725-8 (ELECTRIC MOTORS AND REPAIR PARTS ARE TO BE REQUISITIONED BY COMPLETE IDENTIFYING NOMENCLATURE. COMPLETE MOTOR AND FRAME NAME PLATE DATA MUST BE SHOWN ON THE REQUISITION TO INSURE SUPPLY OF THE PROPER REPAIR PARTS) (THIS MOTOR AS A COMPLETE UNIT IS INTERCHANGEABLE WITH MOTOR, FSN 6105-932-0793 AND FSN 6105-955-5338) | F | EA | 1 | * | * | * | * |
| O 00263 | 5310-208-1919 | NUT, SELF-LOCKING, HEXAGON: BLOWER MOTOR MTG, REAR (72962) 42NE040 | ABCDEF | EA | 4 | | | | |
| O 00275 | | SCREW, MACHINE: BLOWER MOTOR MTG, REAR (60532) SCR338 | ABCDEF | EA | 4 | | | | |
| K20 00276 | | SPACER, SLEEVE: BLOWER MOTOR MTG, BOTTOM (60532) SPC18 | BCDEF | EA | 2 | | | | |
| O 00277 | | WASHER, FLAT: BLOWER MOTOR MTG, BOTTOM (60532) WAS170 | BCDEF | EA | 2 | | | | |
| O 00278 | | WASHER, FLAT: BLOWER MOTOR MTG, REAR (60532) WAS172 | BCDEF | EA | 4 | | | | |
| K20 00279 | | WASHER, FLAT, RUBBER: BLOWER MOTOR MTG, BOTTOM (60532) WAS171 | BCDEF | EA | 2 | | | | |
| O 00280 | 5310-013-1099 | WASHER, LOCK: BLOWER MOTOR MTG, BOTTOM (96906) MS35339-27 | CDEF | EA | 2 | | | | |
| 00359 | | 4009 - CONTROL PANELS, HOUSING, CUBICLES | | | | | | | |
| M O 00366 | | LEAD, ELECTRICAL: CIRCUIT BREAKER TO MOTOR CONTACTOR (60532) LED65 MANUFACTURE FROM: | CDEF | EA | 2 | | | | |
| O 00367 | 5940-705-6702 | TERMINAL, LUG (60532) 19040016 | CDEF | EA | 2 | | | | |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) USABLE ON CODE UNIT OF MEAS | (5) QTY INC IN UNIT | 15-DAY OF MAINT | |
|--------------------|-----------------------------------|------------------------------------------------------------------------------------------------|---------------------------------------------------|---------------------------------|--------------------|---------|
| | | | | | (a) | (b) |
| | | | | | 1-5 | 6-20 |
| M O 00369 | | LEAD, ELECTRICAL: HEATER CONTACTOR TO MOTOR CONTACTOR (60532) LED61 MANUFACTURE FROM: | CDEF | EA | 1 | |
| O 00370 | 5940-705-6702 | TERMINAL, LUG (60532) 19040016 | CDEF | EA | 2 | |
| P O 00371 | 6145-316-9072 | WIRE, ELECTRICAL (6 1/4 IN. REQUIRED) | CDEF | FT | | SEE GRP |
| M O 00372 | | LEAD, ELECTRICAL: HEATER CONTACTOR TO TERMINAL BOARD (60532) LED57 MANUFACTURE FROM: | CDEF | EA | 1 | |
| O 00373 | 5940-050-6207 | TERMINAL, LUG | CDEF | EA | 2 | |
| P O 00374 | 6145-313-9429 | WIRE, ELECTRICAL (12 IN. REQUIRED) | CDEF | FT | | SEE GRP |
| M O 00375 | | LEAD, ELECTRICAL: HEATER No. 1 TO HEATER No. 6 (60532) LED62 MANUFACTURE FROM: | CDEF | EA | 1 | |
| O 00376 | 5940-050-6386 | TERMINAL, LUG (60532) 40977 | CDEF | EA | 2 | |
| P O 00377 | 6145-660-8933 | WIRE, ELECTRICAL (14 5/8 IN. REQUIRED) | CDEF | FT | | SEE GRP |
| M O 00378 | | LEAD, ELECTRICAL: HEATER No. 2 TO HEATER No. 5 (60532) LED67 MANUFACTURE FROM: | CDEF | EA | 1 | |
| O 00379 | 5940-050-6386 | TERMINAL, LUG (60532) 40977 | CDEF | EA | 2 | |
| P O 00380 | 6145-660-8933 | WIRE, ELECTRICAL (8 5/8 IN. REQUIRED) | CDEF | FT | | SEE GRP |
| M O 00381 | | LEAD, ELECTRICAL: HEATER No. 3 TO HEATER No. 4 (60532) LED69 MANUFACTURE FROM: | CDEF | EA | 1 | |
| O 00382 | 5940-050-6386 | TERMINAL, LUG (60532) 40977 | CDEF | EA | 2 | |
| P O 00383 | 6145-660-8933 | WIRE, ELECTRICAL (3 5/8 IN. REQUIRED) | CDEF | FT | | SEE GRP |
| M O 00384 | | LEAD, ELECTRICAL: MOTOR CONTACTOR TO CIRCUIT BREAKER (60532) LED60 MANUFACTURE FROM: | CDEF | EA | 1 | |
| O 00385 | 5940-316-6702 | TERMINAL, LUG (60532) 19040016 | CDEF | EA | 2 | |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) UNIT OF MEAS USABLE ON CODE | (5) QTY INC IN UNIT | (6) 15-DAY ORGAN MAINTENAN | | |
|--------------------|-----------------------------------|---------------------------------------------------------------------------------------------------------|-------------------------------------------------------|---------------------------------|----------------------------------|------|----------|
| | | | | | (a) | (b) | |
| | | | | | 1-5 | 6-20 | 21 |
| M O 00387 | | LEAD, ELECTRICAL: MOTOR CONTACTOR TO HEATER CONTACTOR (60532) LED58 MANUFACTURE FROM: | CDEF | EA | 1 | | |
| O 00388 | 5940-705-6702 | TERMINAL, LUG (78553) 19040016 | CDEF | EA | 2 | | |
| P O 00389 | 6145-316-9072 | WIRE, ELECTRICAL (5 1/4 IN. REQUIRED) | CDEF | FT | | SEE | GRP 950 |
| M O 00390 | | LEAD, ELECTRICAL: MOTOR CONTACTOR TO HEATER CONTACTOR (60532) LED59 MANUFACTURE FROM: | CDEF | EA | 1 | | |
| O 00391 | 5940-705-6702 | TERMINAL, LUG (60532) 19040016 | CDEF | EA | 2 | | |
| P O 00392 | 6145-316-9072 | WIRE, ELECTRICAL (4 1/4 IN. REQUIRED) | CDEF | FT | | SEE | GRP 9501 |
| M O 00393 | | LEAD, ELECTRICAL: TERMINAL BOARD, No. 1 TO HEATER CONTACTOR (60532) LED56 MANUFACTURE FROM: | CDEF | EA | 1 | | |
| O 00394 | 5940-705-6701 | TERMINAL, LUG (60532) 19040015 | CDEF | EA | 1 | | |
| O 00395 | 5940-705-6702 | TERMINAL, LUG (60532) 19040016 | CDEF | EA | 1 | | |
| P O 00396 | 6145-316-9072 | WIRE, ELECTRICAL (4 IN. REQUIRED) | CDEF | FT | | SEE | GRP 9501 |
| M O 00397 | | LEAD, ELECTRICAL: TERMINAL BOARD TO HEATER CONTACTOR (60532) LED65 MANUFACTURE FROM: | CDEF | EA | 1 | | |
| O 00398 | 5940-705-6701 | TERMINAL, LUG (60532) 19040015 | CDEF | EA | 1 | | |
| O 00399 | 5940-705-6702 | TERMINAL, LUG (60532) 19040016 | CDEF | EA | 1 | | |
| P O 00399A | 6145-316-9072 | WIRE, ELECTRICAL (4 IN. REQUIRED) | CDEF | FT | | SEE | GRP 9501 |
| X20 00404 | | PANEL ASSEMBLY: CONTROL BOX (60532) PNL1534 | CDEF | EA | 1 | | |
| M O 00405 | | GASKET: PANEL BOTTOM (60532) GKT528 MANUFACTURE FROM: | ABCDEF | EA | 2 | | |
| P O 00406 | 5330-505-6609 | RUBBER, SHEET, CELLULAR (3/8 IN. X 13 IN. REQUIRED FOR EACH GASKET) | ABCDEF | FT | | SEE | GRP 9501 |
| M O | | GASKET: PANEL SIDE | | | | | |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) UNIT OF MEAS USABLE ON CODE | (5) QTY INC IN UNIT | (6) 15-DAY ORGAN MAINTENANCE | | |
|--------------------|-----------------------------------|---------------------------------------------------------------------------------------------------------|---------------------------------------------------|---------------------------------|------------------------------------|------|---------|
| | | | | | (a) | (b) | |
| | | | | | 1-5 | 6-20 | |
| X1 00409 | | PANEL, CONTROL BOX: FRONT (60532) COV306 | ABCDEF | EA | 1 | | |
| O 00410 | 5305-959-5237 | SCREW, PANEL FASTENER: PANEL TO BOX MTG (94222) 12-11-203-12 | ABCDEF | EA | 4 | | |
| O 00411 | 5310-836-9538 | WASHER, PANEL FASTENER: PANEL SCREW RETAINING (94222) 12-110104-11 | ABCDEF | EA | 4 | | |
| X20 00415 | | PLATE, IDENTIFICATION: TEMPERATURE (60532) PLT152 | ABCDEF | EA | 1 | | |
| O 00418 | 5320-582-3304 | RIVET, BLIND: TEMPERATURE PLATE MOUNTING (96906) MS20600ADW2 | CDEF | EA | 6 | SEE | GRP 221 |
| M O 00426 | | WIRE, ELECTRICAL: TERMINAL BOARD, No. 1 TO HEATER CONTACTOR (60532) LED54 MANUFACTURE FROM: | CDEF | EA | 1 | | |
| O 00427 | 5940-705-6701 | TERMINAL, LUG (60532) 19040015 | CDEF | EA | 1 | | |
| O 00428 | 5940-705-6702 | TERMINAL, LUG (60532) 19040016 | CDEF | EA | 1 | | |
| P O 00429 | 6145-316-9072 | WIRE, ELECTRICAL (4 IN. REQUIRED) | CDEF | FT | | SEE | GRP 950 |
| X20 00434 | 5935-577-8589 | CAP, DUST: POWER SUPPLY RECEPTACLE (96906) MS25043-226 | DEF | EA | 1 | | |
| X20 00451 | | CONNECTOR, WIRE: COMPRESSOR HEATER THERMOSTAT LEAD TO HEATER LEAD (04594) BY10561 | ABC | EA | 1 | | |
| 00453 | | 4010 - MASTER OR AUXILIARY CONTROL ASSEMBLY | | | | | |
| X20 00462 | | GUARD, MOISTURE: CIRCUIT BREAKER (60532) COV328 | DEF | EA | 1 | | |
| M O 00464 | | LEAD, ELECTRICAL: CIRCUIT BREAKER TO FUSE BLOCK (60532) LED64 MANUFACTURE FROM: | DEF | EA | 1 | | |
| O 00465 | 5940-504-5871 | TERMINAL, LUG | DEF | EA | 2 | | |
| P O 00466 | 6145-238-3407 | WIRE, ELECTRICAL (5 IN. REQUIRED) | DEF | FT | | SEE | GRP 950 |
| M O 00473 | | LEAD, ELECTRICAL: CONTROL BOX GROUND TO FRAME GROUND (60532) LED66 MANUFACTURE FROM: | DEF | EA | 1 | | |
| O 00474 | 5040-504-5871 | TERMINAL, LUG | | | | | |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) USABLE ON CODE UNIT OF MEAS | (5) QTY INC IN UNIT | 15-DAY ORG MAINTEN | |
|--------------------|-----------------------------------|-------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|---------------------------------|-----------------------|-----------|
| | | | | | (a) | (b) |
| | | | | | 1-5 | 6-20 |
| M O 00476 | | LEAD, ELECTRICAL: EVAPORATOR HEATER THERMOSTAT TO HEATERS, RED STRIPE (60532) LED68 MANUFACTURE FROM: | CDEF | EA | 1 | |
| O 00477 | 5940-617-2896 | TERMINAL, LUG | CDEF | EA | 3 | |
| P O 00478 | 6145-170-6869 | WIRE, ELECTRICAL (7 IN. REQUIRED FOR EACH LEAD) | CDEF | FT | | SEE GRP 9 |
| M O 00480 | | LEAD, ELECTRICAL: MOTOR CONTACTOR TO FUSE BLOCK (60532) LED63 MANUFACTURE FROM: | DEF | EA | 2 | |
| O 00481 | 5940-504-5874 | TERMINAL, LUG | DEF | EA | 4 | |
| P O 00482 | 6145-160-4774 | WIRE, ELECTRICAL (7 IN. REQUIRED FOR EACH LEAD) | DEF | FT | | SEE GRP 9 |
| O 00494 | | SCREW, CAP, HEXAGON HEAD: FRAME GROUND LEAD MTG (60532) SCR265 | DEF | EA | 1 | |
| O 00507 | 5310-809-4058 | WASHER, FLAT: FRAME GROUND LEAD MOUNTING (96906) MS27183-10 | DEF | EA | 2 | |
| O 00510 | | WASHER, LOCK: FRAME GROUND LEAD MOUNTING (60532) WAS112 | DEF | EA | 1 | |
| 00573 | | GROUP 42 - ELECTRICAL EQUIPMENT | | | | |
| 00574 | | 4203 - FUSE | | | | |
| P O 00575 | 5920-939-5442 | FUSE, CARTRIDGE (71400) KAW5 | DEF | EA | 2 | 2 2 |
| X20 00576 | 5920-142-7448 | FUSEHOLDER (71400) 4525 | DEF | EA | 1 | |
| X20 00577 | | INSULATOR PLATE: FUSE BOARD (60532) INS79 | DEF | EA | 1 | |
| O 00578 | 5310-889-2544 | NUT, SELF-LOCKING: FUSE BOARD MOUNTING (96906) MS21045-06 | DEF | EA | 2 | |
| O 00579 | | SCREW, MACHINE: FUSE BOARD MTG (96906) MS24693-28 | DEF | EA | 2 | |
| 00597 | | GROUP 52 - REFRIGERATION AND AIR CONDITIONING COMPONENTS | | | | |
| 00786 | | 5241 - EVAPORATOR | | | | |
| P O | 4130-940-7868 | ELIMINATOR, MIST: EVAPORATOR COIL | EA | 1 | * | |

| (1) | (2) | (3) | (4) | (5) | 15-DAY OR MAINTENANCE | | |
|-----------------------|----------------------|------------------------------------------------------------------------------|----------------|--------------|-----------------------|-----|------|
| SMR CODE | FEDERAL STOCK NUMBER | DESCRIPTION | USABLE ON CODE | UNIT OF MEAS | QTY INC IN UNIT | (a) | (b) |
| | | | | | | 1-5 | 6-20 |
| REF NUMBER & MFR CODE | | | | | | | |
| 00832 | | 5243 - BLOWER ASSEMBLY | | | | | |
| P O 00833 | 6150-929-5561 | FAN ASSEMBLY, CONDENSER (60532) FAN291 | DEF | EA | 1 | * | * |
| P O 00834 | 4130-981-6617 | FAN ASSEMBLY, CONDENSER (60532) FAN184 | ABC | EA | 1 | * | * |
| P O 00835 | 4130-981-6616 | FAN ASSEMBLY, EVAPORATOR (60532) FAN183 | ABC | EA | 1 | * | * |
| P O 00836 | 4130-951-0802 | FAN ASSEMBLY, EVAPORATOR: 208v, 400 CYCLE, 3 PHASE (60532) FAN290 (CE20VAL4) | DEF | EA | 1 | * | * |
| O 00837 | 5315-815-9499 | KEY, MACHINE: CONDENSER FAN MTG | ABCDEF | EA | 1 | | |
| O 00838 | 5315-057-6608 | KEY, MACHINE: EVAPORATOR FAN MTG | ABCDEF | EA | 1 | | |
| O 00840 | 5305-018-5671 | SETSCREW: EVAPORATOR AND CONDENSER FAN MTG | ABC | EA | 4 | | |
| O 00841 | 5305-285-4619 | SETSCREW, ALLEN HEAD: EVAPORATOR AND CONDENSER FAN MTG (00000) 583935 | DEF | EA | 4 | | |
| 00842 | | 5244 - THERMOSTATIC CONTROLS | | | | | |
| O 00850 | 5305-013-2688 | SCREW, MACHINE: TUBE CLIP MTG | ABC | EA | 1 | | |
| 00858 | | 5245 - AIR FILTERS | | | | | |
| P O 00859 | 4130-961-5552 | FILTER, AIR CONDITIONER: FRESH AIR INLET (21585) A2059 | A | EA | 1 | * | * |
| P O 00861 | 4130-981-6615 | FILTER, AIR CONDITIONING: BLOWER (97403) 13211E8224 | | EA | 1 | * | * |
| X20 00861A | | SCREEN, LINT: CONDENSER COIL GRILLE (60532) SRN31 | ABCDEF | EA | 1 | | |
| 00872 | | GROUP 95 - GENERAL USE STANDARDIZED PARTS | | | | | |
| 00873 | | 9501 - BULK MATERIAL | | | | | |
| P O 00875 | 4720-540-1778 | HOSE, RUBBER | | FT | | * | * |
| P O 00877 | 5330-505-6609 | RUBBER, SHEET, CELLULAR | | FT | | * | * |
| P O 00886 | 6145-170-6869 | WIRE, ELECTRICAL | | FT | | * | * |
| P O 00887 | 6145-313-9429 | WIRE, ELECTRICAL | | FT | | * | * |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) USABLE ON CODE | (5) UNIT OF MEAS | (6) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE | | | (7) 30-DAY GS ALLOWANCE | |
|--------------------|-----------------------------------|----------------------------------------------------------------------|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------|-------|
| | | | | | | (a) | (b) | (c) | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 |
| 00001 | | SECTION V - REPAIR PARTS FOR DS, AND GS MAINTENANCE | | | | | | | | |
| 00001A | | GROUP 15 - FRAME | | | | | | | | |
| 00001B | | 1501 - FRAME ASSEMBLY | | | | | | | | |
| X2H 00002 | | BASE ASSEMBLY: AIR CONDITIONER (60532) BAS147 | ABCDEF | EA | 1 | | | | | |
| X20 00003 | 4130-981-6620 | GUARD, FAN: CONDENSER (60532) GRD65 | AB | EA | 1 | | | | | |
| H 00004 | 4730-196-1498 | NIPPLE, PIPE: CONDENSATE DRAIN | AB | EA | 1 | | | | | |
| X2H 00005 | 4130-983-2337 | NUT: BASE MTG (78553) C7968-7614-541 | ABCDEF | EA | 4 | | | | | |
| O 00006 | 5310-188-7972 | NUT, BLIND RIVET: CASING TO BASE MTG (25472) A8K160 | C | EA | 4 | | | | | |
| H 00007 | | NUT, BLIND RIVET: CASING TO BASE MTG (25472) A25K80 | ABCDEF | EA | 8 | | | | | |
| H 00008 | 5310-188-7972 | NUT, BLIND RIVET: CONDENSER COIL GUARD (96906) MS27130-18K | CDEF | EA | 4 | | | | | |
| O 00009 | | PLUG, PIPE: BASE, FRONT (60532) PLU118 | CDEF | EA | 1 | | | | | |
| O 00010 | 4730-289-5176 | PLUG, PIPE: BASE, FRONT (60532) PLU90 | AB | EA | 3 | | | | | |
| O 00011 | | PLUG, PIPE: BASE, LH AND RH (60532) PLU118 | CDEF | EA | 2 | | | | | |
| X2H 00012 | | RING, RETAINER: SCREEN MTG (79136) 500-87 | AB | EA | 1 | | | | | |
| H 00013 | 5305-068-0502 | SCREW, CAP, HEXAGON HEAD: CASING TO BASE MTG (96906) MS35297-6 | ABCDEF | EA | 8 | | | | | |
| O 00014 | 5305-984-6194 | SCREW, MACHINE: CONDENSER GUARD MTG (96906) MS35206-246 | AB | EA | 8 | | | | | |
| X2H 00015 | | SCREEN, DRAIN: BASE (60532) SRN21 | AB | EA | 1 | | | | | |
| H 00016 | 5310-809-4058 | WASHER, FLAT: BASE TO CASE MTG (96906) MS27183-10 | | EA | 15 | | | | | |
| O 00017 | 5310-809-8544 | WASHER, FLAT: CONDENSER GUARD MTG (96906) MS27183-7 | AB | EA | 8 | | | | | |
| H 00018 | 5310-804-4920 | WASHER, LOCK: CASING TO BASE MTG (96906) MS35339-44 | ABCDEF | EA | 8 | | | | | |
| O 00019 | 5310-209-5309 | WASHER, LOCK: CONDENSER GUARD MTG (96906) MS35338-23 | AB | EA | 16 | | | | | |
| 00020 | | GROUP 18 - BODY, CAB, HOOD AND HULL | | | | | | | | |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) USABLE ON CODE | (5) UNIT OF MEAS | (6) QTY INC IN UNIT | (7) 30-DAY DS MAINT ALLOWANCE | | | (8) 30-DAY GS M ALLOWANCE | |
|--------------------|-----------------------------------|------------------------------------------------------------------------------|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|---------------------------------|-------|
| | | | | | | (a) | (b) | (c) | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 |
| X2H 00024 | | BAFFLE: LOWER (60532) BAF26 | ABCDEF | EA | 1 | | | | | |
| X2H 00025 | | BAFFLE, TOP: LH (60532) BAF28 | ABCDEF | EA | 1 | | | | | |
| X2H 00026 | | BAFFLE, TOP: RH (60532) BAF27 | ABCDEF | EA | 1 | | | | | |
| X2H 00027 | | BLOCKOFF: DRAIN TUBE THRU INTAKE PANEL (60532) B025 | ABCDEF | EA | 1 | | | | | |
| X2H 00028 | | BRACKET ASSEMBLY: BAFFLE MTG (60532) BRK221 | DEF | EA | 2 | | | | | |
| X1 00029 | | BRACKET: BAFFLE MTG (60532) BRK222 | DEF | EA | 2 | | | | | |
| X2H 00030 | | CASE ASSEMBLY (60532) CAS66 | ACDEF | EA | 1 | | | | | |
| X2H 00031 | | CASING ASSEMBLY (60532) CAS63 | B | EA | 1 | | | | | |
| X2H 00032 | | CASING ASSEMBLY (60532) CAS61 | A | EA | 1 | | | | | |
| X2H 00033 | | DUCT ASSEMBLY (60532) DUC1 | AB | EA | 1 | | | | | |
| X2H 00034 | | ANGLE: LH, DUCT TO DRAIN PAN (60532) ANG11 | AB | EA | 1 | | | | | |
| X2H 00035 | | ANGLE: RH, DUCT TO DRAIN PAN (60532) ANG12 | AB | EA | 1 | | | | | |
| X2H 00036 | | DUCT, LEFT HAND (60532) DUC2 | AB | EA | 1 | | | | | |
| X2H 00037 | | DUCT, RIGHT HAND (60532) DUC3 | AB | EA | 1 | | | | | |
| X2H 00038 | | PAN, DRAIN (60532) PAN92 | AB | EA | 1 | | | | | |
| X1 00039 | | PANEL, INTAKE (60532) PNL1106 | AB | EA | 1 | | | | | |
| X2H 00040 | | PARTITION, PANEL (60532) PNL1107 | AB | EA | 1 | | | | | |
| H 00041 | | RIVET, POP: DUCT MTG (61957) AD42BS | AB | EA | 36 | | | | | |
| X20 00042 | | CLIP, TUBE: TEMPERATURE CONTROL TUBE MTG (61864) 49444 | ABCDEF | EA | 1 | | | | | |
| X2F 00043 | | COVER, CONNECTOR HOLE: MIDDLE PARTITION AND SIDE PANELS (60532) COV236 | ABCDEF | EA | 2 | | | | | |
| X20 00044 | | COVER ASSEMBLY, CARBURETOR: FILTER (60532) COV255 | ABCDEF | EA | 1 | | | | | |
| X20 00045 | | COVER, CARBURETOR: FILTER (60532) COV237 | ABCDEF | EA | 1 | | | | | |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) USABLE ON CODE | (5) UNIT OF MEAS | (6) QTY INC IN UNIT | (7) 30-DAY DS MAINT ALLOWANCE | | | (8) 30-DAY ALLOW | |
|--------------------|-----------------------------------|---------------------------------------------------------------------------------------------------|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|------------------------|-----|
| | | | | | | (a) | (b) | (c) | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21- |
| X1 00050 | 5320-582-3304 | FRAME, DOOR (60532) FRM22 | ABCDEF | EA | 1 | | | | | |
| H 00051 | | RIVET, BLIND: DAMPER BLADE (96906) MS20600AD4W2 | ABCDEF | EA | 19 | | | | | |
| X1 00052 | | SHIM: HINGE TO DOOR (60532) SHW33 | ABCDEF | EA | 4 | | | | | |
| X2H 00053 | | 4130-302-1415 SPRING, HINGE, DOOR: DAMPER ASSEMBLY (00644) 58-054 | ABCDEF | EA | 2 | | | | | |
| X1 00054 | | SUPPORT, FILTER (60532) SUP115 | ABCDEF | EA | 1 | | | | | |
| X1 00055 | | SUPPORT, FILTER: LARGE, INNER (60532) SUP116 | ABCDEF | EA | 1 | | | | | |
| X20 00056 | | 4130-981-6622 CHAIN ASSEMBLY: DOOR CLOSING (60532) CHN2 | CDEF | EA | 1 | | | | | |
| X20 00057 | | 5340-835-1853 SPRING, HELICAL, EXTENSION: DAMPER DOOR CLOSING (73646) E7C | CDEF | EA | 1 | | | | | |
| M H 00058 | | GASKET: DOOR SEALING, TOP AND BOTTOM (60532) GKT376 MANUFACTURE FROM: | ABCDEF | EA | 2 | | | | | |
| P H 00058A | | 5330-505-6609 RUBBER SHEET, CELLULAR (5/16 IN. X 2 1/4 IN. REQUIRED FOR EACH GASKET) | ABCDEF | FT | | SEE | GRP | 9501 | | |
| M F 00059 | 5330-505-6609 | SPONGE, STRIP: DOOR SEALING, SIDES (60532) GKT377 MANUFACTURE FROM: | ABCDEF | EA | 2 | | | | | |
| P F 00059A | | RUBBER, SHEET, CELLULAR (3 IN. X 13 IN. REQUIRED FOR EACH SPONGE) | ABCDEF | FT | | SEE | GRP | 9501 | | |
| X2H 00060 | | DUCT ASSEMBLY (60532) DUC6 | CDEF | EA | 1 | | | | | |
| X2H 00061 | | ANGLE: LH, DUCT TO DRAIN PAN (88044) ANG11 | CDEF | EA | 1 | | | | | |
| X2H 00062 | | ANGLE: RH, DUCT TO DRAIN PAN (60532) ANG12 | CDEF | EA | 1 | | | | | |
| X2H 00063 | | DUCT: LH (60532) DUC10 | CDEF | EA | 1 | | | | | |
| X2H 00064 | | DUCT: RH (60532) DUC11 | CDEF | EA | 1 | | | | | |
| X2H 00065 | | PAN, DRAIN (60532) PAN92 | CDEF | EA | 1 | | | | | |
| X2H 00066 | | PANEL, INTAKE (60532) PNL1538 | CDEF | EA | 1 | | | | | |
| X2H 00067 | | PARTITION (60532) PNL1539 | CDEF | EA | 1 | | | | | |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE | | | 30-DAY ALLO | |
|--------------------|-----------------------------------|-------------------------------------------------------------------------------|--------|---------------------------|---------------------------------|-------------------------------------|-------|--------|----------------|-------|
| | | | | | | (a) | (b) | (c) | (a) | (c) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 |
| M O 00071 | 5330-505-6609 | GASKET: INTAKE COVER ASSEMBLY MTG (60532) GKT371 MANUFACTURE FROM: | ABCDEF | EA | 1 | | | | | |
| P O 00072 | | RUBBER, SHEET, CELLULAR (3 IN. x 13 IN. REQUIRED) | ABCDEF | FT | | SEE | GRP | 9501 | | |
| X20 00073 | | GRILLE, DISCHARGE: TOP, FRONT (60532) GRL16 | AB | EA | 1 | | | | | |
| X20 00074 | | GRILLE, DISCHARGE: TOP, FRONT (60532) GRL27 | CDEF | EA | 1 | | | | | |
| X20 00075 | | GRILLE, INTAKE: FRONT CENTER (60532) GRL17 | AB | EA | 1 | | | | | |
| X20 00076 | | GRILLE, INTAKE: FRONT CENTER (60532) GRL22 | D | EA | 1 | | | | | |
| X20 00077 | | GRILLE, INTAKE: FRONT CENTER (60532) GRL33 | CDEF | EA | 1 | | | | | |
| X20 00078 | | GRILLE, INTAKE: FRONT CENTER (60532) GRL29 | CDEF | EA | 1 | | | | | |
| X2H 00079 | | GRILLE, METAL: CONDENSER COIL GUARD (60532) GRD64 | AB | EA | 1 | | | | | |
| X20 00080 | | GRILLE, METAL: CONDENSER COIL GUARD (60532) GRL32 | CDEF | EA | 1 | | | | | |
| X20 00081 | 5325-263-6632 | GROMMET: TOP PARTITION PANEL, EXPANSION VALVE TUBE (75543) L4449-196 | ABCDEF | EA | 1 | | | | | |
| X2H 00082 | | GROMMET, RUBBER: GAS PIPE THROUGH PARTITION PANEL (88044) AN931-4-7 | ABCDEF | EA | 1 | | | | | |
| X2H 00083 | | HANDLE, DOOR: RH AND LH SIDE PANEL (60532) HDL1 | AB | EA | 2 | | | | | |
| X2H 00084 | | HANDLE, DOOR: RH AND LH SIDE PANEL (60532) HDL2 | CDEF | EA | 2 | | | | | |
| M H 00085 | 5330-505-6610 | INSULATION, RUBBER: BOTTOM PARTITION (60532) INS17 MANUFACTURE FROM: | ABCDEF | EA | 1 | | | | | |
| P H 00086 | | RUBBER, SHEET, CELLULAR (3 3/8 IN. x 16 3/4 IN. REQUIRED) | ABCDEF | FT | | SEE | GRP | 9501 | | |
| M H 00087 | | INSULATION, RUBBER: BOTTOM PARTITION (60532) INS18 MANUFACTURE FROM: | ABCDEF | EA | 1 | | | | | |
| P H 00088 | | RUBBER, SHEET, CELLULAR (3 3/4 IN. x 16 3/16 IN. REQUIRED) | ABCDEF | FT | | SEE | GRP | 9501 | | |
| M H | | INSULATION, RUBBER: COIL BLOCKOFF | ABCDEF | EA | 2 | | | | | |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) USABLE ON CODE | (5) UNIT OF MEAS | (6) QTY INC IN UNIT | (7) 30-DAY DS MAINT ALLOWANCE | | | (8) 30-DAY GS ALLOWANCE | |
|--------------------|-----------------------------------|------------------------------------------------------------------------------------------|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------|-------|
| | | | | | | (a) | (b) | (c) | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 |
| M H 00091 | | INSULATION, RUBBER: DRAIN PAN (60532) INS28 MANUFACTURE FROM: | ABCDEF | EA | 1 | | | | | |
| P H 00092 | 5330-505-6608 | RUBBER, SHEET, CELLULAR (3 7/8 IN. X 16 3/4 IN. REQUIRED) | ABCDEF | FT | | SEE | GRP | 9501 | | |
| M H 00093 | | INSULATION, RUBBER: EVAPORATION SECTION (60532) INS27 MANUFACTURE FROM: | ABCDEF | EA | 2 | | | | | |
| P H 00094 | 5330-505-6610 | RUBBER, SHEET, CELLULAR (3 7/16 IN. X 13 3/8 IN. REQUIRED FOR EACH INSULATION) | ABCDEF | FT | | SEE | GRP | 9501 | | |
| M H 00095 | | INSULATION, RUBBER: LH DUCT (60532) INS75 MANUFACTURE FROM: | ABCDEF | EA | 1 | | | | | |
| P H 00096 | 5330-505-6610 | RUBBER, SHEET, CELLULAR (9 7/16 IN. X 23 3/8 IN. REQUIRED) | ABCDEF | FT | | SEE | GRP | 9501 | | |
| M H 00097 | | INSULATION, RUBBER: LH DUCT (60532) INS21 MANUFACTURE FROM: | ABCDEF | EA | 1 | | | | | |
| P H 00098 | 5330-505-6610 | RUBBER, SHEET, CELLULAR (3 IN. X 7 1/2 IN. REQUIRED) | ABCDEF | FT | | SEE | GRP | 9501 | | |
| M H 00099 | | INSULATION, RUBBER: LH DUCT (60532) INS72 MANUFACTURE FROM: | ABCDEF | EA | 1 | | | | | |
| P H 00100 | 5330-505-6610 | RUBBER, SHEET, CELLULAR (3 IN. X 18 5/8 IN. REQUIRED) | ABCDEF | FT | | SEE | GRP | 9501 | | |
| M H 00101 | | INSULATION, RUBBER: LOWER PARTITION (60532) INS73 MANUFACTURE FROM: | ABCDEF | EA | 1 | | | | | |
| P H 00102 | 5330-505-6610 | RUBBER, SHEET, CELLULAR (11 IN. X 12 3/4 IN. REQUIRED) | ABCDEF | FT | | SEE | GRP | 9501 | | |
| M H 00103 | | INSULATION, RUBBER: LOWER PARTITION (60532) INS16 MANUFACTURE FROM: | ABCDEF | EA | 1 | | | | | |
| P H 00104 | 5330-505-6610 | RUBBER, SHEET, CELLULAR (5 1/2 IN. X 16 3/4 IN. REQUIRED) | ABCDEF | FT | | SEE | GRP | 9501 | | |
| M H 00105 | | INSULATION, RUBBER: RH DUCT (60532) INS73 MANUFACTURE FROM: | ABCDEF | EA | 1 | | | | | |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE | | | (7) 30-DAY GS MAINT ALLOWANCE | | |
|--------------------|-----------------------------------|------------------------------------------------------------------------------------|---------------------------|---------------------------------|-------------------------------------|--------------|---------------|-------------------------------------|--------------|---------------|
| | | | | | (a) 1-20 | (b) 21-50 | (c) 51-100 | (a) 1-20 | (b) 21-50 | (c) 51-100 |
| M H 00109 | 5330-505-6610 | INSULATION, RUBBER: RH DUCT (60532) INS26 MANUFACTURE FROM: | ABCDEF | EA | 1 | | | | | |
| P H 00110 | | RUBBER, SHEET, CELLULAR (2 IN. X 18 5/8 IN. REQUIRED) | ABCDEF | FT | SEE GRP 9501 | | | | | |
| M O 00111 | 5330-505-6610 | INSULATION, RUBBER: TOP PANEL (60532) INS42 MANUFACTURE FROM: | CDEF | EA | 1 | | | | | |
| P O 00112 | | RUBBER, SHEET, CELLULAR (12 IN. X 17 IN. REQUIRED) | CDEF | FT | SEE GRP 9501 | | | | | |
| M H 00113 | 5330-505-6610 | INSULATION, RUBBER: UPPER PARTITION (60532) INS76 MANUFACTURE FROM: | ABCDEF | EA | 1 | | | | | |
| P H 00114 | | RUBBER, SHEET, CELLULAR (3 3/4 IN. X 16 7/8 IN. REQUIRED) | ABCDEF | FT | SEE GRP 9501 | | | | | |
| M H 00115 | 5330-505-6610 | INSULATION, RUBBER: UPPER PARTITION (60532) INS13 MANUFACTURE FROM: | ABCDEF | EA | 1 | | | | | |
| P H 00116 | | RUBBER, SHEET, CELLULAR (3 1/2 IN. X 5 1/4 IN. REQUIRED) | ABCDEF | FT | SEE GRP 9501 | | | | | |
| M H 00117 | 5330-505-6610 | INSULATION, RUBBER: UPPER PARTITION (60532) INS77 MANUFACTURE FROM: | ABCDEF | EA | 1 | | | | | |
| P H 00118 | | RUBBER, SHEET, CELLULAR (10 1/16 IN. X 12 3/4 IN. REQUIRED) | ABCDEF | FT | SEE GRP 9501 | | | | | |
| M H 00119 | 5330-505-6610 | INSULATION, RUBBER: UPPER PARTITION (60532) INS78 MANUFACTURE FROM: | CDEF | EA | 2 | | | | | |
| P H 00120 | | RUBBER, SHEET, CELLULAR (3 1/2 IN. X 5 IN. REQUIRED FOR EACH INSULATION) | CDEF | FT | SEE GRP 9501 | | | | | |
| M H 00121 | 5330-505-6610 | INSULATION, RUBBER: UPPER PARTITION (60532) INS42 MANUFACTURE FROM: | CDEF | EA | 1 | | | | | |
| P H 00122 | | RUBBER, SHEET, CELLULAR (2 5/16 IN. X 2 1/2 IN. REQUIRED) | CDEF | FT | SEE GRP 9501 | | | | | |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE | | | 30-DAY ALLOWANCE | |
|--------------------|-----------------------------------|-------------------------------------------------------------------------------------------------|---------------------------|---------------------------------|-------------------------------------|-------|----------|---------------------|-------|
| | | | | | (a) | (b) | (c) | (a) | (b) |
| | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 |
| 0 00127 | | NUT, BLIND RIVET: INTAKE GRILLE MTG, No. 8-32 THD SIZE (61957) A8K160 | AB | EA | 8 | | | | |
| 0 00128 | | NUT, BLIND RIVET: PANEL AND GUARD MTG (25472) A8K75 | AB | EA | 19 | | | | |
| 0 00129 | 5310-188-7969 | NUT, BLIND RIVET: PANEL, GRILLE AND GUARD MTG, No. 8-32 THD SIZE, (96906) MS27130-14K | CDEF | EA | 54 | | | | |
| 0 00130 | | NUT, BLIND RIVET: SUPPORT AND CONE ASSEMBLY MTG, No. 8-32 THD SIZE (25472) A8K120 | A | EA | 8 | | | | |
| 0 00131 | 5310-188-7969 | NUT, BLIND RIVET: SUPPORT AND CONE ASSEMBLY MTG, No. 8-32 THD SIZE (96906) MS27130-14K | CDEF | EA | 8 | | | | |
| H 00132 | | NUT, BLIND RIVET: BACK PANEL SUPPORT (96906) MS27130-32K | CDEF | EA | 1 | | | | |
| 0 00133 | 5310-089-6304 | NUT, SHEET, SPRING: HOLE COVER MOUNTING (94222) 12-11020-13 | ABCDEF | EA | 6 | | | | |
| 0 00134 | 5310-089-6304 | NUT, SHEET, SPRING: LOWER FRONT PANEL MTG (94222) 12-11020-13 | | EA | 6 | | | | |
| X20 00135 | | PANEL ASSEMBLY, ACCESS (60532) PNL1532 | CDEF | EA | 1 | | | | |
| X20 00136 | | PANEL ASSEMBLY, COVER (60532) PNL1503 | CDEF | EA | 1 | | | | |
| X20 00137 | | PANEL ASSEMBLY, FRONT (60532) PNL1116 | AB | EA | 1 | | | | |
| M O 00138 | | GASKET: FRONT PANEL (60532) GKT373 MANUFACTURE FROM: | AB | EA | 2 | | | | |
| P O 00139 | 5330-505-6609 | RUBBER, SHEET, CELLULAR (3/8 IN. x 16 IN. REQUIRED FOR EACH GASKET) | AB | FT | | SEE | GRP 9501 | | |
| X1 00140 | | PANEL, FRONT (60532) PNL1117 | AB | EA | 1 | | | | |
| 0 00141 | 5305-984-7441 | SCREW, PANEL FASTENER: FRONT PANEL MTG (94222) 12-11-613-12 | AB | EA | 2 | | | | |
| 0 00142 | 5310-836-9578 | WASHER, FLAT: FRONT PANEL MTG SCREW (94222) 12-11014-11 | AB | EA | 2 | | | | |
| X2H 00143 | | PANEL, BACK (60532) PNL1110 | AB | EA | 1 | | | | |
| X2H 00144 | | PANEL, BACK (60532) PNL1531 | CDEF | EA | 1 | | | | |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) USABLE ON CODE | (5) UNIT OF MEAS | (6) QTY INC IN UNIT | (7) 30-DAY DS MAINT ALLOWANCE | | | (8) 30-DAY GS MA ALLOWANCE | | |
|--------------------|-----------------------------------|------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|----------------------------------|-------|--------|
| | | | | | | (a) | (b) | (c) | (a) | (b) | (c) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 |
| X2H 00149 | | PANEL, SIDE: RH (60532) PNL1308 | B | EA | 1 | | | | | | |
| X2H 00150 | | PANEL, SIDE: RH (60532) PNL1500 | CDEF | EA | 1 | | | | | | |
| X2H 00151 | | PANEL, TOP (60532) PNL1112 | A | EA | 1 | | | | | | |
| X2O 00152 | | PANEL, TOP (60532) PNL1309 | B | EA | 1 | | | | | | |
| X2H 00153 | | PARTITION, PANEL: TOP (60532) PNL1108 | AB | EA | 1 | | | | | | |
| X2H 00154 | | PARTITION, PANEL: TOP (60532) PNL1530 | CDEF | EA | 1 | | | | | | |
| X2O 00155 | | PAULIN: UNIT COVER (60532) COV312 (AS REQUIRED) | ABCDEF | EA | | | | | | | |
| X2O 00156 | | PENDANT, BEAD CHAIN (60532) CHN3 | CDEF | EA | 1 | | | | | | |
| X2O 00157 | | PLUG, BUTTON: CENTER PARTITION (60532) PLU83 | ABCDEF | EA | 1 | | | | | | |
| X2O 00158 | | RETAINER ASSEMBLY, FILTER: BLOWER (60532) RTR18 | ABCDEF | EA | 1 | | | | | | |
| X2O 00159 | | RETAINER, FILTER: BLOWER (60532) RTR15 | ABCDEF | EA | 1 | | | | | | |
| X2O 00160 | 5325-724-7655 | STUD ASSEMBLY, TURNLOCK FASTENER: RETAINER ASSEMBLY MOUNTING (71286) 12S1-9-1AA | ABCDEF | EA | 2 | | | | | | |
| O 00161 | 5310-530-9963 | WASHER, SPLIT: STUD TO RETAINER MOUNTING (71286) 5S3-1 | ABCDEF | EA | 2 | | | | | | |
| X2O 00162 | 4130-983-2335 | RETAINING RING ASSEMBLY: HOLE COVER MTG (78553) C6974-22-41 | ABCDEF | EA | 4 | | | | | | |
| X2O 00163 | | RING, INLET: BLOWER INTAKE FAN (60532) RNG177 | ABCDEF | EA | 1 | | | | | | |
| H 00164 | 5320-582-3304 | RIVET, BLIND: BACK PANEL MTG (96906) MS20600AD4W2 | CDEF | EA | 44 | | | | | | |
| H 00165 | 5320-582-3494 | RIVET, BLIND: BACK PANEL SUPPORT MOUNTING (96906) MS20600AD4W4 | CDEF | EA | 6 | | | | | | |
| H 00166 | 5320-582-3304 | RIVET, BLIND: DUCT TO CASING, PARTITION AND HANDLE TO SIDE PANELS, FILTER SUPPORT TO CASING (96906) MS20600AD4W2 | CDEF | EA | 12 | | | | | | |
| H 00167 | 5320-582-3304 | RIVET, BLIND, ELECTRICAL: HEATER SUPPORT MTG (96906) MS20600AD4W2 | CDEF | EA | 8 | | | | | | |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) USABLE ON CODE | (5) UNIT OF MEAS | (6) QTY INC IN UNIT | (7) 30-DAY DS MAINT ALLOWANCE | | | (8) 30-DAY ALLO | |
|--------------------|-----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-----------------------|-------|
| | | | | | | (a) | (b) | (c) | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 |
| H 00171 | | RIVET, POP: EVAPORATOR SUPPORT MOUNTING (61957) AD42BS | AB | EA | 4 | | | | | |
| H 00172 | | RIVET, POP: FRAME TO CASING, FILTER SUPPORT TO INTAKE PANEL, TOP AND LOWER BAFFLE AND BLOCKOFF PLATE (61957) AD42BS | AB | EA | 29 | | | | | |
| H 00173 | 5320-582-3304 | RIVET, POP: FRAME TO CASING, FILTER SUPPORT TO INTAKE PANEL, TOP AND LOWER BAFFLE AND BLOCKOFF PLATE (96906) MS20600AD4W2 | CDEF | EA | 29 | | | | | |
| X2H 00174 | | SCREEN, METAL: CONDENSER COIL GRILLE (60532) SRN24 | AB | EA | 1 | | | | | |
| X20 00175 | 4130-981-6621 | SCREEN ASSEMBLY: FRESH AIR INLET (60532) SRN23 | AB CDEF | EA | 1 | | | | | |
| H 00176 | 5305-989-7434 | SCREW, MACHINE: BAFFLE MTG, No. 8-32 THD SIZE, 1/2 IN. LG (96906) MS35207-263 | DE | EA | 4 | | | | | |
| H 00177 | 5305-013-3043 | SCREW, MACHINE: BRACKET MTG, 1/4-20 THD SIZE, 3/4 IN. LG | DEF | EA | 4 | | | | | |
| O 00178 | 5305-984-6194 | SCREW, MACHINE: FRESH AIR INLET SCREEN MTG | | EA | 19 | | | | | |
| O 00179 | 5305-043-6642 | SCREW, MACHINE: HOLE COVER MTG | AB | EA | 10 | | | | | |
| O 00180 | 5305-043-6642 | SCREW, MACHINE: HOLE COVER MTG | AB CDEF | EA | 10 | | | | | |
| O 00181 | | SCREW, MACHINE: INLET RING MTG (88044) AN515-8-10 | AB | EA | 8 | | | | | |
| O 00182 | 5305-984-6194 | SCREW, MACHINE: INLET RING MTG (96906) MS53206-246 | CDEF | EA | 16 | | | | | |
| O 00183 | | SCREW, MACHINE: INTAKE GRILLE, CONDENSER GRILLE, DISCHARGE GRILLE AND INTAKE COVER MTG (88044) AN515-8-10 | AB | EA | 25 | | | | | |
| O 00184 | 5305-984-6194 | SCREW, MACHINE: INTAKE GRILLE, CONDENSER GRILLE, DISCHARGE GRILLE AND INTAKE COVER MTG (96906) MS53206-246 | | EA | 34 | | | | | |
| O 00185 | 5305-151-1564 | SCREW, MACHINE: PAULIN MTG | AB CDEF | EA | 14 | | | | | |
| O 00186 | 5305-984-6194 | SCREW, MACHINE: TOP PANEL MTG (96906) MS35206-246 | | EA | 36 | | | | | |
| O 00187 | 5305-984-7441 | SCREW, PANEL, FASTENER: ACCESS PANEL MTG (94222) 12-11-613-12 | CDEF | EA | 2 | | | | | |
| O 00188 | 5305-053-1114 | SCREW, TAPPING, THREAD FORMING: HOLE COVER MTG (96906) MS24621-11 | CDEF | EA | 22 | | | | | |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) USABLE ON CODE | (5) UNIT OF MEAS | (6) QTY INC IN UNIT | (7) 30-DAY DS MAINT ALLOWANCE | | | (8) 30-DAY GSMAINT ALLOWANCE | | | (9) A-B PES ES- CH- G- T- S- | (10) SUB PATION | |
|--------------------|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|------------------------------------|-------|--------|---------------------------------------------------|-----------------------|---------------------|
| | | | | | | 'a' | 'b' | 'c' | 'a' | 'b' | 'c' | | 'a' | 'b' |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | # S. NO. | # S. ITEM NO. |
| M O 00193 | 5330-505-6609 | SPONGE STRIP: FRONT PANEL (60532) GKT373 MANUFACTURE FROM: | CDEF | EA | 1 | | | | | | | | 4 | 20 |
| P O 00194 | | RUBBER, SHEET, CELLULAR (3/8 IN. X 16 IN. REQUIRED) | CDEF | FT | | SEE GRP 9501 | | | | | | | | |
| M O 00195 | | SPONGE STRIP, PANEL: LEFT AND RIGHT SIDE (60532) GKT410 MANUFACTURE FROM: | DEF | EA | 2 | | | | | | | | 14 | 2 |
| P O 00196 | 5330-505-6610 | RUBBER, SHEET, CELLULAR (4 IN. REQUIRED FOR EACH SPONGE) | DEF | FT | | SEE GRP 9501 | | | | | | | | |
| M O 00197 | 5330-505-6610 | SPONGE STRIP, PANEL: TOP AND BOTTOM (60532) GKT409 MANUFACTURE FROM: | DEF | EA | 2 | | | | | | | | 14 | 3 |
| P O 00198 | | RUBBER, SHEET, CELLULAR (16 IN. REQUIRED FOR EACH SPONGE) | DEF | FT | | SEE GRP 9501 | | | | | | | | |
| X20 00199 | | STUD, TURN BUTTON FASTENER: PAULIN MFG (61864) 408 | ABCDEF | EA | 2 | | | | | | | | | |
| X2H 00200 | 5325-067-9222 | SUPPORT: ELECTRICAL HEATER MFG (60532) SUP121 | ABC | EA | 1 | | | | | | | | 8 | 26 |
| X2H 00201 | | SUPPORT AND CONE ASSEMBLY: MOTOR (90598) 8319-100 | | EA | 1 | | | | | | | | 14 | 1 |
| X2H 00202 | | SUPPORT AND CONE ASSEMBLY: ELECTRIC MOTOR (60532) SUP119 | AB | EA | 1 | | | | | | | | 4 | 5 |
| X2H 00203 | | SUPPORT AND CONE ASSEMBLY: ELECTRIC MOTOR (60532) SUP169 | CDEF | EA | 1 | | | | | | | | 14 | 1 |
| X2H 00204 | | SUPPORT, ANGLE: CONTROL BOX AND DEHYDRATOR MFG (60532) SUP114 | AB | EA | 2 | | | | | | | | 2 | 35 |
| X2H 00205 | | SUPPORT ASSEMBLY, FILTER: BLOWER FILTER MFG (60532) SUP113 | ABCDEF | EA | 1 | | | | | | | | 2 | |
| X2F 00206 | | RECEPTACLE, TURNLOCK: FILTER MOUNTING (71286) 12R1-1AA | ABCDEF | EA | 2 | | | | | | | | 1 | 19 |
| F 00207 | | RIVET, SOLID: RECEPTACLE MFG (96906) MS20426AD2-3 | ABCDEF | EA | 4 | | | | | | | | 1 | 18 |
| X1 00208 | | SUPPORT: BLOWER FILTER MFG (60532) SUP130 | ABCDEF | EA | 1 | | | | | | | | 1 | 17 |
| X2H 00209 | | SUPPORT, BACK PANEL: TOP (60532) SUP117 | AB | EA | 1 | | | | | | | | 2 | 5 |
| X2H 00210 | 5310-836-9578 | SUPPORT, HEATER (60532) SUP171 | DEF | EA | 1 | | | | | | | | 19 | 22 |
| O 00211 | | WASHER, FLAT: ACCESS PANEL MFG SCREW (94222) 12-11014-11 | CDEF | EA | 2 | | | | | | | | 4 | 30 |
| H 00212 | | WASHER, FLAT: BAFFLE MFG, No. 8 SCREW SIZE (96906) MS27183-8 | DEF | EA | 4 | | | | | | | | 15 | 15 |
| O 00213 | 5310-809-8544 | WASHER, FLAT: DISCHARGE GRILLE, FRESH AIR INLET SCREEN, INTAKE COVER, INTAKE GRILLE AND CONDENSER GRILLE MFG (96906) MS27183-7 | | EA | 52 | | | | | | | | 4 | 3 |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) USABLE ON CODE | (5) UNIT OF MEAS | (6) 30-DAY DS MAINT ALLOWANCE (a) (b) (c) 1-20 21-50 51-100 | (7) 30-DAY GS MAINT ALLOWANCE (a) (b) (c) 1-20 21-50 51-100 | (8) 1-YR ALW PER 100 EQUIP CNTGY | (9) ILLUS- TRATION | | | | | | |
|--------------------|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------|-------------------------------------------------------------------------|-------------------------------------------------------------------------|----------------------------------------------------|--------------------------|--------------------|----|---|----|---|----|
| | | | | | | | | (a) FIG. NO. | (b) ITEM NO. | | | | | |
| | | | | | | | | | | | | | | |
| O 00214 | 5310-809-8544 | WASHER, FLAT: INLET RING MTG (96906) MS27183-7 | | EA | 16 | | | | 5 | 10 | | | | |
| O 00215 | 5310-011-4986 | WASHER, FLAT: PAULIN MTG | ABCDEF | EA | 14 | | | | | | | | | |
| O 00216 | 5310-950-1310 | WASHER, FLAT: TOP PANEL MTG | ABCDEF | EA | 18 | | | | 3 | 4 | | | | |
| H 00217 | 5310-551-6308 | WASHER, LOCK: BAFFLE MTG, No. 8 SCREW SIZE (96906) MS35339-43 | DEF | EA | 4 | | | | 15 | 14 | | | | |
| H 00218 | 5310-045-3299 | WASHER, LOCK: CONDENSER GRILLE (96906) MS35338-42 | AB | EA | 8 | | | | 4 | 2 | | | | |
| O 00219 | 5310-209-5309 | WASHER, LOCK: DISCHARGE GRILLE, CONDENSER GRILLE, FRESH AIR INLET SCREEN, INTAKE COVER, INTAKE GRILLE AND CBR COVER MTG (96906) MS35338-23 | | EA | 52 | | | | 4 | 2 | | | | |
| O 00220 | | WASHER, LOCK: INLET RING MTG (96906) MS35338-42 | AB | EA | 8 | | | | 5 | 9 | | | | |
| O 00221 | 5310-209-5309 | WASHER, LOCK: INLET RING MTG (96906) MS35338-23 | CDEF | EA | 16 | | | | 5 | 9 | | | | |
| O 00222 | 5310-045-3299 | WASHER, LOCK: PAULIN MTG | ABCDEF | EA | 14 | | | | | | | | | |
| O 00223 | 5310-045-3299 | WASHER, LOCK: TOP PANEL MTG (96906) MS35338-42 | ABCDEF | EA | 18 | | | | 3 | 3 | | | | |
| 00224 | | GROUP 22 - BODY CHASSIS OR HULL, AND ACCESSORY ITEMS | | | | | | | | | | | | |
| 00224A | | 2202 - ACCESSORY ITEMS | | | | | | | | | | | | |
| X20 00225 | | BLOCKOFF PANEL ASSEMBLY: CONTROL BOX TO REMOTE CONTROL (97403) 13211E8392 | | EA | 1 | | | | | | | | | |
| P O 00226 | 4130-967-5979 | CABLE ASSEMBLY, SPECIAL: CONTROL BOX TO REMOTE CONTROL (60532) CON25 | | EA | 1 | * | * | 2 | * | * | 2 | 10 | 7 | 33 |
| 00227 | | 2210 - DATA PLATES | | | | | | | | | | | | |
| X2F 00228 | | BAND, MARKER, CABLE (61311) X38956 | ACD | EA | 2 | | | | | | | | | |
| X2F 00229 | | BAND, MARKER, CABLE (61311) X38957 | ACD | EA | 2 | | | | | | | | | |
| X2F 00230 | | BAND, MARKER, CABLE (61311) X38958 | ACD | EA | 2 | | | | | | | | | |
| X2F 00231 | | BAND, MARKER, CABLE (61311) X39601 | ACD | EA | 2 | | | | | | | | | |
| X20 00232 | | PLATE, DATA: ELECTRIC MOTOR (61311) 405860 | B | EA | 1 | | | | | | | | | |
| X20 00233 | | PLATE, DATA: ELECTRIC MOTOR (61311) X36945 | A | EA | 1 | | | | | | | | | |
| X20 00234 | | PLATE, IDENTIFICATION: COMPRESSOR (60532) PLT170 | BCDEF | EA | 1 | | | | | | | | | |
| X20 00235 | | PLATE, IDENTIFICATION: COMPRESSOR (01479) 474881 | EF | EA | 1 | | | | | | | | | |
| X20 00236 | | PLATE, IDENTIFICATION: COMPRESSOR (01479) 474993 | EF | EA | 1 | | | | | | | | | |
| X20 00237 | | PLATE, IDENTIFICATION: COMPRESSOR (01479) 474941 (CE20VAL6 ONLY) | F | EA | 1 | | | | | | | | | |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) USABLE ON CODE | (5) UNIT OF MEAS | (6) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE | | | (7) 30-DAY GS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGY | (9) ILLUS- TRATION | |
|--------------------|-----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|----------------------------------------------------|--------------------------|-------------|
| | | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | FIG. NO. | ITEM NO. |
| X20 00238 | | PLATE, IDENTIFICATION: MODEL AND SERIAL NUMBER (60532) PLT196 | CDEF | EA | 1 | | | | | | | | | |
| X20 00239 | | PLATE, IDENTIFICATION: TEMPERATURE (60532) PLT152 | ABCDEF | EA | 1 | | | | | | | | | |
| X20 00240 | | PLATE, IDENTIFICATION: WIRING DIAGRAM, FRONT LOWER PANEL (60532) PLT238 | CDEF | EA | 1 | | | | | | | | | |
| X20 00241 | | PLATE, INDICATING: COLOR TAG (60532) PLT222 | CDEF | EA | 1 | | | | | | | | | |
| X1 00242 | | PLATE, INSTRUCTION: CENTER PARTITION, COMPRESSOR CIRCUIT BREAKER (60532) PLT157 (COMPONENT OF LINKAGE KIT, STOCK NO. 4130-789-6526, SEE GROUP 4011) | A | EA | 1 | | | | | | | | | |
| X1 00243 | | PLATE, INSTRUCTION: MOTOR ROTATION (61311) X78700 (COMPONENT OF PARTS KIT, STOCK NO. 4130-961-8326, SEE GROUP 4000) | ABCD | EA | 1 | | | | | | | | | |
| X20 00244 | | PLATE, INSTRUCTION: MOTOR ROTATION (61311) X78700 | B | EA | 1 | | | | | | | | | |
| X20 00245 | | PLATE, INSTRUCTION: PUSH TO RESET (60532) PLT239 | CDEF | EA | 1 | | | | | | | | | |
| X20 00246 | | PLATE, NAME: CENTER PARTITION, COMPRESSOR CIRCUIT BREAKER (60532) PLT157 | B | EA | 1 | | | | | | | | | |
| O 00247 | 5305-175-3230 | SCREW, DRIVE: ELECTRIC MOTOR PLATE (96906) MS21318-14 | AB | EA | 2 | | | | | | | | | |
| O 00248 | 5305-175-3230 | SCREW, DRIVE: MOTOR ROTATION PLATE MTG (96906) MS21318-14 | CD | EA | 2 | | | | | | | | | |
| X1 00249 | 5320-899-0981 | RIVET, BLIND: COMPRESSOR CIRCUIT BREAKER PLATE MTG (61957) AD42BS (COMPONENT OF LINKAGE KIT, STOCK NO. 4130-789-6526, SEE GROUP 4011) | A | EA | 2 | | | | | | | | | |
| O 00250 | 5320-582-3304 | RIVET, BLIND: TEMPERATURE PLATE MOUNTING (96906) MS20600AD442 | CDEF | EA | 6 | | | | | | | | | |
| O 00251 | 5320-582-3494 | RIVET, BLIND: PLATES MTG (96906) MS20600AD444 | CDEF | EA | 14 | | | | | | | | | |
| O 00252 | 5320-899-0981 | RIVET, BLIND: WIRING DIAGRAM PLATE MTG (61957) AD42BS | AB | EA | 8 | | | | | | | | | |
| 00253 | | GROUP 40 - ELECTRIC MOTORS | | | | | | | | | | | | |
| 00254 | | 4000 - MOTOR ASSEMBLY | | | | | | | | | | | | |
| O 00255 | | BOLT, SHOULDER: BLOWER MOTOR MTG, BOTTOM (60532) BLT72 | ABCDEF | EA | 2 | | | | | | | | 15 | 7 |
| X20 00256 | | BUSHING, RUBBER: BLOWER MOTOR MTG, BOTTOM (60532) BUS53 | ABCDEF | EA | 2 | | | | | | | | 15 | 10 |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) USABLE ON CODE | (5) UNIT OF MEAS | (6) QTY INC IN UNIT | (7) 30-DAY DS MAINT ALLOWANCE | | | (8) 30-DAY GS MAINT ALLOWANCE | | | (9) 1-YR ALW PER 100 EQUIP CNTGY | (10) ILLUS- TRATION | |
|--------------------|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|----------------------------------------------------|---------------------------|-------------|
| | | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | FIG. NO. | ITEM NO. |
| X20 00257 | | BUSHING, SLEEVE, RUBBER: BLOWER MOTOR MTG, REAR (60532) BUS54 | BCDEF | EA | 4 | | | | | | | | 15 | 6 |
| X20 00258 | | GASKET, FAN MOTOR: BLOWER MOTOR MTG, REAR (60532) GKT485 | ABCDEF | EA | 1 | | | | | | | | 5 | 4 |
| P O R 00259 | 4130-302-1811 | MOTOR ASSEMBLY, FAN: BLOWER, AC, 1.62 HP, 208v, 3800 RPM, 400 CYCLE (61311) 405835 (ELECTRIC MOTORS AND REPAIR PARTS ARE TO BE REQUISITIONED BY COMPLETE IDENTIFYING NOMENCLATURE. COMPLETE MOTOR AND FRAME NAME PLATE DATA MUST BE SHOWN ON THE REQUISITION TO INSURE SUPPLY OF THE PROPER REPAIR PARTS OF THE MOTOR) (THIS MOTOR IS INTERCHANGEABLE WITH MOTOR, FSN 6105-949-8629) (INCLUDES COMPONENTS OF PARTS KIT, STOCK No. 4130-961-8326) | ACD | EA | 1 | * | 2 | 2 | * | 2 | 2 | 22 | 5 | 2 |
| P O R 00260 | 6105-955-5338 | MOTOR, ELECTRIC: BLOWER, AC, 1.42 HP, 208v, 3450 RPM, 60 CYCLE (61311) 405832 (ELECTRIC MOTORS AND REPAIR PARTS ARE TO BE REQUISITIONED BY COMPLETE IDENTIFYING NOMENCLATURE. COMPLETE MOTOR AND FRAME NAME PLATE DATA MUST BE SHOWN ON THE REQUISITION TO INSURE SUPPLY OF THE PROPER REPAIR PARTS) (THIS MOTOR AS A COMPLETE UNIT IS INTERCHANGEABLE WITH MOTOR, FSN 6105-932-0793 AND FSN 6105-949-8627) | B | EA | 1 | * | 2 | 2 | * | 2 | 2 | 22 | 5 | 2 |
| P O R 00261 | 6105-949-8629 | MOTOR, FAN: BLOWER, AC, 208v, 400 CYCLE, 3700 RPM (ELECTRIC MOTORS AND REPAIR PARTS ARE TO BE REQUISITIONED BY COMPLETE IDENTIFYING NOMENCLATURE. COMPLETE MOTOR AND FRAME NAME PLATE DATA MUST BE SHOWN ON THE REQUISITION TO INSURE SUPPLY OF THE PROPER PARTS OF THE MOTOR) (THIS MOTOR AS A COMPLETE UNIT IS INTERCHANGEABLE WITH MOTOR ASSEMBLY, FSN 4130-302-1811) | E | EA | 1 | * | * | * | * | * | * | 5 | 5 | 2 |
| P O R 00262 | 6105-949-8627 | MOTOR, FAN: BLOWER, 208v, 3 PHASE, 50/60 CYCLE, 3450 RPM (64731) 4725-8 (ELECTRIC MOTORS AND REPAIR PARTS ARE TO BE REQUISITIONED BY COMPLETE IDENTIFYING NOMENCLATURE. COMPLETE MOTOR AND FRAME NAME PLATE DATA MUST BE SHOWN ON THE REQUISITION TO INSURE SUPPLY OF THE PROPER REPAIR PARTS) (THIS MOTOR AS A COMPLETE UNIT IS INTERCHANGEABLE WITH MOTOR, FSN 6105-932-0793 AND FSN 6105-955-5338) | F | EA | 1 | * | * | * | * | * | * | 5 | 5 | 2 |
| O 00263 | 5310-208-1919 | NUT, SELF-LOCKING, HEXAGON: BLOWER MOTOR MTG, REAR (72962) 42NE040 | ABCDEF | EA | 4 | | | | | | | | 5 | 3 |
| P H 00264 | 4130-961-8326 | PARTS KIT, OVERHAUL: ELECTRIC MOTOR (61311) 407434 | ABCD | EA | 1 | | | | * | * | 2 | 10 | | |
| X1 00265 | 4130-996-3689 | BEARING, BALL, ANNULAR: ROTOR SHAFT TO END BELLS (21335) P202KDDFS50160 | ABCD | EA | 2 | SEE | GRP | 4005 | | | | | | |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) USABLE ON CODE | (5) UNIT OF MEAS | (6) QTY INC IN UNIT | (7) 30-DAY DS MAINT ALLOWANCE | | | (8) 30-DAY GS MAINT ALLOWANCE | | | (9) 1-YR ALW PER 100 EQUIP CNTGY | (10) ILLUS- TRATION | |
|--------------------|-----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|----------------------------------------------------|---------------------------|-------------|
| | | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | FIG. NO. | ITEM NO. |
| X1 00266 | 5935-801-6616 | CONNECTOR, RECEPTACLE, ELECTRICAL; MOTOR, 3 CONTACTS (96906) MS3102R14S7P | ABCD | EA | 1 | SEE | GRP | 4018 | | | | | | |
| X1 00267 | | PLATE, INSTRUCTION: MOTOR ROTATION (61311) X78700 | ABCD | EA | 1 | SEE | GRP | 2210 | | | | | | |
| X1 00268 | | SCREW, SELF-LOCKING: CONNECTOR TO STATOR HOUSING MTG, CADIUM OR ZINC PLATED, No. 4-40 THD SIZE, 3/8 IN. LG (03038) LL500-4-5 | ABCD | EA | 4 | SEE | GRP | 4018 | | | | | | |
| X1 00269 | | SCREW, SELF-LOCKING: END BELL MTG, CADIUM OR ZINC PLATED, 1/4-20 THD SIZE, 3/4 IN. LG (03038) LP500-416-12 | ABCD | EA | 4 | SEE | GRP | 4005 | | | | | | |
| X1 00270 | | SCREW, SELF-LOCKING: OVERLOAD PROTECTOR COVER TO HOUSING, CADIUM OR ZINC PLATED, No. 8-32 THD SIZE, 1 3/4 IN. LG (03038) LP500-8-28 | ABCD | EA | 4 | SEE | GRP | 4005 | | | | | | |
| X1 00271 | 5305-226-9268 | SCREW, SELF-LOCKING: OVERLOAD PROTECTOR MTG (03038) LL500-6-6 | ABCD | EA | 2 | SEE | GRP | 4006 | | | | | | |
| X1 00272 | 5940-275-7802 | TERMINAL, LUG; CONNECTOR (78189) 2522-04-00-2041 | ABCD | EA | 1 | SEE | GRP | 4018 | | | | | | |
| X1 00273 | 5310-167-0816 | WASHER, FLAT: OVERLOAD PROTECTOR MTG (88044) AN960-6 | ACD | EA | 4 | SEE | GRP | 4006 | | | | | | |
| X1 00274 | | WASHER, SPRING: ROTOR THRUST (60532) SP651 | ABCD | EA | 2 | SEE | GRP | 4005 | | | | | | |
| O 00275 | | SCREW, MACHINE: BLOWER MOTOR MTG, REAR (60532) SCR338 | ABCDEF | EA | 4 | | | | | | | | 5 | 5 |
| X20 00276 | | SPACER, SLEEVE: BLOWER MOTOR MTG, BOTTOM (60532) SPC18 | BCDEF | EA | 2 | | | | | | | | 15 | 12 |
| O 00277 | | WASHER, FLAT: BLOWER MOTOR MTG, BOTTOM (60532) WAS170 | BCDEF | EA | 2 | | | | | | | | 15 | 9 |
| O 00278 | | WASHER, FLAT: BLOWER MOTOR MTG, REAR (60532) WAS172 | BCDEF | EA | 4 | | | | | | | | 15 | 5 |
| X20 00279 | | WASHER, FLAT, RUBBER: BLOWER MOTOR MTG, BOTTOM (60532) WAS171 | BCDEF | EA | 2 | | | | | | | | 15 | 11 |
| O 00280 | 5310-013-1099 | WASHER, LOCK: BLOWER MOTOR MTG, BOTTOM (96906) MS35339-27 | CDEF | EA | 2 | | | | | | | | 15 | 8 |
| 00281 | | 4001 - ROTOR ASSEMBLIES | | | | | | | | | | | | |
| P H 00282 | 6105-961-8343 | ROTOR, MOTOR (61311) 408266 | ACD | EA | 1 | | | | * | * | * | 3 | 11 | 8 |
| X1 00283 | | BAR, ROTOR (61311) 406889 | ACD | EA | 66 | | | | | | | | | |
| X1 00284 | | CORE, ROTOR (61311) 405922-1 | ACD | EA | 1 | | | | | | | | | |
| X1 00285 | | END RING (61311) 406890 | ACD | EA | 2 | | | | | | | | | |
| X2H 00286 | | PIN, GROOVED (73957) GP1-093X188-12 | ACD | EA | 1 | SEE | GRP | 4005 | | | | | | |

| (1) | (2) | (3) | DESCRIPTION | | (4) | (5) | (6) | | | (7) | | | (8) | (9) | |
|--------------|----------------------------|---------------------------------------------------------------|----------------------|--------------------|--------------------------|------------------------------|-----|-----|------------------------------|-----|-----|---------------------------------------------|-------------------|-----|--|
| SMR CODE | FEDERAL STOCK NUMBER | REF NUMBER & MFR CODE | USABLE ON CODE | UNIT OF MEAS | QTY INC IN UNIT | 30-DAY DS MAINT ALLOWANCE | | | 30-DAY GS MAINT ALLOWANCE | | | 1-YR ALW PER 100 EQUIP CNTGY | ILLUS- TRATION | | |
| | | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | (a) | (b) | |
| X1 00287 | 6105-961-8325 | ROTOR PUNCHING: 2 1/8 IN. (61311) 405653 (AS REQUIRED) | ACD | EA | | | | | | | | | | | |
| X1 00288 | | SHAFT, ROTOR (61311) 405936 | ACD | EA | 1 | | | | | | | | | | |
| P H 00289 | | ROTOR, MOTOR (61311) 408128 | B | EA | 1 | | | | * | * | * | 5 | 11 | 8 | |
| X1 00290 | | BAR, ROTOR (61311) 406979-1 | B | EA | 66 | | | | | | | | | | |
| X1 00291 | | CORE, ROTOR (61311) 406198-3 | B | EA | 1 | | | | | | | | | | |
| X1 00292 | | END RING (61311) 407808 | B | EA | 2 | | | | | | | | | | |
| X1 00293 | | ROTOR PUNCHING (AS REQUIRED) (61311) 406195 | B | EA | | | | | | | | | | | |
| X1 00294 | | SHAFT, ROTOR (61311) 405932 | B | EA | 1 | | | | | | | | | | |
| X2H 00295 | | ROTOR, MOTOR (61311) 951402 | E | EA | 1 | | | | | | | | 11 | 8 | |
| X2H 00296 | | ROTOR, MOTOR (61311) 951202 | F | EA | 1 | | | | | | | | 11 | 8 | |
| 00297 | | 4002 - STATOR ASSEMBLIES | | | | | | | | | | | | | |
| P H 00298 | 6105-014-8166 | STATOR, MOTOR (61311) 405946 | ACD | EA | 1 | | | | * | * | * | 3 | | | |
| X1 00299 | | HOUSING, STATOR (61311) 405929 | ACD | EA | 1 | | | | | | | | 11 | 4 | |
| X1 00300 | 4130-961-8327 | INSULATION, STATOR (61311) 405310 | ACD | EA | 4 | | | | | | | | 11 | 2 | |
| X1 00301 | | PIN, GROOVED (73957) GP1-093X188-12 | ACD | EA | 1 | | | | | | | | 11 | 16 | |
| X1 00302 | 4130-961-8324 | STATOR, WOUND (61311) 405920 | ACD | EA | 1 | | | | | | | | 11 | 3 | |
| X1 00303 | | CORE, STATOR (61311) 405919 | ACD | EA | 1 | | | | | | | | | | |
| X1 00304 | | STATOR PUNCHING: 2 1/8 IN. (61311) 406864 (AS REQUIRED) | ACD | EA | | | | | | | | | | | |
| P H 00305 | 6115-010-4723 | STATOR, MOTOR (61311) 405935 | B | EA | 1 | | | | * | * | * | 5 | | | |
| X1 00306 | | HOUSING, STATOR (61311) 405926 | B | EA | 1 | | | | | | | | 11 | 4 | |
| X1 00307 | | INSULATION, STATOR (61311) 405855 | B | EA | 4 | | | | | | | | 11 | 2 | |
| X2H 00308 | | PIN, GROOVED: 3/32 IN. DIA, 3/16 IN. LG (61311) 401976 | B | EA | 1 | | | | | | | | 11 | 16 | |
| X1 00309 | 6105-055-1560 | STATOR, MOTOR (61311) 405857 | B | EA | 1 | | | | | | | | 11 | 3 | |
| X1 00310 | | CORE, STATOR (61311) 407676 | B | EA | 1 | | | | | | | | | | |
| X1 00311 | | STATOR PUNCHING (AS REQUIRED) (61311) 407008 | B | EA | 1 | | | | | | | | | | |
| X2H 00312 | | STATOR, MOTOR (61311) 951401 | E | EA | 1 | | | | | | | | 11 | 3 | |

| (1) SHR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) USABLE ON CODE | (5) UNIT OF MEAS | (6) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE | | | (7) 30-DAY GS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGY | (9) ILLUS- TRATION | |
|--------------------|------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|----------------------------------------------------|--------------------------|-------------|
| | | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | FIG. NO. | ITEM NO. |
| X2H 00313 | 4130-996-3689 3110-144-8900 | STATOR, MOTOR (64731) 951201 | F | EA | 1 | | | | | | | | 11 | 3 |
| 00314 | | 4005 - FRAME, SUPPORTS AND HOUSING | | | | | | | | | | | | |
| X1 00315 | | BEARING, BALL, ANNULAR: ROTOR SHAFT TO END BELLS (21335) P202KDDFS50160 (COMPONENTS OF PARTS KIT, STOCK No. 4130-961-8326, SEE GROUP 4000) | ABCD | EA | 2 | | | | | | | | 11 | 5 |
| X2H 00316 | | BEARING, BALL, ANNULAR: ROTOR, FRONT AND REAR (64731) 524871 | EF | EA | 2 | | | | | | | | 11 | 5 |
| X2F 00317 | | COVER: OVERLOAD PROTECTOR (64731) 908900 | EF | EA | 1 | | | | | | | | 11 | 12 |
| X2H 00318 | | COVER, STATOR HOUSING: TOP, OVERLOAD PROTECTOR (61311) 405939 | CD | EA | 1 | | | | | | | | 11 | 12 |
| X2H 00319 | | END BELL: HOUSING COVER (61311) 405924 | ABCDEF | EA | 1 | | | | | | | | 11 | 15 |
| X2H 00320 | | END BELL: HOUSING MTD (61311) 405925 | ABCDEF | EA | 1 | | | | | | | | 11 | 14 |
| X2H 00321 | | FAN, MOTOR (61311) 405868 | A | EA | 2 | | | | | | | | 11 | 6 |
| X2H 00322 | | FAN, MOTOR (61311) 403230 | B | EA | 2 | | | | | | | | 11 | 6 |
| X2H 00323 | | PIN, GROOVED (73957) GP1-093X188-12 | ACD | EA | 1 | | | | | | | | 11 | 7 |
| X2H 00324 | | PIN, GROOVED: FAN MTD (61311) 97234 | B | EA | 2 | | | | | | | | 11 | 7 |
| X1 00325 | | SCREW, SELF-LOCKING: END BELL MTD, CADMIUM OR ZINC PLATED, 1/4-20 THD SIZE, 3/4 IN. LG (03038) LP500-416-12 (COMPONENT OF PARTS KIT, STOCK No. 4130-961-8326, SEE GROUP 4000) | ABCD | EA | 4 | | | | | | | | 11 | 13 |
| X1 00326 | | SCREW, SELF-LOCKING: OVERLOAD PROTECTOR COVER TO HOUSING, CADMIUM OR ZINC PLATED, No. 8-32 THD SIZE, 1 3/4 IN. LG (03038) LP500-8-28 (COMPONENT OF PARTS KIT, STOCK No. 4130-961-8326, SEE GROUP 4000) | ABCD | EA | 4 | | | | | | | | 11 | 11 |
| X1 00327 | | WASHER, SPRING: ROTOR THRUST (60532) SPG51 (COMPONENT OF PARTS KIT, STOCK No. 4130-961-8326, SEE GROUP 4000) | ABCD | EA | 2 | | | | | | | | 11 | 1 |
| 00328 | | 4006 - STARTING AND PROTECTIVE DEVICES | | | | | | | | | | | | |
| X2F 00329 | | BRACKET, MOUNTING: OVERLOAD PROTECTOR MTD (04594) 183-1227 | C | EA | 1 | | | | | | | | 11 | 19 |
| X2F 00330 | | BRACKET, RETAINER: OVERLOAD PROTECTOR MTD (04594) 183-1233 | BF | EA | 1 | | | | | | | | 12 | 4 |
| F 00331 | 5340-597-9399 | CLAMP, LOOP: SURGE SUPPRESSOR MTD (96906) MS21919H11 | ABC | EA | 1 | | | | | | | | 7 | 25 |

| (1) SHR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE | | | (7) 30-DAY GS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGY | (9) ILLUS- TRATION | |
|--------------------|-----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|---------------------------------|-------------------------------------|---------|--------|-------------------------------------|-------|--------|----------------------------------------------------|--------------------------|-------------|
| | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | (a) | (b) |
| | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | FIG. NO. | ITEM NO. |
| X2F 00332 | | COVER, PRESSURE SWITCH (60532) COV314 | CDEF | EA | 1 | | | | | | | 18 | 4 |
| X2F 00333 | 5325-281-4365 | GROMMET, RUBBER: PRESSURE SWITCH COVER (70485) 374 | DEF | EA | 1 | | | | | | | 18 | 8 |
| M F 00334 | 5330-224-4681 | INSULATION, RUBBER, NEOPRENE: SURGE SUPPRESSOR, 2 IN. X 1 IN., 1/16 IN. THK MANUFACTURE FROM: | ABC | EA | 1 | | | | | | | 7 | 30 |
| P F 00335 | 5330-505-6611 | RUBBER, SHEET, SOLID (2 IN. X 1 IN. X 1/16 IN. THK REQUIRED) | SH | | | SEE GRP | 9501 | | | | | | |
| F 00336 | 5310-889-2549 | NUT, SELF-LOCKING, HEXAGON: PRESSURE SWITCH COVER MTG (96906) MS21045-08 | BCDEF | EA | 4 | | | | | | | 18 | 6 |
| F 00337 | 5310-889-2544 | NUT, SELF-LOCKING, HEXAGON: RELAY MTG (96906) MS21045-06 | DEF | EA | 4 | | | | | | | 16 | 1 |
| F 00338 | 5310-877-5797 | NUT, SELF-LOCKING, HEXAGON: SURGE SUPPRESSOR MTG (72962) 21M02 | ABC | EA | 1 | | | | | | | 7 | 26 |
| X2F 00339 | | PLATE, RETAINING: OVERLOAD PROTECTOR MTG (61311) 405938 | ABCD | EA | 1 | | | | | | | 11 | 19 |
| P F 00340 | 4130-996-3698 | PROTECTOR: MOTOR (82467) MYA1263 | ACD | EA | 1 | * | * | 2 | * | * | 2 | 10 | 11 |
| P F 00341 | 6105-856-8105 | PROTECTOR, OVERLOAD: COMPRESSOR, TOP (04594) 1456-832 | AC | EA | 1 | * | * | * | * | * | * | 5 | 12 |
| P F 00342 | 4120-961-5553 | PROTECTOR, OVERLOAD: MOTOR (82467) MYA1258 | B | EA | 1 | * | * | 2 | * | * | 2 | 10 | 11 |
| P F 00343 | 5945-905-9222 | RELAY, ARMATURE: PHASE SEQUENCE (02289) 1410-1B | DE | EA | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 29 | 16 |
| P F 00344 | 5945-958-2680 | RELAY, ARMATURE: PHASE SEQUENCE (02289) 1409-1B | F | EA | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 29 | 16 |
| F 00345 | | SCREW, MACHINE: BRACKET MTG (04594) 240-216 | C | EA | 2 | | | | | | | 12 | 3 |
| F 00346 | 5305-984-6194 | SCREW, MACHINE: PRESSURE SWITCH COVER MTG (96906) MS35206-246 | BCDEF | EA | 4 | | | | | | | 18 | 3 |
| F 00347 | 5305-889-3000 | SCREW, MACHINE: RELAY MTG (96906) MS35206-230 | DEF | EA | 4 | | | | | | | 16 | 13 |
| F 00348 | 5305-989-7435 | SCREW, MACHINE: SURGE SUPPRESSOR MOUNTING (16764) 453321 | ABC | EA | 1 | | | | | | | 7 | 47 |
| F 00349 | 5305-590-3146 | SCREW, MACHINE: SWITCH MTG (88044) AN515-6-4 | BCDEF | EA | 2 | | | | | | | 18 | 7 |
| X1 00350 | 5305-226-9268 | SCREW, SELF-LOCKING: OVERLOAD PROTECTOR MTG (03038) LL500-6-6 (COMPONENT OF PARTS KIT, STOCK NO. 4130-961-8326, SEE GROUP 4000) | ABCD | EA | 2 | | | | | | | 11 | 21 |
| P F 00351 | 4130-955-5336 | SWITCH, OVERLOAD: COMPRESSOR, TOP (06853) 1456-833 | B | EA | 1 | * | * | 2 | * | * | 2 | 10 | 12 |
| P F 00352 | 5930-275-7800 | SWITCH, PRESSURE: CUTOUT (60532) CNT197 | BCDEF | EA | 1 | * | 2 | 2 | * | 2 | 2 | 20 | 18 |
| P F 00353 | 5960-073-8418 | SUPPRESSOR, SURGE (08771) 3A6RS20SG10H10 | ABC | EA | 1 | * | * | 2 | * | * | 2 | 10 | 7 |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) USABLE ON CODE | (5) UNIT OF MEAS | (6) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE | | | (7) 30-DAY GS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGY | (9) ILLUS- TRATION | |
|--------------------|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|----------------------------------------------------|--------------------------|-------------|
| | | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | FIG. NO. | ITEM NO. |
| F 00354 | 5310-809-8544 | WASHER, FLAT: EVAPORATOR HEATER THERMOSTAT MTG (96906) MS27183-7 | DEF | EA | 2 | | | | | | | | 19 | 21 |
| X1 00355 | 5310-167-0816 | WASHER, FLAT: OVERLOAD PROTECTOR MOUNTING (88044) AN960-6 (COMPONENT OF PARTS KIT, STOCK No. 4130-961-8326, SEE GROUP 4000) | ABCD | EA | 4 | | | | | | | | 11 | 20 |
| F 00356 | 5310-809-8544 | WASHER, FLAT: PRESSURE SWITCH COVER MTG (96906) MS27183-7 | BCDEF | EA | 4 | | | | | | | | 18 | 5 |
| F 00357 | 5310-082-1404 | WASHER, FLAT: RELAY MTG (96906) MS27183-6 | DEF | EA | 4 | | | | | | | | 16 | 2 |
| X2F 00358 | | WASHER, NONMETALLIC: RELAY MTG (60532) WAS189 | DEF | EA | 4 | | | | | | | | 16 | 16 |
| 00359 | | 4009 - CONTROL PANELS, HOUSING, CUBICLES | | | | | | | | | | | | |
| X2F 00360 | | BOX, JUNCTION (60532) BOX81 | C | EA | 1 | | | | | | | | 7 | 11 |
| X2F 00361 | | CASE, CONTROL PANEL (60532) CAS61 | CDEF | EA | 1 | | | | | | | | 6 | 12 |
| F 00362 | 5340-543-4394 | CLAMP, LOOP: TEMPERATURE CONTROL TUBE (96906) MS21919DG6 | ABCDEF | EA | 1 | SEE GRP 5244 | | | | | | | | |
| X2F 00363 | 5935-721-0496 | CONNECTOR, RECEPTACLE, ELECTRICAL: CONTROL PANEL TO CONTROL BOX CONNECTOR, 19 CONTACTS (96906) MS3102R22-14P | ABCDEF | EA | 1 | SEE GRP 4018 | | | | | | | | |
| X2F 00364 | 5355-926-5289 | KNOB: ROTARY SWITCH (86797) RB175 | EA | 1 | SEE GRP 4012 | | | | | | | | | |
| X2F 00365 | 5355-926-5289 | KNOB: TEMPERATURE CONTROL (86797) RB175 | EA | 1 | SEE GRP 5244 | | | | | | | | | |
| M O 00366 | | LEAD, ELECTRICAL: CIRCUIT BREAKER TO MOTOR CONTACTOR (60532) LED65 MANUFACTURE FROM: | CDEF | EA | 2 | | | | | | | | | |
| O 00367 | 5940-705-6702 | TERMINAL, LUG (60532) 19040016 | CDEF | EA | 2 | | | | | | | | | |
| P O 00368 | 6145-316-9072 | WIRE, ELECTRICAL (8 1/4 IN. REQUIRED FOR EACH LEAD) | CDEF | FT | | SEE GRP 9501 | | | | | | | | |
| M O 00369 | | LEAD, ELECTRICAL: HEATER CONTACTOR TO MOTOR CONTACTOR (60532) LED61 MANUFACTURE FROM: | CDEF | EA | 1 | | | | | | | | | |
| O 00370 | 5940-705-6702 | TERMINAL, LUG (60532) 19040016 | CDEF | EA | 2 | | | | | | | | | |
| P O 00371 | 6145-316-9072 | WIRE, ELECTRICAL (6 1/4 IN. REQUIRED) | CDEF | FT | | SEE GRP 9501 | | | | | | | | |
| M O 00372 | | LEAD, ELECTRICAL: HEATER CONTACTOR TO TERMINAL BOARD (60532) LED57 MANUFACTURE FROM: | CDEF | EA | 1 | | | | | | | | | |
| O 00373 | 5940-050-6207 | TERMINAL, LUG | CDEF | EA | 2 | | | | | | | | | |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE | | | (7) 30-DAY GS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGY | (9) ILLUS- TRATION | |
|--------------------|-----------------------------------|------------------------------------------------------------------------------------------------|----------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|----------------------------------------------------|--------------------------|-------------|
| | | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | FIG. NO. | ITEM NO. |
| P O 00374 | 6145-313-9429 | WIRE, ELECTRICAL (12 IN. REQUIRED) | CDEF | FT | | SEE | GRP | 9501 | | | | | | |
| M O 00375 | | LEAD, ELECTRICAL: HEATER No. 1 TO HEATER No. 6 (60532) LED62 MANUFACTURE FROM: | CDEF | EA | 1 | | | | | | | | | |
| O 00376 | 5940-050-6386 | TERMINAL, LUG (60532) 40977 | CDEF | EA | 2 | | | | | | | | | |
| P O 00377 | 6145-660-8933 | WIRE, ELECTRICAL (14 5/8 IN. REQUIRED) | CDEF | FT | | SEE | GRP | 9501 | | | | | | |
| M O 00378 | | LEAD, ELECTRICAL: HEATER No. 2 TO HEATER No. 5 (60532) LED67 MANUFACTURE FROM: | CDEF | EA | 1 | | | | | | | | | |
| O 00379 | 5940-050-6386 | TERMINAL, LUG (60532) 40977 | CDEF | EA | 2 | | | | | | | | | |
| P O 00380 | 6145-660-8933 | WIRE, ELECTRICAL (8 5/8 IN. REQUIRED) | CDEF | FT | | SEE | GRP | 9501 | | | | | | |
| M O 00381 | | LEAD, ELECTRICAL: HEATER No. 3 TO HEATER No. 4 (60532) LED69 MANUFACTURE FROM: | CDEF | EA | 1 | | | | | | | | | |
| O 00382 | 5940-050-6386 | TERMINAL, LUG (60532) 40977 | CDEF | EA | 2 | | | | | | | | | |
| P O 00383 | 6145-660-8933 | WIRE, ELECTRICAL (3 5/8 IN. REQUIRED) | CDEF | FT | | SEE | GRP | 9501 | | | | | | |
| M O 00384 | | LEAD, ELECTRICAL: MOTOR CONTACTOR TO CIRCUIT BREAKER (60532) LED60 MANUFACTURE FROM: | CDEF | EA | 1 | | | | | | | | | |
| O 00385 | 5940-316-6702 | TERMINAL, LUG (60532) 19040016 | CDEF | EA | 2 | | | | | | | | | |
| P O 00386 | 6145-316-9072 | WIRE, ELECTRICAL (7 1/4 IN. REQUIRED) | CDEF | FT | | SEE | GRP | 9501 | | | | | | |
| M O 00387 | | LEAD, ELECTRICAL: MOTOR CONTACTOR TO HEATER CONTACTOR (60532) LED58 MANUFACTURE FROM: | CDEF | EA | 1 | | | | | | | | | |
| O 00388 | 5940-705-6702 | TERMINAL, LUG (78553) 19040016 | CDEF | EA | 2 | | | | | | | | | |
| P O 00389 | 6145-316-9072 | WIRE, ELECTRICAL (5 1/4 IN. REQUIRED) | CDEF | FT | | SEE | GRP | 9501 | | | | | | |
| M O 00390 | | LEAD, ELECTRICAL: MOTOR CONTACTOR TO HEATER CONTACTOR (60532) LED59 MANUFACTURE FROM: | CDEF | EA | 1 | | | | | | | | | |
| O 00391 | 5940-705-6702 | TERMINAL, LUG (60532) 19040016 | CDEF | EA | 2 | | | | | | | | | |
| P O 00392 | 6145-316-9072 | WIRE, ELECTRICAL (4 1/4 IN. REQUIRED) | CDEF | FT | | SEE | GRP | 9501 | | | | | | |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE | | | (7) 30-DAY GS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGY | (9) ILLUS- TRATION | |
|--------------------|-----------------------------------|---------------------------------------------------------------------------------------------------------|---------------------------|---------------------------------|-------------------------------------|--------------|--------|-------------------------------------|-------|--------|----------------------------------------------------|--------------------------|-------------|
| | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | (a) | (b) |
| | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | FIG. NO. | ITEM NO. |
| M O 00393 | | LEAD, ELECTRICAL: TERMINAL BOARD, No. 1 TO HEATER CONTACTOR (60532) LED56 MANUFACTURE FROM: | CDEF | EA | 1 | | | | | | | | |
| O 00394 | 5940-705-6701 | TERMINAL, LUG (60532) 19040015 | CDEF | EA | 1 | | | | | | | | |
| O 00395 | 5940-705-6702 | TERMINAL, LUG (60532) 19040016 | CDEF | EA | 1 | | | | | | | | |
| P O 00396 | 6145-316-9072 | WIRE, ELECTRICAL (4 IN. REQUIRED) | CDEF | FT | | SEE GRP 9501 | | | | | | | |
| M O 00397 | | LEAD, ELECTRICAL: TERMINAL BOARD TO HEATER CONTACTOR (60532) LED65 MANUFACTURE FROM: | CDEF | EA | 1 | | | | | | | | |
| O 00398 | 5940-705-6701 | TERMINAL, LUG (60532) 19040015 | CDEF | EA | 1 | | | | | | | | |
| O 00399 | 5940-705-6702 | TERMINAL, LUG (60532) 19040016 | CDEF | EA | 1 | | | | | | | | |
| P O 00399A | 6145-316-9072 | WIRE, ELECTRICAL (4 IN. REQUIRED) | CDEF | FT | | SEE GRP 9501 | | | | | | | |
| F 00400 | | NUT, SELF-LOCKING, HEXAGON: PLATE TO CASING MTO (96906) MS21045-08 | ABCDEF | EA | 4 | | | | | | | 6 | 7 |
| F 00401 | 5310-889-2549 | NUT, SELF-LOCKING, HEXAGON: TEMPERATURE CONTROL MTO (96906) MS21045-08 | CDEF | EA | 4 | SEE GRP 5244 | | | | | | | |
| F 00402 | 5310-275-6813 | NUT, SHEET SPRING: COVER TO BOX (78553) C13853-1420 | ABCDEF | EA | 4 | | | | | | | 6 | 11 |
| F 00403 | 5310-071-0241 | NUT, SWAGED: PLATE TO BOX MTO (56878) SN1032-4 | ABCDEF | EA | 1 | | | | | | | 7 | 42 |
| X20 00404 | | PANEL ASSEMBLY: CONTROL BOX (60532) PNL1534 | CDEF | EA | 1 | | | | | | | | |
| M O 00405 | | GASKET: PANEL BOTTOM (60532) GKT528 MANUFACTURE FROM: | ABCDEF | EA | 2 | | | | | | | 7 | 36 |
| P O 00406 | 5330-505-6609 | RUBBER, SHEET, CELLULAR (3/8 IN. X 13 IN. REQUIRED FOR EACH GASKET) | ABCDEF | FT | | SEE GRP 9501 | | | | | | | |
| M O 00407 | | GASKET: PANEL SIDE (60532) GKT529 MANUFACTURE FROM: | ABCDEF | EA | 2 | | | | | | | 7 | 32 |
| P O 00408 | 5330-505-6609 | RUBBER, SHEET, CELLULAR (3/8 IN. X 5 1/2 IN. REQUIRED FOR EACH GASKET) | AB | FT | | SEE GRP 9501 | | | | | | | |
| X1 00409 | | PANEL, CONTROL BOX: FRONT (60532) COV306 | ABCDEF | EA | 1 | | | | | | | 7 | 35 |
| O 00410 | 5305-959-5237 | SCREW, PANEL FASTENER: PANEL TO BOX MTO (94222) 12-11-203-12 | ABCDEF | EA | 4 | | | | | | | 7 | 34 |
| O 00411 | 5310-836-9538 | WASHER, PANEL FASTENER: PANEL SCREW RETAINING (94222) 12-110104-11 | ABCDEF | EA | 4 | | | | | | | 7 | 41 |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) USABLE ON CODE | (5) UNIT OF MEAS | (6) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE | | | (7) 30-DAY GS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGY | (9) ILLUS- TRATION | |
|--------------------|-----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|----------------------------------------------------|--------------------------|-------------|
| | | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | FIG. NO. | ITEM NO. |
| X1 00412 | | PANEL, CONTROL BOX: BOTTOM AND SIDE (60532) PNL1573 | CDEF | EA | 1 | | | | | | | | | |
| X1 00413 | | PANEL, CONTROL BOX: TOP AND BACK (60532) PNL1574 | CDEF | EA | 1 | | | | | | | | | |
| X2F 00414 | | PLATE, MOUNTING: CONTROL PANEL (60532) PLT242 | CDEF | EA | 1 | | | | | | | | 6 | 6 |
| X20 00415 | | PLATE, IDENTIFICATION: TEMPERATURE (60532) PLT152 | ABCDEF | EA | 1 | | | | | | | | | |
| X2F 00416 | 4130-983-2335 | RETAINING, RING ASSEMBLY: RECEPTACLE MTO (78553) C6974-22-41 | ABCDEF | EA | 1 | SEE | GRP | 4018 | | | | | | |
| X2F 00417 | 5320-582-3304 | RIVET, BLIND: PANEL TO PANEL MOUNTING. (96906) MS20600ADW2 | CDEF | EA | 20 | | | | | | | | | |
| O 00418 | 5320-582-3304 | RIVET, BLIND: TEMPERATURE PLATE MOUNTING (96906) MS20600ADW2 | CDEF | EA | 6 | SEE | GRP | 2210 | | | | | | |
| F 00419 | 5305-984-6193 | SCREW, MACHINE: PLATE TO CASING MOUNTING (96906) MS35206-245 | ABCDEF | EA | 4 | | | | | | | | 6 | 3 |
| F 00420 | 5305-984-6193 | SCREW, MACHINE: TEMPERATURE CONTROL MTO (96906) MS35206-245 | CDEF | EA | 4 | SEE | GRP | 5244 | | | | | | |
| F 00421 | 5305-984-7814 | SCREW, MACHINE: TUBE CLAMP MTO (96906) MS35207-291 | CDEF | EA | 1 | SEE | GRP | 5244 | | | | | | |
| F 00422 | 5305-053-1114 | SCREW, TAPPING, THREAD FORMING: RECEPTACLE MTO (96906) MS24621-11 | CDEF | EA | 4 | SEE | GRP | 4018 | | | | | | |
| P F 00423 | 5930-907-8948 | SWITCH, ROTARY: HIGH-LOW HEAT (15605) 8912K216 | | EA | 1 | SEE | GRP | 4012 | | | | | | |
| P F 00424 | 4130-302-1818 | THERMOSTAT, TEMPERATURE CONTROL (92578) 229XC | | EA | 1 | SEE | GRP | 5244 | | | | | | |
| M O 00426 | | WIRE, ELECTRICAL: TERMINAL BOARD, No. 1 TO HEATER CONTACTOR (60532) LED54 MANUFACTURE FROM: | CDEF | EA | 1 | | | | | | | | | |
| O 00427 | 5940-705-6701 | TERMINAL, LUG (60532) 19040015 | CDEF | EA | 1 | | | | | | | | | |
| O 00428 | 5940-705-6702 | TERMINAL, LUG (60532) 19040016 | CDEF | EA | 1 | | | | | | | | | |
| P O 00429 | 6145-316-9072 | WIRE, ELECTRICAL (4 IN. REQUIRED) | CDEF | FT | | SEE | GRP | 9501 | | | | | | |
| X2F 00430 | | BOX, JUNCTION (60532) BOX47 (COMPONENTS SAME AS BOX, JUNCTION, STOCK No. (60532) BOX81, EXCEPT WHERE INDIVIDUAL COMPONENTS ARE SYMBOLIZED) | A | EA | 1 | | | | | | | | 7 | 11 |
| X2F 00431 | | BOX, JUNCTION (60532) BOX75 (COMPONENTS SAME AS BOX, JUNCTION, STOCK No. (60532) BOX81, EXCEPT WHERE INDIVIDUAL COMPONENTS ARE ANNOTATED) | B | EA | 1 | | | | | | | | 7 | 11 |
| X2F 00432 | | BOX, JUNCTION: 60 CYCLE (60532) BOX88 (COMPONENTS SAME AS BOX, JUNCTION, STOCK No. (60532) BOX81, EXCEPT WHERE INDIVIDUAL COMPONENTS ARE SYMBOLIZED) | F | EA | 1 | | | | | | | | 7 | 11 |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) USABLE ON CODE | (5) UNIT OF MEAS | (6) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE | | | (7) 30-DAY GS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGY | (9) ILLUS- TRATION | |
|--------------------|-----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|----------------------------------------------------|--------------------------|-------------|
| | | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | FIG. NO. | ITEM NO. |
| X2F 00433 | | BOX, JUNCTION: 400 CYCLE (60532) BOX80 (COMPONENTS SAME AS BOX, JUNCTION, PART No. (60532) BOX81, EXCEPT AS INDIVIDUALLY SYMBOLIZED) | DE | EA | 1 | | | | | | | | 7 | 11 |
| X20 00434 | 5935-577-8589 | CAP, DUST: POWER SUPPLY RECEPTACLE (96906) MS25043-226 | DEF | EA | 1 | | | | | | | | 16 | 14 |
| F 00435 | 5340-726-9317 | CLAMP, LOOP: HEATER WIRING HARNESS MOUNTING (96906) MS21919DG9 | | EA | 3 | | | | | | | | 3 | 18 |
| F 00436 | 5340-205-6301 | CLAMP, LOOP: HOT GAS BY-PASS WIRING HARNESS MTG (96906) MS21919DG4 | ABCDEF | EA | 2 | | | | | | | | 3 | 21 |
| X2F 00437 | 5935-899-6873 | CONNECTOR, PLUG, ELECTRICAL: CONTROL BOX TO HEATER CONNECTION ASSEMBLY, 8 CONTACTS (96906) MS3102A22-23S | ABCDEF | EA | 1 | | | | | | | | 7 | 9 |
| P F 00438 | 5935-721-0490 | CONNECTOR, RECEPTACLE (96906) MS3102R22-14P | C | EA | 1 | * | * | 2 | * | * | 2 | 10 | 6 | 2 |
| X2F 00439 | | CONNECTOR, RECEPTACLE, ELECTRICAL: CONTROL BOX TO HEATER (96906) MS3102R22-23S | ABCDEF | EA | 1 | | | | | | | | 3 | 17 |
| M F 00440 | 5935-726-0686 | CONNECTOR, RECEPTACLE: HOT GAS BY-PASS VALVE (96906) MS3106R16S4S MANUFACTURE FROM: | ABCDEF | EA | 1 | | | | | | | | 9 | 7 |
| F 00441 | 5935-805-4991 | CONNECTOR, PLUG, ELECTRICAL: 2 CONTACTS (96906) MS3106R14S7S | ABCDEF | EA | 1 | | | | | | | | | |
| F 00442 | | GRIP, CABLE (60532) GRP23 | ABCDEF | EA | 1 | | | | | | | | | |
| P F 00443 | 6145-170-6869 | WIRE, ELECTRICAL (8 FT REQUIRED) | ABCDEF | FT | | SEE GRP 9501 | | | | | | | | |
| X2F 00444 | 5935-814-4115 | CONNECTOR, RECEPTACLE, ELECTRICAL: CONTROL BOX TO SOLENOID VALVE CONNECTOR ASSEMBLIES (96906) MS3102R16S4S | ABCDEF | EA | 3 | | | | | | | | 7 | 8 |
| X2F 00445 | 5935-755-3688 | CONNECTOR, RECEPTACLE, ELECTRICAL: CONTROL BOX TO THERMOSTAT CONNECTOR (96906) MS3102R14S7S | ABCDEF | EA | 1 | | | | | | | | 7 | 7 |
| M F 00446 | 5935-814-4115 | CONNECTOR, RECEPTACLE, ELECTRICAL: RH AND LH SOLENOID VALVE (96906) MS3102R16S4S MANUFACTURE FROM: | ABCDEF | EA | 2 | | | | | | | | 10 | 2 |
| F 00447 | 5935-819-5887 | CONNECTOR, PLUG, ELECTRICAL: 2 CONTACTS (96906) MS3106R16S4P | ABCDEF | EA | 2 | | | | | | | | | |
| F 00448 | | GRIP, CABLE (60532) GRP21 | ABCDEF | EA | 2 | | | | | | | | | |
| P F 00449 | 6145-170-6869 | WIRE, ELECTRICAL (5 FT REQUIRED FOR EACH CONNECTOR RECEPTACLE) | ABCDEF | FT | | SEE GRP 9501 | | | | | | | | |
| X2F 00450 | 5935-814-4115 | CONNECTOR, RECEPTACLE, ELECTRICAL: CONTROL BOX TO TEMPERATURE CONTROL (96906) MS3102R16S4S | ABCDEF | EA | 1 | | | | | | | | 7 | 2 |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) USABLE ON CODE | (5) UNIT OF MEAS | (6) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE | | | (7) 30-DAY GS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGY | (9) ILLUS- TRATION | |
|--------------------|-----------------------------------|-------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|----------------------------------------------------|--------------------------|-------------|
| | | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | FIG. NO. | ITEM NO. |
| X20 00451 | | CONNECTOR, WIRE: COMPRESSOR HEATER THERMOSTAT LEAD TO HEATER LEAD (04594) BY10561 | ABC | EA | 1 | | | | | | | | 12 | 9 |
| X2F 00452 | 5340-577-8589 | COVER, ELECTRICAL CONNECTOR (96906) MS25043-22C | C | EA | 1 | | | | | | | | | |
| 00453 | | 4010 - MASTER OR AUXILIARY CONTROL ASSEMBLY | | | | | | | | | | | | |
| P F 00454 | 6110-991-8258 | CONTACTOR, MAGNETIC: COMPRESSOR AND BLOWER MOTOR, 187/207V DC COIL (15605) 9565ED3 | | EA | 2 | 2 | 2 | 5 | 2 | 2 | 5 | 58 | 7 | 31 |
| P F 00455 | 4130-981-6619 | CONTROL PANEL ASSEMBLY: TEMPERATURE CONTROL RANGE (60532) PNL1122 | AB | EA | 1 | * | * | 2 | * | * | 2 | 10 | | |
| X2F 00456 | | CASE, CONTROL: CONTROL PANEL (60532) CAS54 | AB | EA | 1 | | | | | | | | 6 | 12 |
| X2F 00457 | | PLATE, MOUNTING: CONTROL PANEL (60532) PLT156 | AB | EA | 1 | | | | | | | | 6 | 6 |
| X2F 00458 | | COVER: CONTROL BOX, CIRCUIT BREAKER HOLE (60532) COV264 | B | EA | 1 | | | | | | | | 13 | 4 |
| M F 00459 | | GASKET: CIRCUIT BREAKER HOLE COVER (60532) GKT427 MANUFACTURE FROM: | B | EA | 1 | | | | | | | | 13 | 2 |
| P F 00460 | 5330-505-6611 | RUBBER, SHEET, SOLID (2 IN. X 2 5/8 IN. REQUIRED) | B | FT | | SEE GRP 9501 | | | | | | | | |
| P F 00461 | 4130-961-8322 | GASKET: CONTROL PANEL TO CONTROL BOX MTG (60532) GKT374 | ABCDEF | EA | 1 | * | * | 2 | * | * | 2 | 10 | 6 | 13 |
| X20 00462 | | GUARD, MOISTURE: CIRCUIT BREAKER (60532) COV328 | DEF | EA | 1 | | | | | | | | 16 | 4 |
| X2F 00463 | | GUARD, MOISTURE: CONTROL BOX, CIRCUIT BREAKER (60532) GRD66 | AB | EA | 1 | | | | | | | | 7 | 19 |
| M O 00464 | | LEAD, ELECTRICAL: CIRCUIT BREAKER TO FUSE BLOCK (60532) LED64 MANUFACTURE FROM: | DEF | EA | 1 | | | | | | | | 16 | 5 |
| O 00465 | 5940-504-5871 | TERMINAL, LUG | DEF | EA | 2 | | | | | | | | | |
| P O 00466 | 6145-238-3407 | WIRE, ELECTRICAL (5 IN. REQUIRED) | DEF | FT | | SEE GRP 9501 | | | | | | | | |
| M F 00467 | | LEAD ASSEMBLY, ELECTRICAL: COMPRESSOR CONTACTOR TO CIRCUIT BREAKER, BLACK STRIPE MANUFACTURE FROM: | ABCDEF | EA | 1 | | | | | | | | 7 | 28 |
| F 00468 | 5940-173-8459 | TERMINAL, LUG | ABCDEF | EA | 2 | | | | | | | | | |
| P F 00469 | 6145-548-2705 | WIRE, ELECTRICAL (9 IN. REQUIRED) | ABCDEF | FT | | SEE GRP 9501 | | | | | | | | |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) USABLE ON CODE | (5) UNIT OF MEAS | (6) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE | | | (7) 30-DAY GS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGY | (9) ILLUS- TRATION | |
|--------------------|-----------------------------------|-------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|----------------------------------------------------|--------------------------|-------------|
| | | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | FIG. NO. | ITEM NO. |
| M F 00470 | | LEAD ASSEMBLY, ELECTRICAL: COMPRESSOR CONTACTOR TO CIRCUIT BREAKER, RED STRIPE MANUFACTURE FROM: | ABCDEF | EA | 1 | | | | | | | | 7 | 27 |
| F 00471 | 5940-173-8459 | TERMINAL, LUG | ABCDEF | EA | 2 | | | | | | | | | |
| P F 00472 | 6145-243-0579 | WIRE, ELECTRICAL (9 IN. REQUIRED) | ABCDEF | FT | | SEE | GRP | 9501 | | | | | | |
| M O 00473 | | LEAD, ELECTRICAL: CONTROL BOX GROUND TO FRAME GROUND (60532) LED66 MANUFACTURE FROM: | DEF | EA | 1 | | | | | | | | 16 | 5 |
| O 00474 | 5940-504-5874 | TERMINAL, LUG | DEF | EA | 2 | | | | | | | | | |
| P O 00475 | 6145-160-4774 | WIRE, ELECTRICAL (24 IN. REQUIRED) | DEF | FT | | SEE | GRP | 9501 | | | | | | |
| M O 00476 | | LEAD, ELECTRICAL: EVAPORATOR HEATER THERMOSTAT TO HEATERS, RED STRIPE (60532) LED68 MANUFACTURE FROM: | CDEF | EA | 1 | | | | | | | | 8 | 1 |
| O 00477 | 5940-617-2896 | TERMINAL, LUG | CDEF | EA | 3 | | | | | | | | | |
| P O 00478 | 6145-170-6869 | WIRE, ELECTRICAL (7 IN. REQUIRED FOR EACH LEAD) | CDEF | FT | | SEE | GRP | 9501 | | | | | | |
| X2F 00479 | | LEAD, ELECTRICAL: JUNCTION BOX GROUND TO FRAME GROUND (60532) LED66 | DEF | EA | 1 | | | | | | | | 16 | 5 |
| M O 00480 | | LEAD, ELECTRICAL: MOTOR CONTACTOR TO FUSE BLOCK (60532) LED63 MANUFACTURE FROM: | DEF | EA | 2 | | | | | | | | | |
| O 00481 | 5940-504-5874 | TERMINAL, LUG | DEF | EA | 4 | | | | | | | | | |
| P O 00482 | 6145-160-4774 | WIRE, ELECTRICAL (7 IN. REQUIRED FOR EACH LEAD) | DEF | FT | | SEE | GRP | 9501 | | | | | | |
| F 00483 | 5310-722-5284 | NUT, PLAIN, HEXAGON: RECEPTACLE MOUNTING | ABC | EA | 4 | | | | | | | | 12 | 13 |
| F 00484 | 5310-050-3238 | NUT, SELF-LOCKING, HEXAGON: CIRCUIT BREAKER HOLE COVER MTG | B | EA | 4 | | | | | | | | 13 | 5 |
| F 00485 | 5310-061-7326 | NUT, SELF-LOCKING, HEXAGON: CONTACTOR MTG (96906) MS21045-3 | | EA | 8 | | | | | | | | 7 | 5 |
| F 00486 | 5310-811-3494 | NUT, SELF-LOCKING, HEXAGON: COVER TO CONTROL BOX MTG (96906) MS20365-832A | AB | EA | 2 | | | | | | | | 7 | 43 |
| F 00487 | 5310-061-7326 | NUT, SELF-LOCKING, HEXAGON: JUNCTION BOX GROUND LEAD MTG (96906) MS21045-3 | DEF | EA | 1 | | | | | | | | 16 | 10 |
| F 00488 | 5310-088-0551 | NUT, SELF-LOCKING, HEXAGON: RECEPTACLE TO CONTROL BOX MTG (96906) MS20365-440A | | EA | 16 | | | | | | | | 7 | 44 |
| X2F 00489 | | RECEPTACLE ASSEMBLY: COMPRESSOR, TOP (04594) 1541-1 | ABC | EA | 1 | | | | | | | | | |

| (1) SHR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) USABLE ON CODE | (5) UNIT OF MEAS | (6) QTY INC IN UNIT | (7) 30-DAY DS MAINT ALLOWANCE | | | (8) 30-DAY GS MAINT ALLOWANCE | | | (9) 1-YR ALW PER 100 EQUIP CNTGY | (10) ILLUS- TRATION | |
|--------------------|-----------------------------------|------------------------------------------------------------------------------------------|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|----------------------------------------------------|---------------------------|-------------|
| | | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | FIG. NO. | ITEM NO. |
| F 00490 | 5935-754-5638 | CONNECTOR, RECEPTACLE, ELECTRICAL: 7 CONTACTS (96906) MS3102R20-15P | ABC | EA | 1 | | | | | | | | 12 | 34 |
| P F 00491 | 5935-599-9126 | GASKET: RECEPTACLE MTG (77820) 10-36675-20 | ABC | EA | 1 | * | * | * | * | * | * | 5 | 12 | 33 |
| X2F 00492 | 4130-983-2335 | RETAINING RING ASSEMBLY: HEATER CONNECTION RECEPTACLE MTG (78553) C6974-22-41 | ABCDEF | EA | 1 | | | | | | | | 7 | 35 |
| F 00493 | 5320-083-5009 | RIVET, BLIND: CLAMP MTG (61957) AD43BS | ABCDEF | EA | 5 | | | | | | | | 3 | 19 |
| O 00494 | | SCREW, CAP, HEXAGON HEAD: FRAME GROUND LEAD MTG (60532) SCR265 | DEF | EA | 1 | | | | | | | | 16 | 8 |
| F 00495 | 5305-043-6665 | SCREW, MACHINE: CIRCUIT BREAKER HOLE COVER MTG | B | EA | 4 | | | | | | | | 13 | 3 |
| F 00496 | 5305-989-7434 | SCREW, MACHINE: CONTACTOR MTG (96906) MS35207-263 | | EA | | | | | | | | | 7 | 29 |
| F 00497 | 5305-988-1725 | SCREW, MACHINE: CONTROL BOX MTG (88044) AN515-416-12 | | EA | 4 | | | | | | | | 7 | 14 |
| F 00498 | 5305-984-6193 | SCREW, MACHINE: COVER TO CONTROL BOX | ABCDEF | EA | 2 | | | | | | | | 7 | 18 |
| F 00499 | 5305-928-9867 | SCREW, MACHINE: JUNCTION BOX GROUND LEAD MTG (96906) MS35207-210 | DEF | EA | 1 | | | | | | | | 16 | 12 |
| F 00500 | 5305-013-2636 | SCREW, MACHINE: RECEPTACLE MTG | ABC | EA | 4 | | | | | | | | 12 | 35 |
| F 00501 | 5305-013-2636 | SCREW, MACHINE: RECEPTACLE TO CONTROL BOX MTG (88044) AN515-4-6 | ABCDEF | EA | 16 | | | | | | | | 7 | 6 |
| F 00502 | 5305-959-5237 | SCREW, PANEL FASTENER: CONTROL PANEL TO CONTROL BOX MTG (94222) 12-110203-12 | ABCDEF | EA | 4 | | | | | | | | 6 | 14 |
| F 00503 | 5305-053-1113 | SCREW, TAPPING, THREAD FORMING: HEATER CONNECTION RECEPTACLE MTG (88044) AN530-4R8 | ABCDEF | EA | 4 | | | | | | | | 7 | 10 |
| F 00504 | 5310-082-1404 | WASHER, FLAT: CLAMP MTG (96906) MS27183-6 | ABCDEF | EA | 3 | | | | | | | | 3 | 20 |
| H 00505 | 5310-262-6510 | WASHER, FLAT: COMPRESSOR TERMINALS MTG | ABC | EA | 8 | | | | | | | | 12 | 12 |
| F 00506 | 5310-809-4058 | WASHER, FLAT: CONTROL BOX MTG | | EA | 4 | | | | | | | | 7 | 12 |
| O 00507 | 5310-809-4058 | WASHER, FLAT: FRAME GROUND LEAD MOUNTING (96906) MS27183-10 | DEF | EA | 2 | | | | | | | | 16 | 7 |
| F 00508 | 5310-802-8544 | WASHER, FLAT: JUNCTION BOX GROUND LEAD MTG (96906) MS15795-709 | DEF | EA | 2 | | | | | | | | 16 | 11 |
| F 00509 | 5310-012-0380 | WASHER, LOCK: CONTROL BOX MTG | | EA | 4 | | | | | | | | 7 | 13 |
| O 00510 | | WASHER, LOCK: FRAME GROUND LEAD MOUNTING (60532) WAS112 | DEF | EA | 1 | | | | | | | | 16 | 6 |
| F 00511 | 5310-551-6308 | WASHER, LOCK: JUNCTION BOX GROUND LEAD MTG (96906) MS35339-43 | CD | EA | 1 | | | | | | | | 16 | 9 |
| X2F 00512 | | WIRING HARNESS: COMPRESSOR TO CONTROL BOX (60532) WIR74 | ABCDEF | EA | 1 | | | | | | | | 7 | 38 |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) USABLE ON CODE | (5) UNIT OF MEAS | (6) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE | | | (7) 30-DAY GS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGY | (9) ILLUS- TRATION | |
|--------------------|-----------------------------------|--------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|----------------------------------------------------|--------------------------|-------------|
| | | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | FIG. NO. | ITEM NO. |
| X2F 001513 | | WIRING HARNESS: ELECTRIC MOTOR TO CONTROL BOX (60532) WIR77 | ABCDEF | EA | 1 | | | | | | | | 7 | 4 |
| X2F 00514 | | WIRING HARNESS: MAIN POWER SUPPLY TO CONTROL BOX (60532) WIR75 | ABCDEF | EA | 1 | | | | | | | | 7 | 1 |
| 00515 | | 4C111 - CIRCUIT BREAKERS | | | | | | | | | | | | |
| X2H 00516 | | BUSHING, SLEEVE: ROD THRU CENTER PARTITION (60532) BUS39 | A | EA | | | | | | | | | 4 | 32 |
| P F 00517 | 5925-856-8103 | CIRCUIT BREAKER, COMPRESSOR: CONTROL BOX, 208V, 26.7 AMPS, 40 CYCLE, CURVE 15 (60594) 1453-36 | AC | EA | 1 | * | * | * | * | * | * | 5 | 7 | 46 |
| P F 00518 | 5925-957-2462 | CIRCUIT BREAKER, COMPRESSOR: CONTROL BOX (74193) AM33HK711791MG6 | F | EA | 1 | * | 2 | 2 | * | 2 | 2 | 15 | 7 | 46 |
| P F 00519 | 5925-925-5126 | CIRCUIT BREAKER, COMPRESSOR: CONTROL BOX (74193) AM33HK71-179-2MG6 (C.E20VAL4 ONLY) | DE | EA | 1 | * | 2 | 2 | * | 2 | 2 | 22 | 7 | 46 |
| X2F 00520 | | CONNECTION, ROD END: CIRCUIT BREAKER (60532) CON47 | DEF | EA | 1 | | | | | | | | 14 | 5 |
| X2F 00521 | | KNOB: ROD (60532) KNB10 | A | EA | 1 | | | | | | | | 4 | 33 |
| P F 00522 | 4130-789-6526 | LINKAGE KIT, CIRCUIT BREAKER: LINKAGE CIRCUIT BREAKER TO CENTER PARTITION (60532) KIT80 | A | EA | 1 | * | * | * | * | * | * | 5 | | |
| X1 00523 | | BUSHING, SLEEVE: UPPER ROD THRU CENTER PARTITION (60532) BUS39 | A | EA | 1 | | | | | | | | 4 | 32 |
| X1 00524 | | CLAMP, ROD: LOWER ROD TO CIRCUIT BREAKER CONNECTING (60532) CMP32 | A | EA | 1 | | | | | | | | 4 | 25 |
| X1 00525 | | COUPLING, LINKAGE: LOWER TO UPPER ROD CONNECTING (60532) CPL81 | A | EA | 1 | | | | | | | | 4 | 22 |
| X1 00526 | | KNOB: UPPER ROD (60532) KNB10 | A | EA | 1 | | | | | | | | 4 | 33 |
| F 00527 | 5310-274-8887 | NUT, SELF-LOCKING, HEXAGON: LOWER ROD TO CIRCUIT BREAKER MTG (96936) MS20365-632A | A | EA | 2 | | | | | | | | 4 | 26 |
| X1 00528 | | PLATE, INSTRUCTION: CENTER PARTITION, COMPRESSOR CIRCUIT BREAKER (60532) PLT157 | A | EA | 1 | SEE GRP 2210 | | | | | | | | |
| X1 00529 | 5320-899-0981 | RIVET, BLIND: COMPRESSOR CIRCUIT BREAKER PLATE MTG (61937) AD42BS | A | EA | 2 | SEE GRP 2210 | | | | | | | | |
| X1 00530 | | ROD, LINKAGE: LOWER, CIRCUIT BREAKER (60532) ROD65 | A | EA | 1 | | | | | | | | 4 | 24 |
| X1 00531 | | ROD, LINKAGE: UPPER (60532) ROD83 | A | EA | 1 | | | | | | | | 4 | 21 |
| X1 00532 | | SETS CREW: COUPLING (60532) SCR304 | A | EA | 2 | | | | | | | | 4 | 23 |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) USABLE ON CODE | (5) UNIT OF MEAS | (6) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE | | | (7) 30-DAY GS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGY | (9) ILLUS- TRATION | |
|--------------------|-----------------------------------|----------------------------------------------------------------------------|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|----------------------------------------------------|--------------------------|-------------|
| | | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | FIG. NO. | ITEM NO. |
| F 00533 | 5310-176-7410 | WASHER, FLAT: CIRCUIT BREAKER TO CONTROL BOX MTG | AC | EA | 4 | | | | | | | | 7 | 15 |
| F 00534 | 5310-045-4007 | WASHER, LOCK: CIRCUIT BREAKER TO CONTROL BOX MTG (96906) MS35338-41 | AC | EA | 4 | | | | | | | | 7 | 16 |
| X2F 00535 | | ROD, THREADED END: CIRCUIT BREAKER (60532) ROD93 | DEF | EA | 1 | | | | | | | | 14 | 4 |
| F 00536 | 5305-206-0513 | SCREW, MACHINE: CIRCUIT BREAKER TO CONTROL BOX MTG (88044) AN515-6-5 | A | EA | 4 | | | | | | | | 7 | 17 |
| 00537 | | 4012 - SWITCHES | | | | | | | | | | | | |
| M F 00538 | | BRACKET, EVAPORATOR THERMOSTAT (60532) SUP132 MANUFACTURE FROM: | ABCDEF | EA | 1 | | | | | | | | 8 | 28 |
| P F 00539 | 9535-232-1851 | ALUMINUM SHEET (2 1/2 IN. x 2 1/2 IN. REQUIRED) | ABCDEF | SH | | SEE | GRP | 5501 | | | | | | |
| P F 00540 | 4130-858-3081 | CUTOUT, HIGH TEMPERATURE (96214) MWA1256 | | EA | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 25 | 8 | 3 |
| X2F 00541 | 4130-961-8323 | GASKET: OUTDOOR SWITCH TO REAR CASING (60532) GKT375 | ABCDEF | EA | 1 | | | | | | | | 4 | 16 |
| X2F 00542 | 5355-926-5289 | KNOB: ROTARY SWITCH (86797) RB175 | | EA | 1 | | | | | | | | 6 | 15 |
| X2F 00543 | | LEAD, ELECTRICAL: THERMOSTAT MTG (60532) LED11 | ABCDEF | EA | 3 | | | | | | | | 8 | 1 |
| H 00544 | 5310-555-6933 | NUT, PLAIN, HEXAGON: HEATER THERMOSTAT (96906) MS21045-3 | ABC | EA | 1 | | | | | | | | 12 | 11 |
| F 00545 | 5310-889-2549 | NUT, SELF-LOCKING, HEXAGON: HEATER THERMOSTAT (96906) MS21045-08 | ABCDEF | EA | 2 | | | | | | | | 8 | 27 |
| H 00546 | 5320-582-3304 | RIVET, BLIND: BRACKET MTG (96906) MS20600AD4W2 | ABCDEF | EA | 2 | | | | | | | | 8 | 29 |
| F 00547 | 5305-984-6194 | SCREW, MACHINE: HEATER THERMOSTAT (96906) MS35206-246 | ABCDEF | EA | 2 | | | | | | | | 8 | 2 |
| F 00548 | 5305-984-6194 | SCREW, MACHINE: PRESSURE SWITCH COVER MTG (96906) MS35206-246 | E | EA | 4 | | | | | | | | 18 | 3 |
| F 00549 | | SCREW, MACHINE: SWITCH MTG (88044) AN515-6-4 | E | EA | 2 | | | | | | | | 18 | 7 |
| X2H 00550 | | SUPPORT: ELECTRICAL HEATER MTG (60532) SUP121 | AB | EA | 1 | | | | | | | | 8 | 26 |
| P F 00551 | 5930-275-7800 | SWITCH, HIGH PRESSURE CUTOUT (60532) CNT197 | E | EA | 1 | * | * | 2 | * | * | 2 | 10 | 18 | 25 |
| P F 00552 | 5930-907-8948 | SWITCH, ROTARY: HIGH-LOW HEAT (15605) 8912K216 | | EA | 1 | * | 2 | 2 | * | 2 | 2 | 15 | 6 | 8 |
| F 00553 | 5310-809-8544 | WASHER, FLAT: PRESSURE SWITCH COVER MTG (96906) MS27183 | E | EA | 4 | | | | | | | | 18 | 5 |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) USABLE ON CODE | (5) UNIT OF MEAS | (6) QTY INC IN UNIT | (7) 30-DAY DS MAINT ALLOWANCE | | | (8) 30-DAY GS MAINT ALLOWANCE | | | (9) 1-YR ALW PER 100 EQUIP CNTGY | (10) ILLUS- TRATION | |
|--------------------|-----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|----------------------------------------------------|---------------------------|-------------|
| | | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | FIG. NO. | ITEM NO. |
| 00554 | | 4018 - TERMINAL BLOCKS | | | | | | | | | | | | |
| F 00555 | 5935-721-0496 | CONNECTOR, RECEPTACLE, ELECTRICAL: CONTROL PANEL TO CONTROL BOX CONNECTOR, 19 CONTACTS (96906) MS3102R22-14P | ABCDEF | EA | 1 | | | | | | | | 6 | 2 |
| H 00556 | 5935-801-6616 | CONNECTOR, RECEPTACLE, ELECTRICAL: MOTOR, 3 CONTACTS (96906) MS3102R1457P | BEF | EA | 1 | | | | | | | | 11 | 10 |
| X1 00557 | 5935-801-6616 | CONNECTOR, RECEPTACLE, ELECTRICAL: MOTOR, 3 CONTACTS (96906) MS3102R1457P (COMPONENT OF PARTS KIT, STOCK No. 4130-961-8326, SEE GROUP 4000) | ABCD | EA | 1 | | | | | | | | 11 | 10 |
| F 00558 | 5310-061-7326 | NUT, SELF-LOCKING, HEXAGON: REAR TERMINAL BOARD MTO (96906) MS21045-3 | | EA | 4 | | | | | | | | 7 | 5 |
| F 00559 | 5310-274-8887 | NUT, SELF-LOCKING, HEXAGON: TERMINAL BLOCK MTO (96906) MS20365-632A | | EA | 2 | | | | | | | | 7 | 3 |
| F 00560 | 5310-050-3250 | NUT, SELF-LOCKING, HEXAGON: TERMINAL BLOCK TO CONTROL BOX MOUNTING | B | EA | 2 | | | | | | | | 13 | 1 |
| X2F 00561 | 4130-983-2335 | RETAINING RING ASSEMBLY: RECEPTACLE MTO (78553) C6974-22-41 | | EA | 1 | | | | | | | | 6 | 4 |
| F 00562 | 5305-928-9867 | SCREW, MACHINE: REAR TERMINAL BLOCK (96906) MS35207-210 | | EA | 4 | | | | | | | | 7 | 48 |
| F 00563 | 5305-068-0506 | SCREW, MACHINE: TERMINAL BLOCK MOUNTING (96906) MS90726-6 | ABCDEF | EA | 2 | | | | | | | | 7 | 40 |
| F 00564 | 5305-995-3444 | SCREW, MACHINE: TERMINAL BLOCK TO REAR CONTROL BOX MTO | B | EA | 2 | | | | | | | | 13 | 7 |
| X1 00565 | | SCREW, SELF-LOCKING: CONNECTOR TO STATOR HOUSING MTO, CADMIUM OR ZINC PLATED, No. 4-40 THD SIZE, 3/8 IN. LG (03038) LL500-4-5 (COMPONENT OF PARTS KIT, STOCK No. 4130-961-8326, SEE GROUP 4000) | ABCD | EA | 4 | | | | | | | | 11 | 9 |
| H 00566 | | SCREW, SELF-LOCKING: CONNECTOR TO STATOR HOUSING COVER MTO, CADMIUM OR ZINC PLATED, No. 4-40 THD SIZE, 3/8 IN LG (03038) LL500-4-5 | BEF | EA | 4 | | | | | | | | 11 | 9 |
| F 00567 | 5305-053-1114 | SCREW, TAPPING, THREAD FORMING: RECEPTACLE MTO (96906) MS24621-11 | | EA | 4 | | | | | | | | 6 | 1 |
| X2F 00568 | | TERMINAL BLOCK: CONTACTOR LEADS, 2 TERMINAL (60532) BLK27 (753) | B | EA | 1 | | | | | | | | 13 | 6 |
| X2F 00569 | 5940-275-7801 | TERMINAL BLOCK: CONTROL BOX REAR, 16 TERMINALS (71785) 355-31-08-001 (TS1) | ABCDEF | EA | 1 | | | | | | | | 7 | 45 |
| X2F 00570 | | TERMINAL BOARD (75382) 699-7 | CDEF | EA | 1 | | | | | | | | 7 | 37 |
| X2F 00571 | | TERMINAL BOARD: CONTROL BOX, LN SIDE, 6 TERMINALS (75382) 699-6 (TS2) | AB | EA | 1 | | | | | | | | 7 | 37 |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) USABLE ON CODE | (5) UNIT OF MEAS | (6) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE | | | (7) 30-DAY GS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGY | (9) ILLUS- TRATION | |
|--------------------|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|----------------------------------------------------|--------------------------|-------------|
| | | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | FIG. NO. | ITEM NO. |
| X1 00572 | 5940-275-7082 | TERMINAL, LUG: CONNECTOR (78189) 2522-04-00-2041 (COMPONENT OF PARTS KIT, STOCK No. 4130-961-8326, SEE GROUP 4000) | ABCD | EA | 1 | | | | | | | | 11 | 17 |
| 00573 | | GROUP 42 - ELECTRICAL EQUIPMENT | | | | | | | | | | | | |
| 00574 | | 4203 - FUSE | | | | | | | | | | | | |
| P O 00575 | 5920-939-5442 | FUSE, CARTRIDGE (71400) KAW5 | DEF | EA | 2 | 4 | 8 | 17 | 4 | 8 | 17 | 200 | 16 | 19 |
| X20 00576 | 5920-142-7448 | FUSEHOLDER (71400) 4525 | DEF | EA | 1 | | | | | | | | 16 | 20 |
| X20 00577 | | INSULATOR PLATE: FUSE BOARD (60532) INS79 | DEF | EA | 1 | | | | | | | | 16 | 21 |
| O 00578 | 5310-889-2544 | NUT, SELF-LOCKING: FUSE BOARD MOUNTING (96906) MS21045-06 | DEF | EA | 2 | | | | | | | | 16 | 3 |
| O 00579 | | SCREW, MACHINE: FUSE BOARD MTG (96906) MS24693-28 | DEF | EA | 2 | | | | | | | | 16 | 18 |
| 00580 | | 4213 - RECTIFIER | | | | | | | | | | | | |
| X2F 00581 | 9535-231-8419 | BACKET: RECTIFIER AND SURGE SUPPRESSOR MTG | ABC | EA | 1 | | | | | | | | 7 | 21 |
| F 00582 | 5310-274-8887 | NUT, SELF-LOCKING, HEXAGON: RECTIFIER MTG (96906) MS20365-632A | ABC | EA | 8 | | | | | | | | 7 | 3 |
| P F 00583 | 6130-878-5589 | RECTIFIER: CONTROL BOX (79500) 508C516090 | ABC | EA | 1 | * | * | 2 | * | * | 2 | 10 | 7 | 20 |
| P F 00584 | 5961-913-1749 | SEMICONDUCTOR DEVICE: CONTROL BOX (58849) ERF21581 | DEF | EA | 1 | * | * | 2 | * | * | 2 | 10 | 16 | 17 |
| F 00585 | 5305-043-6665 | SCREW, MACHINE: RECTIFIER MTG (88044) AN515-6-8 | ABC | EA | 8 | | | | | | | | 7 | 23 |
| F 00586 | 5310-082-1404 | WASHER, FLAT: RECTIFIER MTG (96906) MS15795-206 | ABC | EA | 8 | | | | | | | | 7 | 22 |
| 00587 | | GROUP 47 - GAGES | | | | | | | | | | | | |
| 00588 | | 4702 - GAGES | | | | | | | | | | | | |
| X2H 00589 | | BACKET: INDICATOR TO CASING MTG (60532) SRP24 | ABCDEF | EA | 1 | | | | | | | | 9 | 45 |
| X2H 00590 | | GASKET: INDICATOR MTG (60532) GKT479 | DEF | EA | 1 | | | | | | | | 18 | 2 |
| P H 00591 | 4130-073-8404 | INDICATOR, SIGHT, LIQUID (78462) SAK13 | CDEF | EA | 1 | | | | * | 2 | 2 | 20 | 9 | 4 |
| X2H 00592 | 5310-889-2549 | NUT, SELF-LOCKING, HEXAGON: INDICATOR BRACKET MTG (96906) MS21045-08 | | EA | 2 | | | | | | | | 9 | 44 |
| H 00593 | 5305-984-6194 | SCREW, MACHINE: INDICATOR BRACKET MTG (96906) MS36206-246 | | EA | 2 | | | | | | | | 9 | 6 |
| P H 00594 | 4130-302-1417 | SIGHT GLASS ASSEMBLY (58553) 890STX2 | AB | EA | 1 | | | | * | * | 2 | 10 | 9 | 4 |
| X2H 00595 | | SPACER: INDICATOR MTG (60532) SPC17 | DEF | EA | 1 | | | | | | | | 18 | 1 |
| H 00596 | 5310-809-8544 | WASHER, FLAT: INDICATOR BRACKET MTG (96906) MS27183-7 | | EA | 4 | | | | | | | | 9 | 5 |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) USABLE ON CODE | (5) UNIT OF MEAS | (6) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE | | | (7) 30-DAY GS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGY | (9) ILLUS- TRATION | |
|--------------------|-----------------------------------|--------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|----------------------------------------------------|--------------------------|-------------|
| | | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | FIG. NO. | ITEM NO. |
| 00597 | | GROUP 52 - REFRIGERATION AND AIR CONDITIONING COMPONENTS | | | | | | | | | | | | |
| 00598 | | 5200 - GAS COMPRESSOR ASSEMBLY | | | | | | | | | | | | |
| P H 00599 | 4130-856-8102 | COMPRESSOR ASSEMBLY: 208v, 400 CYCLE, 3 PHASE (04594) 1-2101 | AC | EA | 1 | | | | * | * | 2 | 10 | 12 | 30 |
| X2H 00600 | | COVER ASSEMBLY, COMPRESSOR TOP (04594) 1550-114 | AC | EA | 1 | | | | | | | | 12 | 15 |
| X2H 00601 | | GROMMET, RUBBER: COMPRESSOR TOP (09278) 3030A | AC | EA | 1 | | | | | | | | 12 | 10 |
| H 00602 | 4730-011-3175 | PLUG, PIPE: OIL LEVEL COMPRESSOR (04594) 253-62 | AC | EA | 1 | | | | | | | | 12 | 21 |
| H 00603 | 5305-044-7222 | SCREW, TAPPING, THREAD CUTTING: COVER MTG (04594) BY11149 | AC | EA | 2 | | | | | | | | 12 | 14 |
| X2H 00604 | | WASHER, NONMETALLIC: COVER MTG, FIBER, 1/32 IN. ID, 7/16 IN. OD, 3/32 IN. THK (04594) 247-537 | AC | EA | 2 | | | | | | | | 12 | 16 |
| P H 00605 | 4130-955-5337 | COMPRESSOR ASSEMBLY: 208v, 50/60 CYCLE, 3 PHASE (04594) MYH700TA3-2159 | B | EA | 1 | | | | * | * | 2 | 10 | 12 | 30 |
| X2H 00606 | | COVER ASSEMBLY: COMPRESSOR TOP (04594) 1550-114 | B | EA | 1 | | | | | | | | 12 | 15 |
| X2H 00607 | | GROMMET, RUBBER: COMPRESSOR TOP (04594) 248-5 | B | EA | 1 | | | | | | | | 12 | 10 |
| H 00608 | 4730-011-3175 | PLUG, PIPE: OIL LEVEL COMPRESSOR | B | EA | 1 | | | | | | | | 12 | 21 |
| H 00609 | 5305-044-1222 | SCREW, TAPPING, THREAD CUTTING: COVER MTG | B | EA | 2 | | | | | | | | 12 | 14 |
| X2H 00610 | | WASHER, NONMETALLIC: COVER MTG, FIBER, 7/32 IN. ID, 7/16 IN. OD, 3/32 IN. THK (04594) 247-537 | B | EA | 2 | | | | | | | | 12 | 16 |
| P H 00611 | 4130-925-6627 | COMPRESSOR ASSEMBLY: 208v, 50/60 CYCLE, 3 PHASE (01479) WHP622H18-208-3 | F | EA | 1 | | | | * | * | * | 5 | 17 | 9 |
| X2H 00612 | | CLAMP: DESUPERHEATER MTG (01479) 474873 | F | EA | 2 | | | | | | | | 17 | 2 |
| X2H 00613 | | COVER ASSEMBLY: COMPRESSOR TOP (01479) 474882 | F | EA | 1 | | | | | | | | 17 | 5 |
| X2H 00614 | | DESUPERHEATER: COMPRESSOR (01479) 474870 | F | EA | 1 | | | | | | | | 17 | 7 |
| H 00615 | | NUT, SELF-LOCKING, HEXAGON: CLAMP AND SUPPORT MTG (01479) 52LH3324-82 | F | EA | 4 | | | | | | | | 17 | 4 |
| X2H 00616 | | SCREW ASSEMBLY: CLAMP MTG (01479) 487965 | F | EA | 2 | | | | | | | | 17 | 1 |
| X2H 00617 | | SCREW ASSEMBLY: SUPPORT MTG (01479) 488096 | F | EA | 4 | | | | | | | | 17 | 10 |
| H 00618 | | SCREW, TAPPING, THREAD CUTTING (01479) 487249 | F | EA | 1 | | | | | | | | 12 | 6 |
| X2H 00619 | | SUPPORT: DESUPERHEATER (01479) 474872 | F | EA | 1 | | | | | | | | 17 | 3 |
| P H 00620 | 4130-914-9407 | COMPRESSOR ASSEMBLY: 208v, 400 CYCLE, 3 PHASE (01479) WPH422H18-208-3 (CE20VAL4 ONLY) | DEF | EA | 1 | | | | * | 2 | 2 | 22 | 17 | 9 |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) USABLE ON CODE | (5) UNIT OF MEAS | (6) QTY INC IN UNIT | (7) 30-DAY DS MAINT ALLOWANCE | | | (8) 30-DAY GS MAINT ALLOWANCE | | | (9) 1-YR ALW PER 100 EQUIP CNTGY | (10) ILLUS- TRATION | |
|--------------------|-----------------------------------|-------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|----------------------------------------------------|---------------------------|-------------|
| | | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | FIG. NO. | ITEM NO. |
| X2H 00621 | | CLAMP: DESUPERHEATER MTG (01479) 474873 | DEF | EA | 2 | | | | | | | | 17 | 2 |
| X2H 00622 | | COVER ASSEMBLY: COMPRESSOR TOP (01479) 474882 | DEF | EA | 1 | | | | | | | | 17 | 5 |
| X2H 00623 | | DESUPERHEATER: COMPRESSOR (01479) 474870 | DEF | EA | 1 | | | | | | | | 17 | 7 |
| X2H 00624 | | SCREW ASSEMBLY: CLAMP MTG (01479) 487965 | DEF | EA | 2 | | | | | | | | 17 | 1 |
| H 00625 | | NUT, SELF-LOCKING, HEXAGON: CLAMP AND SUPPORT MTG (01479) 52LH3324-82 | DEF | EA | 4 | | | | | | | | 17 | 4 |
| X2H 00626 | | SCREW ASSEMBLY: SUPPORT MTG (01479) 488096 | DEF | EA | 2 | | | | | | | | 17 | 10 |
| H 00627 | | SCREW, TAPPING, THREAD CUTTING: COVER MTG (01479) 487249 | DEF | EA | 2 | | | | | | | | 17 | 6 |
| X2H 00628 | | SUPPORT: DESUPERHEATER (01479) 474872 | DEF | EA | 1 | | | | | | | | 17 | 3 |
| X2H 00629 | | MOUNT, RESILIENT: COMPRESSOR TO BASE (60532) MNT53 | ABCDEF | EA | 4 | | | | | | | | | |
| H 00630 | 5306-225-8504 | BOLT, MACHINE: RESILIENT MOUNT (08288) MSS5306-6 | ABCDEF | EA | 4 | | | | | | | | 12 | 28 |
| X2H 00631 | | BUSHING, ALUMINUM: COMPRESSOR SIDE (60532) BUS42 | ABCDEF | EA | 4 | | | | | | | | 12 | 24 |
| H 00632 | 5310-207-9053 | NUT, SELF-LOCKING, HEXAGON: COMPRESSOR MTG (72962) 42NE058 | ABCDEF | EA | 4 | | | | | | | | 12 | 22 |
| H 00633 | | WASHER, FLAT: ALUMINUM, 5/16 IN. ID, 1 1/2 IN. OD, 1/8 IN. THK (60532) WAS126 | ABCDEF | EA | 4 | | | | | | | | 12 | 26 |
| H 00634 | | WASHER, FLAT: ALUMINUM, 5/16 IN. ID, 1 3/4 IN. OD, 1/8 IN. THK (60532) WAS125 | ABCDEF | EA | 4 | | | | | | | | 12 | 23 |
| X2H 00635 | | WASHER, RUBBER: BASE SIDE (60532) WAS127 | ABCDEF | EA | 8 | | | | | | | | 12 | 25 |
| X2H 00636 | | PLATE, IDENTIFICATION: COMPRESSOR (01479) 474865 (CE20VAL6 ONLY) | F | EA | 1 | | | | | | | | | |
| H 00637 | | WASHER, FLAT: COMPRESSOR (04594) 239-340 | ABCDEF | EA | 4 | | | | | | | | 12 | 27 |
| 00638 | | 5217 - REFRIGERANT PIPING | | | | | | | | | | | | |
| F 00639 | 4730-266-0532 | ADAPTER, STRAIGHT: CHARGING VALVE, DISCHARGE SIDE (41947) A330 | CDEF | EA | 2 | | | | | | | | 12 | 18 |
| X2F 00640 | | ANGLE, BRACKET: DISCHARGE TUBE CLAMP (60532) BRK215 (BENDIX-WESTINGHOUSE COMPRESSOR ONLY) | DEF | EA | 1 | | | | | | | | 19 | 18 |
| F 00641 | 4730-275-6527 | BUSHING, FLUSH: HIGH PRESSURE CUTOUT | DEF | EA | 1 | | | | | | | | 18 | 13 |
| F 00642 | 4730-275-6527 | BUSHING, REDUCER: PRESSURE REGULATOR (41947) WC417A7812 | CDEF | EA | 3 | | | | | | | | 19 | 7 |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) USABLE ON CODE | (5) UNIT OF MEAS | (6) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE | | | (7) 30-DAY GS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGY | (9) ILLUS- TRATION | |
|--------------------|-----------------------------------|-----------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|----------------------------------------------------|--------------------------|-------------|
| | | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | FIG. NO. | ITEM NO. |
| X2F 00643 | | CLAMP: SOLENOID VALVE TO SUPPORT AND BASE MTG (60532) CMP56 | ABCDEF | EA | 4 | | | | | | | | 10 | 5 |
| X2F 00644 | | CLAMP, DEHYDRATOR (66295) C36H | DEF | EA | | | | | | | | | 17 | 11 |
| X2F 00645 | 5340-286-9441 | CLAMP, INSULATED (96906) MS2919H4 | | EA | 3 | | | | | | | | | |
| F 00646 | 5340-598-0597 | CLAMP, LOOP: DISCHARGE LINE (96906) MS21919DG8 | DEF | EA | 6 | | | | | | | | 19 | 17 |
| F 00647 | 5340-543-4394 | CLAMP, LOOP: EXPANSION VALVE AND EVAPORATOR LINE (96906) MS21919DG6 | DEF | EA | 2 | | | | | | | | 18 | 22 |
| F 00648 | 5340-205-6301 | CLAMP, LOOP: HIGH PRESSURE CUTOFF LINE (96906) MS21919DG4 | DEF | EA | 1 | | | | | | | | 18 | 11 |
| X2F 00649 | 5340-057-3102 | STRAP, RETAINING: SOLENOID VALVE (60532) CMP55 | DEF | EA | 2 | | | | | | | | 18 | 22 |
| F 00650 | 5340-726-9321 | CLAMP, LOOP: PRESSURE REGULATOR MOUNTING (96906) MS21919DG20 | CDEF | EA | 1 | | | | | | | | 19 | 5 |
| X2F 00651 | | CLAMP, CAPILLARY: SUCTION LINE (60532) CMP55 | BCDEF | EA | 2 | | | | | | | | 9 | 25 |
| F 00652 | 5340-598-0597 | CLAMP, LOOP: SIGHT GLASS TO SOLENOID VALVE (96906) MS21919DG8 | DEF | EA | 1 | | | | | | | | 18 | 22 |
| F 00653 | 5340-543-4394 | CLAMP, STRAP: TUBE HOLDING (96906) MS21919DG8 | BCDEF | EA | 4 | | | | | | | | 9 | 22 |
| X2F 00654 | | COUPLING: RM SOLENOID VALVE, COPPER, 3/8 X 1/4 IN. SWEAT JOINT (60532) CPL73 | ABCDEF | EA | 1 | | | | | | | | 10 | 8 |
| X2F 00655 | | COUPLING, HALF UNION: HIGH PRESSURE CUTOFF TUBE (41947) WC400W1009 | DEF | EA | 1 | | | | | | | | 18 | 26 |
| F 00656 | | COUPLING, TUBE: CHARGING VALVE, SUCTION SIDE, BRASS, SWEAT JOINT, 1/4 IN. NPT (60532) CPL79 | ABC | EA | 1 | | | | | | | | 12 | 31 |
| F 0657 | 4730-264-9154 | COUPLING, TUBE: DISCHARGE SIDE, CHARGING VALVE TEE TUBE, COPPER, 1/2 IN. X 1/2 IN. SWEAT JOINT (60532) CPL75 | AB | EA | 1 | | | | | | | | 9 | 37 |
| X2F 00658 | | CROSS, TUBE: HOT GAS BY-PASS, SOLENOID TO CONDENSER LINE (41947) FTG5 | DEF | EA | 1 | | | | | | | | 19 | 9 |
| F 00659 | | ELBOW, TUBE: EVAPORATOR TO TEE, 90 DEGREE, 3/4 IN. X 3/4 IN., SWEAT JOINT, COPPER (60532) ELL94 | ABCDEF | EA | 2 | | | | | | | | 8 | 19 |
| F 00660 | 4730-254-6452 | ELBOW, TUBE: SIGHT GLASS TO EXPANSION VALVE TUBE (41947) W2009 | ABCDEF | EA | 2 | | | | | | | | 9 | 3 |
| F 00661 | | ELBOW, TUBE: SUCTION LINE, BOTTOM, 90 DEGREE, 3/4 X 3/4, SWEAT JOINT, COPPER (60532) ELL94 | C | EA | 1 | | | | | | | | 12 | 2 |
| F 00662 | | FITTING, REDUCER: EXPANSION VALVE, COPPER 3/8 IN. X 1/4 IN., SWEAT JOINT (41947) WC403W1306 | ABCDEF | EA | 1 | | | | | | | | 9 | 19 |

| SVR CODE | FEDERAL STOCK NUMBER | DESCRIPTION REF NUMBER & MFR CODE | USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE | | | (7) 30-DAY GS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGY | (9) ILLUS-TRATION | |
|-----------|----------------------|---------------------------------------------------------------------------------------------|----------------|---------------------|------------------------|----------------------------------|-------|--------|----------------------------------|-------|--------|-------------------------------------|----------------------|----------|
| | | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | FIG. NO. | ITEM NO. |
| X2F 00663 | | FLANGE: EVAPORATOR FLANGE TO SUCTION LINE (60532) FLG71 | ABCDEF | EA | 1 | | | | | | | | 8 | 15 |
| M H 00664 | | INSULATION, TUBING: SUCTION LINE MANUFACTURE FROM: | ABCDEF | EA | 1 | | | | | | | | 8 | 17 |
| P H 00665 | 5330-505-6610 | RUBBER, SHEET, CELLULAR (5 IN. X 7 FT REQUIRED) | ABCDEF | FT | | SEE GRP 5501 | | | | | | | | |
| F 00666 | 5310-061-7326 | NUT, SELF-LOCKING, HEXAGON: CLAMP MTG (96906) MS21045-3 | | EA | 2 | | | | | | | | 9 | 26 |
| F 00667 | 5310-208-1919 | NUT, SELF-LOCKING, HEXAGON: DISCHARGE TUBE CLAMP MTG (72962) 42NE040 | DEF | EA | 1 | | | | | | | | 19 | 19 |
| F 00668 | 5310-061-7326 | NUT, SELF-LOCKING, HEXAGON: HOT GAS BY-PASS VALVE CLAMP MTG (96906) MS21045-3 | DEF | EA | 2 | | | | | | | | 18 | 21 |
| P H 00669 | 4130-961-8321 | PACKING, PREFORMED: EVAPORATOR TUBE FLANGE (60532) RNG146 | ABCDEF | EA | 1 | | | | * | 2 | 2 | 20 | 8 | 16 |
| M F 00670 | | PIPE, EXTENSION: BY-PASS VALVE, 3/8 IN. PIPE MANUFACTURE FROM: | DF | EA | 2 | | | | | | | | 18 | 20 |
| P F 00671 | 4710-277-5527 | TUBE, COPPER (2 15/16 IN. LG REQUIRED FOR EACH PIPE) | DF | FT | | SEE GRP 5501 | | | | | | | | |
| H 00672 | | PLUG, PIPE: COMPRESSOR TOP (41947) WC416AH22 | ABC | EA | 1 | | | | | | | | 12 | 32 |
| F 00673 | 5320-582-3305 | RIVET, BLIND: SUPPORT TO BASE MTG (96906) MS20600AD4W3 | CDEF | EA | 2 | | | | | | | | 2 | 2 |
| H 00674 | 5305-978-9385 | SCREW, CAP, SOCKET HEAD: FLANGE MOUNTING (96906) MS16997-62 | | EA | 3 | | | | | | | | 8 | 13 |
| F 00675 | 5305-995-3441 | SCREW, MACHINE: CAPILLARY TUBE AND HOT GAS BY-PASS TUBE CLAMP (96906) MS35207-269 | DEF | EA | 2 | | | | | | | | 18 | 23 |
| F 00676 | 5305-984-6194 | SCREW, MACHINE: CLAMP MTG (96906) MS35206-246 | CDEF | EA | 2 | | | | | | | | 9 | 23 |
| F 00677 | 5305-984-6194 | SCREW, MACHINE: CLAMP MTG (96906) MS35206-246 | | EA | 16 | | | | | | | | 10 | 3 |
| F 00678 | 5305-151-2769 | SCREW, MACHINE: DISCHARGE TUBE CLAMP (88044) AN520-10-12 | DEF | EA | 1 | | | | | | | | 19 | 15 |
| F 00679 | 5305-989-7435 | SCREW, MACHINE: HOT GAS BY-PASS SOLENOID VALVE MTG (96906) MS35207-264 | | EA | 5 | | | | | | | | 9 | 48 |
| F 00680 | 5305-995-3441 | SCREW, MACHINE: PRESSURE REGULATOR CLAMP (96906) MS35207-269 | DEF | EA | 1 | | | | | | | | 19 | 1 |
| X2F 00681 | | SPACER: CAPILLARY TUBE, DISCHARGE TUBE, DISCHARGE LINE AND EXPANSION VALVE (60532) SPC20 | DEF | EA | 5 | | | | | | | | 18 | 12 |
| X2F 00682 | | SPACER: PRESSURE REGULATOR MTG (60532) SPC33 | CDEF | EA | 2 | | | | | | | | 19 | 4 |
| P F 00683 | 4130-922-7033 | STRAINER: SUCTION LINE (01422) 201060 | DEF | EA | 1 | * | 2 | 2 | * | 2 | 2 | 10 | 17 | 12 |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) USABLE ON CODE | (5) UNIT OF MEAS | (6) QTY INC IN UNIT | (7) 30-DAY DS MAINT ALLOWANCE | | | (8) 30-DAY GS MAINT ALLOWANCE | | | (9) 1-YR ALW PER 100 EQUIP CNTGY | (10) ILLUS- TRATION | |
|--------------------|-----------------------------------|---------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|----------------------------------------------------|---------------------------|-------------|
| | | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | FIG. NO. | ITEM NO. |
| X2H 00684 | | SUPPORT ASSEMBLY, CHANNEL: SOLENOID VALVE MTG (60532) SUP118 | ABCDEF | EA | 2 | | | | | | | | 2 | 33 |
| X2F 00685 | | TEE, BENT: SUCTION LINE, TOP, COPPER, 3/4 IN. X 1/2 IN. X 3/4 IN., SWEAT JOINT (60532) TUB184 | ABC | EA | 1 | | | | | | | | 8 | 21 |
| F 00686 | 4730-278-8908 | TEE, PIPE TO TUBE: DEHYDRATOR, BOTTOM (41947) WT602W4229 | ABCDEF | EA | 1 | | | | | | | | 9 | 28 |
| H 00687 | | TEE, TUBE: CHARGING VALVE DISCHARGE SIDE, 1/2 IN. ID, SWEAT JOINT, COPPER (60532) TEE34 | ABC | EA | 1 | | | | | | | | 12 | 17 |
| F 00688 | 4730-203-4918 | TEE, TUBE: DEHYDRATOR, TOP (41947) WT600W4000 | ABCDEF | EA | 1 | | | | | | | | 9 | 9 |
| X2F 00689 | | TEE, TUBE: DISCHARGE LINE TO HIGH PRESSURE CUTOFF SWITCH AND HIGH PRESSURE CUTOFF (41947) WT600W4015 | DEF | EA | 2 | | | | | | | | 18 | 19 |
| H 00690 | 4730-345-1106 | TEE, TUBE: HOT GAS BY-PASS SOLENOID VALVE LINE TO CONDENSER LINE (41947) WT600W4001 | AB | EA | 1 | | | | | | | | 9 | 35 |
| X2F 00691 | | TEE, TUBE: SUCTION LINE CENTER (41947) WT600W4018 | DEF | EA | 1 | | | | | | | | 19 | 31 |
| X2F 00692 | | TEE, TUBE: SUCTION LINE TO EXPANSION VALVE (41947) WT600W40350 | DEF | EA | 1 | | | | | | | | 19 | 24 |
| X2F 00693 | | TEE, TUBE: SUCTION LINE TO PRESSURE REGULATOR (41947) WT600W4015 | DEF | EA | 1 | | | | | | | | 19 | 26 |
| M F 00694 | | TUBE, BENT: DEHYDRATOR TO LH SOLENOID VALVE (60532) TUB72 MANUFACTURE FROM: | ABCDEF | EA | 1 | | | | | | | | 9 | 8 |
| P F 00695 | 4710-424-2693 | TUBE, COPPER (25 3/8 IN. REQUIRED) | ABCDEF | FT | | SEE | GRP | 9501 | | | | | | |
| X2F 00696 | | TUBE, BENT: DISCHARGE, COMPRESSOR TO CHARGING VALVE (60532) TUB207 (WHIRLPOOL COMPRESSOR ONLY) | DEF | EA | 1 | | | | | | | | 19 | 16 |
| X2F 00697 | | TUBE, BENT: DISCHARGE LINE, CROSS TO HIGH PRESSURE CUTOFF TEE (60532) TUB199 | DEF | EA | 1 | | | | | | | | 18 | 18 |
| X2F 00698 | | TUBE, BENT: DISCHARGE LINE TO CHARGING VALVE (60532) TUB201 | DEF | EA | 1 | | | | | | | | 19 | 30 |
| X2F 00699 | | TUBE, BENT: EVAPORATOR TO TEE (60532) TUB196 | DEF | EA | 1 | | | | | | | | 19 | 29 |
| M H 00700 | | TUBE, BENT: EXPANSION VALVE TO SIGHT GLASS (60532) TUB202 MANUFACTURE FROM: | CDEF | EA | 1 | | | | | | | | 9 | 2 |
| P H 00701 | 4710-424-2693 | TUBE, COPPER (11 3/4 IN. REQUIRED) | CDEF | FT | | SEE | GRP | 9501 | | | | | | |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) USABLE ON CODE | (5) UNIT OF MEAS | (6) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE | | | (7) 30-DAY GS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGY | (9) ILLUS- TRATION | |
|--------------------|-----------------------------------|------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|----------------------------------------------------|--------------------------|-------------|
| | | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | FIG. NO. | ITEM NO. |
| M H 00702 | | TUBE, BENT: EXPANSION VALVE TO SUCTION TUBE (60532) TUB202 MANUFACTURE FROM: | ABCDEF | EA | 1 | | | | | | | | 9 | 20 |
| P H 00703 | 4730-424-2692 | TUBE, COPPER (15 1/2 IN. REQUIRED) | ABCDEF | FT | | SEE | GRP | 9501 | | | | | | |
| X2F 00704 | | TUBE, BENT: EXPANSION VALVE TO SUCTION LINE (60532) TUB208 | DEF | EA | 1 | | | | | | | | 19 | 27 |
| M F 00705 | | TUBE, BENT: HOT GAS BY-PASS SOLENOID VALVE TO CONDENSER LINE (60532) TUB198 MANUFACTURE FROM: | ABCDEF | EA | 1 | | | | | | | | 9 | 47 |
| P F 00706 | 4710-424-2694 | TUBE, COPPER (8 5/16 IN. REQUIRED) | ABCDEF | FT | | SEE | GRP | 9501 | | | | | | |
| X2F 00707 | | TUBE, BENT: PRESSURE REGULATOR VALVE INLET (60532) TUB210 | CDEF | EA | 1 | | | | | | | | 19 | 8 |
| X2F 00708 | | TUBE, BENT: SUCTION, COMPRESSOR TO CHARGING VALVE (60532) TUB206 (WHIRLPOOL COMPRESSOR ONLY) | DEF | EA | 1 | | | | | | | | 17 | 8 |
| X2F 00709 | | TUBE, BENT: SUCTION LINE TO HOT GAS BY-PASS VALVE (60532) TUB182 | DEF | EA | 1 | | | | | | | | 19 | 23 |
| M H 00710 | | TUBE, COPPER: 1 TON EXPANSION VALVE (60532) TUB119 MANUFACTURE FROM: | ABC | EA | 1 | | | | | | | | 8 | 6 |
| H 00711 | 4730-289-0583 | NUT, TUBE COUPLING: 1/4 IN. OD, TUBE, 7/16-20 THD SIZE (30327) 641FS | ABC | EA | 1 | | | | | | | | | |
| P H 00712 | 4710-424-2692 | TUBE, COPPER (31 11/16 IN. REQUIRED) | ABC | FT | | SEE | GRP | 9501 | | | | | | |
| M H 00713 | | TUBE, COPPER: CHARGING VALVE TEE, DISCHARGE SIDE (60532) TUB82 MANUFACTURE FROM: | AB | EA | 1 | | | | | | | | 9 | 38 |
| P H 00714 | 4710-424-2694 | TUBE, COPPER (11 3/8 IN. REQUIRED) | AB | FT | | SEE | GRP | 9501 | | | | | | |
| M H 00715 | | TUBE, COPPER: COMPRESSOR TO CHARGING VALVE, SUCTION SIDE (60532) TUB81 MANUFACTURE FROM: | AB | EA | 1 | | | | | | | | 12 | 1 |
| P H 00716 | 4130-467-5156 | TUBING, COPPER (27 7/8 IN. REQUIRED) | AB | FT | | SEE | GRP | 9501 | | | | | | |
| M H 00717 | | TUBE, COPPER: COMPRESSOR TO CHARGING VALVE TEE, DISCHARGE SIDE (60532) TUB83 MANUFACTURE FROM: | ABC | EA | 1 | | | | | | | | 12 | 20 |
| P H 00718 | 4710-424-2694 | TUBE, COPPER (6 3/4 IN. REQUIRED) | ABC | FT | | SEE | GRP | 9501 | | | | | | |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) USABLE ON CODE | (5) UNIT OF MEAS | (6) QTY INC IN UNIT | 30-DAY DS MAINT ALLOWANCE | | | 30-DAY GS MAINT ALLOWANCE | | | (11) 1-YR ALW PER 100 EQUIP CNTGY | ILLUS- TRATION | |
|--------------------|-----------------------------------|---------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------|---------------------------------|------------------------------|-------|--------|------------------------------|-------|--------|-----------------------------------------------------|-------------------|-------------|
| | | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | FIG. NO. | ITEM NO. |
| M H 00719 | 4130-467-5156 | TUBE, COPPER: COMPRESSOR SUCTION (60532) TUB67 MANUFACTURE FROM: | ABC | EA | 1 | | | | | | | | 8 | 23 |
| P H 00720 | | TUBING, COPPER (6 FT REQUIRED) | ABC | FT | | SEE GRP 9501 | | | | | | | | |
| M H 00722 | 4710-4. 2694 | TUBE, COPPER: CONDENSER LINE, TOP SECTION (60532) TUB71 MANUFACTURE FROM: | AB | EA | 1 | | | | | | | | 9 | 34 |
| P H 00723 | | TUBE, COPPER (21 15/16 IN. REQUIRED) | AB | FT | | SEE GRP 9501 | | | | | | | | |
| M H 00724 | 4710-424-2693 | TUBE, COPPER: CONDENSER TO DEHYDRATOR, BOTTOM (60532) TUB74 MANUFACTURE FROM: | ABCDEF | EA | 1 | | | | | | | | 9 | 29 |
| P H 00725 | | TUBE, COPPER (13 IN. REQUIRED) | ABCDEF | FT | | SEE GRP 9501 | | | | | | | | |
| M F 00726 | 4710-424-2693 | TUBE, COPPER: DEHYDRATOR TO RH SOLENOID VALVE (60532) TUB63 MANUFACTURE FROM: | ABCDEF | EA | 1 | | | | | | | | 9 | 10 |
| P F 00727 | | TUBE, COPPER (16 7/8 IN. REQUIRED) | ABCDEF | FT | | SEE GRP 9501 | | | | | | | | |
| M F 00728 | 4710-424-2693 | TUBE, COPPER: DEHYDRATOR TOP AND BOTTOM (60532) TUB182 MANUFACTURE FROM: | ABCDEF | EA | 2 | | | | | | | | 9 | 11 |
| P F 00729 | | TUBE, COPPER (1 3/16 IN. REQUIRED FOR EACH TUBE) | ABCDEF | FT | | SEE GRP 9501 | | | | | | | | |
| M H 00730 | 4710-424-2694 | TUBE, COPPER: DISCHARGE LINE, CHARGING VALVE TEE TO HOT GAS BY-PASS VALVE TEE (60532) TUB70 MANUFACTURE FROM: | AB | EA | 1 | | | | | | | | 9 | 36 |
| P H 00731 | | TUBE, COPPER (22 11/16 IN. REQUIRED) | AB | FT | | SEE GRP 9501 | | | | | | | | |
| M H 00732 | 4130-467-5156 | TUBE, COPPER: EVAPORATOR FLANGE TO ELBOW MANUFACTURE FROM: | ABC | EA | 1 | | | | | | | | 8 | 18 |
| P H 00733 | | TUBE, COPPER (7 IN. REQUIRED) | ABC | FT | | SEE GRP 9501 | | | | | | | | |
| M H 00734 | 4710-424-2693 | TUBE, COPPER: EXPANSION VALVE TO SIGHT GLASS (60532) TUB69 MANUFACTURE FROM: | AB | EA | 1 | | | | | | | | 8 | 31 |
| P H 00735 | | TUBE, COPPER (7 IN. REQUIRED) | AB | FT | | SEE GRP 9501 | | | | | | | | |
| M H 00736 | 4710-424-2694 | TUBE, COPPER: EXPANSION VALVE TO SUCTION LINE (60532) TUB59 MANUFACTURE FROM: | ABCDEF | EA | 1 | | | | | | | | 8 | 4 |
| P H 00737 | | TUBE, COPPER (18 3/16 IN. REQUIRED) | ABCDEF | FT | | SEE GRP 9501 | | | | | | | | |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF. NUMBER & MFR CODE | (4) USABLE ON CODE | (5) UNIT OF MEAS | (6) QTY INC IN UNIT | (7) 30-DAY DS MAINT ALLOWANCE | | | (8) 30-DAY GS MAINT ALLOWANCE | | | (9) 1-YR ALW PER 100 EQUIP CNTGY | (10) ILLUS- TRATION | |
|--------------------|-----------------------------------|-----------------------------------------------------------------------------------------------------|-----------------------------|---------------------------|---------------------------------|----------------------------------|-------|--------|----------------------------------|-------|--------|----------------------------------------------------|------------------------|-------------|
| | | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | FIG. NO. | ITEM NO. |
| F 00738 | | TUBE, COPPER: 1 TON EXPANSION VALVE (60532) TUB209 | DEF | EA | 1 | | | | | | | | 19 | 28 |
| M H 00739 | | TUBE, COPPER: SIGHT GLASS TO SOLENOID VALVE MANUFACTURE FROM: | ABCDEF | EA | 1 | | | | | | | | 9 | 46 |
| P H 00740 | 4710-424-2693 | TUBE, COPPER (3 FT 8 1/2 IN. REQUIRED) | ABCDEF | FT | | SEE GRP 9501 | | | | | | | | |
| M H 00741 | | TUBE, COPPER: SOLENOID VALVE TO EXPANSION VALVE, CAPILLARY (60532) TUB66 MANUFACTURE FROM: | ABCDEF | EA | 1 | | | | | | | | 9 | 21 |
| P H 00742 | 4710-424-2692 | TUBE, COPPER (4 FT 10 1/2 IN. REQUIRED) | ABCDEF | EA | 1 | SEE GRP 9501 | | | | | | | | |
| F 00743 | | TUBE, COPPER: SUCTION LINE (60532) TUB181 | DEF | EA | 1 | | | | | | | | 19 | 25 |
| M F 00744 | | TUBE, COPPER: SUCTION LINE, CENTER (60532) TUB197 MANUFACTURE FROM: | ABCDEF | EA | 1 | | | | | | | | 8 | 22 |
| F 00745 | 4130-467-5156 | TUBING, COPPER (13 IN. REQUIRED) | ABCDEF | FT | | SEE GRP 9501 | | | | | | | | |
| M H 00746 | | TUBE, COPPER: TEE TO EVAPORATOR (60532) TUB60 MANUFACTURE FROM: | ABC | EA | 1 | | | | | | | | 8 | 20 |
| P H 00747 | 4130-467-5156 | TUBING, COPPER (8 3/4 IN. REQUIRED) | ABC | FT | | SEE GRP 9501 | | | | | | | | |
| M H 00748 | | TUBE, COPPER: TOP CONDENSER LINE (60532) TUB62 MANUFACTURE FROM: | AB | EA | 1 | | | | | | | | 9 | 39 |
| P H 00749 | 4710-424-2694 | TUBE, COPPER (10 1/2 IN. REQUIRED) | AB | FT | | SEE GRP 9501 | | | | | | | | |
| P F 00750 | 4120-909-3717 | VALVE: PRESSURE REGULATOR (97403) 13211E3800 | | EA | 2 | * | * | 2 | * | * | 2 | 12 | 19 | 6 |
| P F 00751 | 4130-302-1412 | VALVE, CHARGING (41947) A15073 | ABC | EA | 2 | * | * | 2 | * | * | 2 | 10 | 12 | 19 |
| P F 00752 | 4820-940-8105 | VALVE, DIAPHRAGM, STOP: CHARGING, SUCTION AND DISCHARGE (58553) 5939X4 | DEF | EA | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 29 | 12 | 19 |
| P H 00753 | 4130-911-2249 | VALVE, EXPANSION: 1/2 TON, TOP BY-PASS (70255) TLX200HW100 | CDEF | EA | 1 | | | | * | * | 2 | 10 | 9 | 16 |
| P H 00754 | 4130-988-0637 | VALVE, EXPANSION, THERMAL: BY-PASS (70255) TCL50H | AB | EA | 1 | | | | * | 2 | 2 | 22 | 9 | 16 |
| P F 00755 | 4130-073-8405 | VALVE, PRESSURE RELIEF (97403) 13211E8369 | | EA | 1 | * | * | 2 | * | * | 2 | 12 | 18 | 17 |
| P F 00756 | 4130-327-5095 | VALVE, SOLENOID: BOTTOM, LH, NORMALLY OPEN, 3/8 IN. OD (97403) 13211E8311 | | EA | 1 | * | * | 2 | * | * | 2 | 10 | 10 | 1 |
| P F 00757 | 5950-858-3261 | COIL, SOLENOID VALVE: 10W, 187V, DC | | EA | 1 | * | * | 2 | * | * | 2 | 10 | 10 | 9 |
| P F 00758 | 4130-911-2250 | VALVE, SOLENOID: BOTTOM, RH, NORMALLY OPEN (60532) VAL573 | CDEF | EA | 1 | * | * | 2 | * | * | 2 | 10 | 10 | 6 |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) USABLE ON CODE | (5) UNIT OF MEAS | (6) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE | | | (7) 30-DAY GS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGY | (9) ILLUS- TRATION | |
|--------------------|-----------------------------------|-------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|----------------------------------------------------|--------------------------|-------------|
| | | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | FIG. NO. | ITEM NO. |
| P F 00759 | 5950-677-0567 | COIL, SOLENOID VALVE: 10W, 187V, DC (93781) 3MP23 | CDEF | EA | 1 | * | * | 2 | * | * | 2 | 10 | 10 | 7 |
| P F 00760 | 4130-911-2250 | VALVE, SOLENOID: HOT GAS BY-PASS, 1/2 IN. OD (93781) 132 | ABCDEF | EA | 1 | * | * | * | * | * | * | 5 | 9 | 50 |
| P F 00761 | 5950-677-0567 | COIL SOLENOID VALVE (60532) 3MP23 | ABCDEF | EA | 1 | * | * | 2 | * | * | 2 | 10 | 9 | 51 |
| F 00762 | 5310-809-8546 | WASHER, FLAT: CAPILLARY TUBE CLAMP MTG (96906) MS27183-8 | DEF | EA | 1 | | | | | | | | 18 | 10 |
| F 00763 | 5310-809-8546 | WASHER, FLAT: CLAMP MTG, No. 10 SCREW SIZE (96906) MS27183-8 | ABCDEF | EA | 2 | | | | | | | | 9 | 24 |
| F 00764 | 5310-809-8546 | WASHER, FLAT: HOT GAS BY-PASS VALVE MTG (96906) MS27183-8 | | EA | 12 | | | | | | | | 9 | 49 |
| F 00765 | 5310-809-8546 | WASHER, FLAT: HOT GAS BY-PASS VALVE CLAMP MTG (96906) MS27183-8 | DEF | EA | 2 | | | | | | | | 18 | 24 |
| F 00766 | 5310-809-8546 | WASHER, FLAT: PRESSURE REGULATOR MTG (96906) MS27183-8 | BCDEF | EA | 11 | | | | | | | | 19 | 3 |
| F 00767 | 5310-010-0496 | WASHER, LOCK: CLAMP MTG | ABCDEF | EA | 8 | | | | | | | | 10 | 4 |
| F 00768 | 5310-013-1098 | WASHER, LOCK: FLANGE MTG (96906) MS35339-25 | | EA | 6 | | | | | | | | 8 | 14 |
| F 00769 | 5310-551-6308 | WASHER, LOCK: PRESSURE REGULATOR MTG (96906) MS35339-43 | BCDEF | EA | 1 | | | | | | | | 19 | 2 |
| F 00770 | 5310-551-6308 | WASHER, LOCK: PRESSURE SWITCH TUBE HOT GAS BY-PASS AND CAPILLARY TUBE CLAMP MTG (96906) MS35339-43 | DEF | EA | 7 | | | | | | | | 18 | 9 |
| 00771 | | 5230 - CONDENSER | | | | | | | | | | | | |
| P H 00772 | 4130-858-3083 | COIL CONDENSER (60532) COL161 | AB | EA | 1 | | | | * | * | 2 | 10 | 9 | 40 |
| H 00773 | 4130-867-1097 | CONDENSER ASSEMBLY (60532) COL465 | CDEF | EA | 1 | | | | * | * | 2 | 10 | 9 | 40 |
| H 00774 | 5310-550-4611 | NUT, SELF-LOCKING, PLATE: CONDENSER MTG | ABCDEF | EA | 16 | | | | | | | | 9 | 43 |
| H 00775 | 5320-117-6939 | RIVET, SOLID: ANCHOR NUT MTG (96906) MS20426AD3-5 | ABCDEF | EA | 32 | | | | | | | | 9 | 42 |
| H 00776 | 5305-989-7434 | SCREW, MACHINE: CONDENSER ASSEMBLY MTG (96906) MS35207-263 | | EA | 24 | | | | | | | | 9 | 41 |
| 00777 | | 5235 - HYDRATING EQUIPMENT | | | | | | | | | | | | |
| X2F 00778 | | BRACKET: DEHYDRATOR MTG (60532) BRK220 | CDEF | EA | 1 | | | | | | | | 9 | 13 |
| P F 00779 | 4130-302-1427 | DEHYDRATOR (78462) C0835 | | EA | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 25 | 9 | 12 |
| F 00780 | 5310-188-7969 | NUT, BLIND RIVET: BRACKET MTG (96906) MS27130-14K | CDEF | EA | 1 | | | | | | | | 9 | 33 |
| F 00781 | 5305-639-8115 | SCREW, CAP, HEXAGON HEAD: DEHYDRATOR BRACKET MTG (96906) MS35297-6 | CDEF | EA | 1 | | | | | | | | 9 | 30 |


| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) USABLE ON CODE | (5) UNIT OF MEAS | (6) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE | | | (7) 30-DAY GS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGY | (9) ILLUS- TRATION | |
|--------------------|-----------------------------------|----------------------------------------------------------------------------------------------------|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|----------------------------------------------------|--------------------------|-------------|
| | | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | FIG. NO. | ITEM NO. |
| F 00782 | 5310-809-1058 | WASHER, FLAT: DEHYDRATOR MTG (96906) MS27183-10 | CDEF | EA | 2 | | | | | | | | 9 | 32 |
| H 00783 | | WASHER, FLAT: ALUMINUM, 5/16 IN. ID, 1 3/4 IN. OD, 1/8 IN. THK (60532) WAS125 | ABCDEF | EA | 4 | | | | | | | | 12 | 33 |
| F 00784 | 5310-013-1098 | WASHER, LOCK: DEHYDRATOR MTG (96906) MS35339-25 | CDEF | EA | 2 | | | | | | | | 9 | 31 |
| X2H 00785 | | WASHER, RUBBER: BASE SIDE (60532) WAS127 | ABCDEF | EA | 8 | | | | | | | | 12 | 25 |
| 00786 | | 5241 - EVAPORATOR | | | | | | | | | | | | |
| X2H 00787 | | BLOCKOFF: 1 TON EXPANSION VALVE (60532) B025 | | EA | 1 | | | | | | | | 8 | 32 |
| X2H 00788 | | BRACKET, ANGLE: EXPANSION VALVE MTG, 1/2 TON (60532) BRK217 | ABCDEF | EA | 1 | | | | | | | | 9 | 15 |
| F 00789 | 4730-542-3019 | CLAMP, HOSE: BOTTOM DRAIN TUBES (96906) MS35842-1 | ABCDEF | EA | 4 | | | | | | | | 3 | 6 |
| F 00790 | 4730-542-3019 | CLAMP, HOSE: BOTTOM DRAIN TUBES (96906) MS35842-1 | CDEF | EA | 2 | | | | | | | | 2 | 15 |
| H 00791 | 5340-702-1424 | CLIP, SPRING, TENSION: BOTTOM DRAIN TUBES (78553) C22146-017 | ABCDEF | EA | 4 | | | | | | | | 3 | 8 |
| H 00792 | 5340-702-1424 | CLIP, SPRING, TENSION: EVAPORATOR DRAIN TUBE (78553) C22146-017 | DEF | EA | 4 | | | | | | | | 19 | 11 |
| X2F 00793 | 4730-264-9151 | COUPLING, TUBE (96906) MS35927-2 | | EA | 1 | | | | | | | | | |
| F 00794 | 4730-264-9153 | COUPLING, TUBE: TOP SIGHT GLASS TUBE (41947) WC400W1009 | ABCDEF | EA | 1 | | | | | | | | 9 | 1 |
| P O 00795 | 4130-940-7868 | ELIMINATOR, MIST: EVAPORATOR COIL (97403) 13211E8248 | | EA | 1 | * | * | * | * | * | * | 6 | 8 | 8 |
| P F 00796 | 4130-858-3082 | EVAPORATOR ASSEMBLY (60532) COL160 | AB | EA | 1 | * | * | 2 | * | * | 2 | 7 | 8 | 7 |
| P F 00797 | 4130-867-1096 | EVAPORATOR ASSEMBLY (60532) COL464 | CDEF | EA | 1 | * | * | 2 | * | * | 2 | 10 | 8 | 7 |
| M F 00798 | | HOSE, RUBBER: BOTTOM DRAIN TUBES (60532) HSE45 MANUFACTURE FROM: | ABCDEF | EA | 2 | | | | | | | | 2 | 14 |
| P F 00799 | 4720-540-1778 | HOSE, RUBBER (1 1/2 IN. REQUIRED FOR EACH HOSE) | ABCDEF | FT | | SEE GRP 9501 | | | | | | | | |
| M F 00800 | | HOSE, RUBBER: BOTTOM DRAIN TUBES (60532) HSE45 MANUFACTURE FROM: | ABCDEF | EA | 1 | | | | | | | | 3 | 7 |
| P F 00801 | 4720-540-1778 | HOSE, RUBBER (1 1/2 IN. REQUIRED) | ABCDEF | FT | | SEE GRP 9501 | | | | | | | | |
| H 00802 | 5310-013-1245 | NUT, SELF-LOCKING, HEXAGON: BRACKET MTG | ABCDEF | EA | 2 | | | | | | | | 9 | 14 |
| F 00803 | 5310-550-4611 | NUT, SELF-LOCKING, PLATE: EVAPORATOR MTG | ABCDEF | EA | 8 | | | | | | | | 8 | 12 |
| F 00804 | | NUT, SELF-LOCKING, PLATE: EVAPORATOR MTG, TOP, No. 10-32 THD SIZE, 1 LUG (96906) NAS1032P | ABCDEF | EA | 2 | | | | | | | | 8 | 9 |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE | | | (7) 30-DAY GS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGY | (9) ILLUS- TRATION | |
|--------------------|-----------------------------------|------------------------------------------------------------------------|---------------------------|---------------------------------|-------------------------------------|--------------|--------|-------------------------------------|-------|--------|----------------------------------------------------|--------------------------|-------------|
| | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | (a) | (b) |
| | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | FIG. NO. | ITEM NO. |
| X20 00805 | | PAD ASSEMBLY, MIST ELIMINATOR (60532) PAD30 | A | EA | 1 | | | | | | | | |
| H 00806 | 5320-582-3304 | RIVET, BLIND: BLOCKOFF MTG (96906) MS20600AD4W2 | CDEF | EA | 2 | | | | | | | 8 | 29 |
| H 00807 | 5305-582-3275 | RIVET, BLIND: BRACKET MTG (96906) MS20601AD4W5 | DEF | EA | 8 | | | | | | | 18 | 14 |
| F 00808 | 5320-660-1292 | RIVET, SOLID: PLATE NUT MTG (96906) MS20426AD3-4 | ABCDEF | EA | 20 | | | | | | | 8 | 11 |
| H 00809 | 5320-083-5009 | RIVET, POP: TUBE CLIP MTG (61957) AD43BS | ABCDEF | EA | 8 | | | | | | | 3 | 9 |
| H 00810 | 5305-068-0501 | SCREW, CAP, HEXAGON HEAD: BRACKET MTG | ABCDEF | EA | 2 | | | | | | | 9 | 18 |
| F 00811 | 5305-043-6750 | SCREW, MACHINE: EVAPORATOR MTG | ABCDEF | EA | 10 | | | | | | | 8 | 10 |
| X2H 00812 | | TUBE ASSEMBLY, DRAIN: LH BOTTOM (60532) TUB191 | DEF | EA | 1 | | | | | | | 19 | 10 |
| X2H 00813 | | BEARING, BALL: DRAIN TUBE (60532) BAL25 | DEF | EA | 1 | | | | | | | 19 | 12 |
| H 00814 | 5315-058-3832 | PIN, COTTER: DRAIN TUBE (96906) MS24665-155 | DEF | EA | 1 | | | | | | | 19 | 14 |
| X2H 00815 | | SPRING, HELICAL: DRAIN TUBE (60532) SPG55 | DEF | EA | 1 | | | | | | | 19 | 13 |
| X2H 00816 | | TUBE ASSEMBLY, DRAIN: RH BOTTOM (60532) TUB190 | DEF | EA | 1 | | | | | | | 19 | 10 |
| X2H 00817 | | BEARING, BALL: DRAIN TUBE (60532) BAL25 | DEF | EA | 1 | | | | | | | 19 | 12 |
| H 00818 | 5315-234-1856 | PIN, COTTER: DRAIN TUBE (96906) MS24665-155 | DEF | EA | 1 | | | | | | | 19 | 14 |
| M H 00819 | | TUBE, DRAIN: FRONT, LH CENTER (60532) TUB75 MANUFACTURE FROM: | ABCDEF | EA | 1 | | | | | | | 2 | 16 |
| P H 00820 | 4710-142-2999 | TUBE, ALUMINUM (18 1/16 IN. REQUIRED) | ABCDEF | FT | | SEE GRP 9501 | | | | | | | |
| X2H 00821 | | TUBE, DRAIN: LH, BOTTOM (60532) TUB55 | ABCDEF | EA | 1 | | | | | | | 2 | 13 |
| M H 00822 | | TUBE, DRAIN: REAR, LH CENTER (60532) TUB53 MANUFACTURE FROM: | ABCDEF | EA | 1 | | | | | | | 2 | 17 |
| P H 00823 | 4710-142-2999 | TUBE, ALUMINUM (20 1/4 IN. REQUIRED) | ABCDEF | FT | | SEE GRP 9501 | | | | | | | |
| X2H 00824 | | TUBE, DRAIN: RH, BOTTOM (60532) TUB56 | ABCDEF | EA | 1 | | | | | | | 3 | 10 |
| M H 00825 | | TUBE, DRAIN: RH, CENTER (60532) TUB118 MANUFACTURE FROM: | ABCDEF | EA | 2 | | | | | | | 3 | 5 |
| P H 00826 | 4710-142-2999 | TUBE, ALUMINUM (6 IN. REQUIRED) | ABCDEF | FT | | SEE GRP 9501 | | | | | | | |
| P H 00827 | 4710-142-2999 | TUBE, ALUMINUM (23 IN. REQUIRED) | ABCDEF | FT | | SEE GRP 9501 | | | | | | | |
| P H 00828 | 4130-302-1802 | VALVE, EXPANSION: 1 TON, TOP CENTER, EVAPORATOR (70255) DT9604-1 | ABCDEF | EA | 1 | | | * | * | 2 | 10 | 8 | 30 |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | (4) USABLE ON CODE | (5) UNIT OF MEAS | (6) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE | | | (7) 30-DAY GS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGY | (9) ILLUS- TRATION | |
|--------------------|-----------------------------------|----------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|----------------------------------------------------|--------------------------|-------------|
| | | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | FIG. NO. | ITEM NO. |
| H 00829 | 5310-080-6004 | WASHER, FLAT: EXPANSION VALVE MTG (96906) MS27183-14 | DEF | EA | 6 | | | | | | | | 18 | 15 |
| H 00830 | 5310-186-7379 | WASHER, FLAT: EXPANSION VALVE MTG | ABCDEF | EA | 2 | | | | | | | | 9 | 17 |
| H 00831 | 5310-013-1099 | WASHER, LOCK: EXPANSION VALVE MTG (96906) MS35339-27 | DEF | EA | 6 | | | | | | | | 18 | 16 |
| 00832 | | 5243 - BLOWER ASSEMBLY | | | | | | | | | | | | |
| P O 00833 | 6150-929-5561 | FAN ASSEMBLY, CONDENSER (60532) FAN291 | DEF | EA | 1 | * | * | * | * | * | * | 5 | 15 | 2 |
| P O 00834 | 4130-981-6617 | FAN ASSEMBLY CONDENSER (60532) FAN184 | ABC | EA | 1 | * | * | * | * | * | * | 5 | 5 | 1 |
| P O 00835 | 4130-981-6616 | FAN ASSEMBLY, EVAPORATOR (60532) FAN183 | ABC | EA | 1 | * | * | * | * | * | * | 5 | 5 | 6 |
| P O 00836 | 4130-951-0802 | FAN ASSEMBLY, EVAPORATOR: 208v, 400 CYCLE, 3 PHASE (60532) FAN290 (CE20VAL4) | DEF | EA | 1 | * | * | * | * | * | * | 5 | 5 | 6 |
| O 00837 | 5315-815-9499 | KEY, MACHINE: CONDENSER FAN MTG | ABCDEF | EA | 1 | | | | | | | | 5 | 17 |
| O 00838 | 5315-057-6608 | KEY, MACHINE: EVAPORATOR FAN MTG | ABCDEF | EA | 1 | | | | | | | | 5 | 11 |
| O 00840 | 5305-018-5671 | SETSCREW: EVAPORATOR AND CONDENSER FAN MTG | ABC | EA | 4 | | | | | | | | 5 | 12 |
| O 00841 | 5305-285-4619 | SETSCREW, ALLEN HEAD: EVAPORATOR AND CONDENSER FAN MTG (00000) 583935 | DEF | EA | 4 | | | | | | | | 15 | 1 |
| 00842 | | 5244 - THERMOSTATIC CONTROLS | | | | | | | | | | | | |
| X2F 00843 | | BRACKET, MOUNTING: HEATER THERMOSTAT MTG (04594) 183-1288 | C | EA | 1 | | | | | | | | 12 | 7 |
| F 00844 | 5340-543-4394 | CLAMP, LOOP: TEMPERATURE CONTROL TUBE (96906) MS21919DG6 | ABCDEF | EA | 2 | | | | | | | | 6 | 9 |
| X2F 00845 | 5355-926-5289 | KNOB: TEMPERATURE CONTROL (86797) RB175 | | EA | 1 | | | | | | | | 6 | 15 |
| F 00846 | 5310-889-2549 | NUT, SELF-LOCKING, HEXAGON: TEMPERATURE CONTROL MTG (96906) MS21045-08 | | EA | 4 | | | | | | | | 6 | 7 |
| F 00847 | 5305-984-6193 | SCREW, MACHINE: TEMPERATURE CONTROL MTG (96906) MS35206-245 | | EA | 4 | | | | | | | | 6 | 3 |
| F 00848 | 5305-984-6194 | SCREW, MACHINE: THERMOSTATIC SWITCH MTG (96906) MS35206-246 | ABCDEF | EA | 2 | | | | | | | | 4 | 1 |
| F 00849 | 5305-964-7814 | SCREW, MACHINE: TUBE CLAMP MTG (96906) MS35207-291 | ABCDEF | EA | 1 | | | | | | | | 6 | 10 |
| O 00850 | 5305-013-2688 | SCREW, MACHINE: TUBE CLIP MTG | ABC | EA | 1 | | | | | | | | 6 | 10 |
| F 00851 | | SCREW, TAPPING, THREAD CUTTING: HEATER THERMOSTAT BRACKET MTG, CADMIUM OR ZINC PLATED, No. 8 (04594) BY9128 | C | EA | 1 | | | | | | | | 12 | 6 |
| P F 00852 | 5930-981-6680 | SWITCH, THERMOSTATIC: OUTDOOR, REAR CASING (93410) NTP25 | | EA | 1 | * | * | 2 | * | * | 2 | 10 | 4 | 15 |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF NUMBER & MFR CODE | USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30-DAY DS MAINT ALLOWANCE | | | (7) 30-DAY GS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGY | (9) ILLUS- TRATION | |
|--------------------|-----------------------------------|----------------------------------------------------------------------------|----------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|----------------------------------------------------|--------------------------|-------------|
| | | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | (a) | (b) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | FIG. NO. | ITEM NO. |
| P F 00853 | 4130-302-1818 | THERMOSTAT, TEMPERATURE CONTROL (92578) 229XC | | EA | 1 | * | * | * | * | * | * | 5 | 6 | 5 |
| A F 00854 | | THERMOSTAT ASSEMBLY (97403) 13211E8156 | | EA | 1 | | | | | | | | | |
| P F 00855 | 5930-856-8104 | THERMOSTAT: CRANKCASE HEATER COMPRESSOR, TOP (04594) 1454-10 | ABC | EA | 1 | * | * | * | * | * | * | 5 | 12 | 8 |
| F 00856 | 5310-809-8544 | WASHER, FLAT: OUTDOOR SWITCH MTG (96906) MS27183-7 | | EA | 4 | | | | | | | | 4 | 3 |
| F 00857 | 5310-209-5309 | WASHER, LOCK: OUTDOOR SWITCH MTG (96906) MS35338-23 | | EA | 2 | | | | | | | | 4 | 2 |
| 00858 | | 5245 - AIR FILTERS | | | | | | | | | | | | |
| P O 00859 | 4130-961-5552 | FILTER, AIR CONDITIONER: FRESH AIR INLET (21585) A2059 | A | EA | 1 | * | * | 2 | * | * | 2 | 10 | 4 | 8 |
| P O 00861 | 4130-981-6615 | FILTER, AIR CONDITIONING: BLOWER (97403) 13211E8224 | | EA | 1 | * | * | 2 | * | * | 2 | 4 | 5 | 15 |
| X20 00861A | | SCREEN, LINT: CONDENSER COIL GRILLE (60532) SRN31 | ABCDEF | EA | 1 | | | | | | | | 4 | 19 |
| 00862 | | 5247 - HEATING UNITS | | | | | | | | | | | | |
| X2F 00863 | | CLAMP, HEATER: ELECTRICAL HEATER MTG, TOP (60532) CMP59 | CDEF | EA | 6 | | | | | | | | 19 | 32 |
| X2H 00864 | 4130-981-6614 | CLIP, RETAINING: ELECTRICAL HEATER MTG (78553) 20744SS017-27 | ABC | EA | 6 | | | | | | | | 8 | 24 |
| X2H 00865 | | CLIP, RETAINING: ELECTRICAL HEATER MTG, TOP (78553) 24690-025 | ABC | EA | 12 | | | | | | | | 8 | 25 |
| P F 00866 | 4130-858-3084 | HEATER, ELECTRICAL (60532) HTR36 | ABC | EA | 6 | * | * | 2 | * | * | 2 | 12 | 8 | 33 |
| P H 00867 | 4130-856-8106 | HEATER, CRANKCASE: COMPRESSOR CRANKCASE (04594) 1501-4 | ABC | EA | 1 | | | | * | * | * | 2 | 12 | 29 |
| 00868 | | GROMMET (04594) 248-5 | ABC | EA | 1 | | | | | | | | | |
| P F 00869 | 4130-878-0103 | HEATING ELEMENT, ELECTRICAL (60532) HTR108 | DEF | EA | 12 | * | 2 | 2 | * | 2 | 2 | 12 | 19 | 20 |
| F 00870 | 5305-984-7441 | SCREW, PANEL FASTENER: HEATER CLAMP MTG (94222) 12-11-613-12 | CDEF | EA | 6 | | | | | | | | 19 | 34 |
| F 00871 | 5310-010-6496 | WASHER, LOCK: HEATER CLAMP MTG, No. 8 SCREW SIZE (94222) 12-11014-12 | DEF | EA | 18 | | | | | | | | 19 | 33 |
| 00872 | | GROUP 95 GENERAL USE STANDARDIZED PARTS | | | | | | | | | | | | |
| 00873 | | 9501 - BULK MATERIAL | | | | | | | | | | | | |
| P H 00874 | 9535-232-1851 | ALUMINUM SHEET | SH | | | | | | * | * | * | * | | |
| P O 00875 | 4720-540-1778 | HOSE, RUBBER | FT | | | * | * | * | * | * | * | * | | |

| (1) | (2) | (3) | (4) | (5) | (6) | | | (7) | | | (8) | (9) | |
|--------------|----------------------------|-----------------------------------------|--------------------|--------------------------|------------------------------|-------|--------|------------------------------|-------|--------|---------------------------------------------|-------------------|-------------|
| SMR CODE | FEDERAL STOCK NUMBER | DESCRIPTION USABLE ON CODE | UNIT OF MEAS | QTY INC IN UNIT | 30-DAY DS MAINT ALLOWANCE | | | 30-DAY GS MAINT ALLOWANCE | | | 1-YR ALW PER 100 EQUIP CNTGY | ILLUS- TRATION | |
| | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | (a) | (b) |
| | | REF NUMBER & MFR CODE | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | FIG. NO. | ITEM NO. |
| P H 00876 | 5330-505-6608 | RUBBER, SHEET, CELLULAR | FT | | | | | * | * | * | * | | |
| P O 00877 | 5330-505-6609 | RUBBER, SHEET, CELLULAR | FT | | * | * | * | * | * | * | * | | |
| P H 00878 | 5330-505-6610 | RUBBER, SHEET, CELLULAR | FT | | | | | * | * | * | * | | |
| P F 00879 | 5330-505-6611 | RUBBER, SHEET, SOLID | FT | B | * | * | * | * | * | * | * | | |
| P H 00880 | 4710-142-2999 | TUBE, ALUMINUM | FT | | | | | * | * | * | * | | |
| P F 00881 | 4710-277-5527 | TUBE, COPPER | FT | | * | * | * | * | * | * | * | | |
| P H 00882 | 4710-424-2692 | TUBE, COPPER | FT | | | | | * | * | * | * | | |
| P F 00883 | 4710-424-2693 | TUBE, COPPER | FT | | * | * | * | * | * | * | * | | |
| P F 00884 | 4710-424-2694 | TUBE, COPPER | FT | | * | * | * | * | * | * | * | | |
| P F 00885 | 4130-467-5156 | TUBING, COPPER | FT | | * | * | * | * | * | * | * | | |
| P O 00886 | 6145-170-6869 | WIRE, ELECTRICAL | FT | | * | * | * | * | * | * | * | | |
| P F 00887 | 6145-243-0579 | WIRE, ELECTRICAL | FT | | * | * | * | * | * | * | * | | |
| P O 00888 | 6145-313-9429 | WIRE, ELECTRICAL | FT | | * | * | * | * | * | * | * | | |
| P O 00889 | 6145-316-9072 | WIRE, ELECTRICAL | FT | | * | * | * | * | * | * | * | | |
| P F 00890 | 6145-548-2705 | WIRE, ELECTRICAL | FT | | * | * | * | * | * | * | * | | |
| P O 00891 | 6145-660-8933 | WIRE, ELECTRICAL | FT | | * | * | * | * | * | * | * | | |
| P O 00892 | 6145-160-4774 | WIRE, ELECTRICAL | FT | | * | * | * | * | * | * | * | | |
| P O 00893 | 6145-238-3407 | WIRE, ELECTRICAL | FT | | * | * | * | * | * | * | * | | |



ME 4120-222-25P/1

Figure No. 1 Insulation And Panels

LEGEND TO PARTS, FIGURE 1

| ITEM NO. | FUNCT GROUP | ITEM NAME | ITEM NO. | FUNCT GROUP | ITEM NAME | ITEM NO. | FUNCT GROUP | ITEM NAME |
|----------|-------------|------------|----------|-------------|------------|----------|-------------|------------|
| 1 | 1801 | PANEL | 13 | 1801 | INSULATION | 25 | 1801 | INSULATION |
| 2 | 1801 | INSULATION | 14 | 1801 | INSULATION | 26 | 1801 | INSULATION |
| 3 | 1801 | INSULATION | 15 | 1801 | RIVET | 27 | 1801 | PAN |
| 4 | 1801 | DUCT | 16 | 1801 | PANEL | 28 | 1801 | PANEL |
| 5 | 1801 | INSULATION | 17 | 1801 | SUPPORT | 29 | 1801 | INSULATION |
| 6 | 1801 | INSULATION | 18 | 1801 | RIVET | 30 | 1801 | INSULATION |
| 7 | 1801 | NUT | 19 | 1801 | RECEPTACLE | 31 | 1801 | ANGLE |
| 8 | 1801 | INSULATION | 20 | 1801 | HANDLE | 32 | 1801 | ANGLE |
| 9 | 1801 | INSULATION | 21 | 1801 | DUCT | 33 | 1801 | INSULATION |
| 10 | 1801 | INSULATION | 22 | 1801 | INSULATION | 34 | 1801 | INSULATION |
| 11 | 1801 | INSULATION | 23 | 1801 | INSULATION | 35 | 1801 | PLUG |
| 12 | 1801 | INSULATION | 24 | 1801 | PARTITION | 36 | 1801 | PARTITION |





FIGURE NO. 2 CASE AND BASE

LEGEND TO PARTS, FIGURE 2

| ITEM NO. | FUNCT GROUP | ITEM NAME | ITEM NO. | FUNCT GROUP | ITEM NAME | ITEM NO. | FUNCT GROUP | ITEM NAME |
|----------|-------------|----------------|----------|-------------|-----------|----------|-------------|------------|
| 1 | 1801 | BAFFLE | 15 | 1801 | CLAMP | 28 | 1801 | SCREW |
| 2 | 1801 | RIVET | 15 | 5241 | CLAMP | 29 | 1801 | CLIP |
| 2 | 5217 | RIVET | 16 | 1801 | TUBE | 30 | 1501 | NUT |
| 3 | 1801 | BAFFLE | 16 | 5241 | TUBE | 30 | 1801 | NUT |
| 4 | 1801 | BAFFLE | 17 | 1801 | TUBE | 31 | 1801 | GROMMET |
| 5 | 1801 | SUPPORT | 17 | 5241 | TUBE | 32 | 1801 | NUT |
| 6 | 1801 | CASE AY | 18 | 1801 | FRAME | 33 | 5217 | SUPPORT AY |
| 6 | 1801 | CASING AY | 19 | 1801 | GASKET | 34 | 1501 | NUT |
| 7 | 1801 | NUT | 19 | 1801 | SPONGE | 34 | 1801 | NUT |
| 8 | 1801 | RIVET | 20 | 1801 | BLADE | 35 | 1801 | SUPPORT |
| 9 | 1501 | BASE AY | 21 | 1801 | SHIM | 36 | 1801 | ANGLE |
| 10 | 1501 | PLUG | 22 | 1801 | SUPPORT | 36 | 1801 | BLOCKOFF |
| 11 | 1801 | COVER | 23 | 1801 | ANGLE | 37 | 1801 | SPONGE |
| 12 | 1801 | RETAINING RING | 24 | 1801 | PENDANT | 38 | 1801 | SPRING |
| 13 | 1801 | DRAIN CONNECTN | 25 | 1801 | CHAIN AY | 39 | 1801 | SUPPORT |
| 13 | 5241 | TUBE | 26 | 1801 | SPRING | 40 | 1501 | SCREW |
| 14 | 1801 | HOSE | 27 | 1801 | BLOCKOFF | 41 | 1501 | WASHER |
| 14 | 5241 | HOSE | 27 | 1801 | PLATE | 42 | 1501 | WASHER |




MEC 4120-222-25P/3

FIGURE No. 3 CASE

LEGEND TO PARTS, FIGURE 3

| ITEM NO. | FUNCT GROUP | ITEM NAME | ITEM NO. | FUNCT GROUP | ITEM NAME |
|----------|-------------|-----------|----------|-------------|------------|
| 1 | 1801 | PANEL | 10 | 1801 | TUBE |
| 1 | 1801 | PANEL AY | 10 | 5241 | TUBE |
| 1 | 1801 | TOP | 11 | 1501 | RING |
| 2 | 1801 | SCREW | 12 | 1501 | SCREEN |
| 3 | 1801 | WASHER | 13 | 1501 | NIPPLE |
| 4 | 1801 | WASHER | 14 | 1501 | NUT |
| 5 | 1801 | TUBE | 15 | 1801 | SCREW |
| 5 | 5241 | TUBE | 16 | 1501 | PLUG |
| 6 | 1801 | CLAMP | 17 | 4009 | CONNECTOR |
| 6 | 5241 | CLAMP | 17 | 4010 | HARNESS AY |
| 7 | 1801 | HOSE | 18 | 4009 | CLAMP |
| 7 | 5241 | HOSE | 19 | 4010 | RIVET |
| 8 | 5241 | CLIP | 20 | 4010 | WASHER |
| 9 | 5241 | RIVET | 21 | 4009 | CLAMP |




ME 4120-222-25P/4

Figure No. 4 Grilles And Guards

LEGEND TO PARTS, FIGURE 4

| ITEM NO. | FUNCT GROUP | ITEM NAME | ITEM NO. | FUNCT GROUP | ITEM NAME | ITEM NO. | FUNCT GROUP | ITEM NAME |
|----------|-------------|--------------|----------|-------------|--------------|----------|-------------|-----------|
| 1 | 1501 | SCREW | 10 | 1801 | SCREW | 21 | 4011 | ROD |
| 1 | 1801 | SCREW | 11 | 1801 | GASKET | 22 | 4011 | COUPLING |
| 1 | 5244 | SCREW | 12 | 1801 | COVER | 23 | 4011 | SETSCREW |
| 2 | 1501 | WASHER | 13 | 1801 | NUT | 24 | 4011 | ROD |
| 2 | 1801 | WASHER | 14 | 1501 | GUARD | 25 | 4011 | CLAMP |
| 2 | 5244 | WASHER | 15 | 5244 | SWITCH | 25 | 4011 | CONNECTOR |
| 3 | 1501 | WASHER | 16 | 4012 | GASKET | 26 | 4011 | NUT |
| 3 | 1801 | WASHER | 16 | 5244 | GASKET | 27 | 1801 | PANEL AY |
| 3 | 5244 | WASHER | 17 | 1801 | NUT | 28 | 1801 | SCREW |
| 4 | 1801 | GRILLE | 18 | 1801 | GUARD | 29 | 1801 | GRILLE |
| 5 | 1801 | SUPPORT-CONE | 18 | 1801 | GRILLE | 29 | 1801 | GRILLE AY |
| 6 | 1801 | PANEL | 19 | 1801 | SCREEN | 30 | 1801 | WASHER |
| 7 | 1801 | RIVET | 19 | 5245 | FILTER | 31 | 1801 | NUT |
| 8 | 5245 | FILTER | 19 | 5245 | SCREEN | 32 | 4011 | BUSHING |
| 9 | 1801 | SCREEN | 20 | 1801 | GASKET | 32 | 4011 | SPACER |
| 9 | 1801 | SCREEN AY | 20 | 1801 | SPONGE STRIP | 33 | 4011 | KNOB |




MEC 4120-222-25P/5

FIGURE NO. 5 FAN AND MOTOR

LEGEND TO PARTS, FIGURE 5

| ITEM NO. | FUNCT GROUP | ITEM NAME | ITEM NO. | FUNCT GROUP | ITEM NAME |
|----------|-------------|----------------|----------|-------------|---------------|
| 1 | 5243 | FAN ASSEMBLY | 8 | 1801 | SCREW |
| 2 | 4000 | MOTOR | 9 | 1801 | WASHER |
| 2 | 4000 | MOTOR ASSEMBLY | 10 | 1801 | WASHER |
| 3 | 4000 | NUT | 11 | 5243 | KEY |
| 4 | 4000 | GASKET | 12 | 5243 | SETSCREW |
| 4 | 4000 | ISOLATOR | 13 | 1801 | STUD ASSEMBLY |
| 5 | 4000 | SCREW | 14 | 1801 | WASHER |
| 6 | 5243 | FAN | 15 | 5245 | FILTER |
| 6 | 5243 | FAN ASSEMBLY | 16 | 1801 | RETAINER |
| 7 | 1801 | RING | 17 | 5243 | KEY |



MEC 4120-222-25P/6

FIGURE NO. 6 CONTROL PANEL

LEGEND TO PARTS, FIGURE 6

| ITEM NO. | FUNCT GROUP | ITEM NAME | ITEM NO. | FUNCT GROUP | ITEM NAME |
|----------|-------------|----------------|----------|-------------|-----------|
| 1 | 4018 | SCREW | 7 | 5244 | NUT |
| 2 | 4009 | CONNECTOR | 8 | 4012 | SWITCH |
| 2 | 4018 | CONNECTOR | 9 | 5244 | CLAMP |
| 3 | 4009 | SCREW | 10 | 5244 | SCREW |
| 3 | 5244 | SCREW | 11 | 4009 | NUT |
| 4 | 4018 | NUT | 11 | 4010 | NUT |
| 4 | 4018 | RETAINING RING | 12 | 4009 | CASE |
| 5 | 5244 | CONTROL | 12 | 4010 | CASE |
| 5 | 5244 | THERMOSTAT | 13 | 4010 | GASKET |
| 6 | 4009 | PLATE | 14 | 4010 | SCREW |
| 6 | 4010 | PLATE | 15 | 4012 | KNOB |
| 7 | 4009 | NUT | 15 | 5244 | KNOB |





FIGURE No. 7 CONTROL BOX

LEGEND TO PARTS, FIGURE 7

| ITEM NO. | FUNCT GROUP | ITEM NAME | ITEM NO. | FUNCT GROUP | ITEM NAME | ITEM NO. | FUNCT GROUP | ITEM NAME |
|----------|-------------|----------------|----------|-------------|----------------|----------|-------------|-----------------|
| 1 | 4010 | WIRING HARNESS | 15 | 4011 | WASHER | 34 | 4009 | SCREW |
| 2 | 4009 | CONNECTOR | 16 | 4011 | WASHER | 34 | 4009 | SCREW |
| 2 | 5244 | CONNECTOR | 17 | 4011 | SCREW | 35 | 4009 | PANEL |
| 3 | 4018 | NUT | 18 | 4010 | SCREW | 35 | 4010 | PANEL |
| 3 | 4213 | NUT | 19 | 4010 | GUARD | 36 | 4009 | GASKET |
| 4 | 4010 | WIRING HARNESS | 20 | 4213 | RECTIFIER | 36 | 4010 | GASKET |
| 5 | 4010 | NUT | 21 | 4213 | BRACKET | 37 | 4018 | TERMINAL BOARD |
| 5 | 5018 | NUT | 22 | 4213 | WASHER | 38 | 4010 | WIRING HARNESS |
| 6 | 4010 | SCREW | 23 | 4213 | SCREW | 39 | 4010 | RETAINING RING |
| 7 | 4009 | CONNECTOR | 24 | 4006 | SUPPRESSOR | 40 | 4018 | SCREW |
| 8 | 4009 | CONNECTOR | 25 | 4006 | CLAMP | 41 | 4009 | WASHER |
| 9 | 4009 | CONNECTOR | 26 | 4006 | NUT | 41 | 4010 | NUT |
| 10 | 4010 | SCREW | 27 | 4010 | LEAD ASSEMBLY | 42 | 4010 | NUT |
| 11 | 4009 | BOX | 28 | 4010 | LEAD ASSEMBLY | 43 | 4010 | NUT |
| 11 | 4009 | JUNCTION BOX | 29 | 4010 | SCREW | 44 | 4010 | NUT |
| 11 | 4010 | JUNCTION BOX | 30 | 4006 | INSULATION | 45 | 4018 | TERMINAL BLOCK |
| 12 | 4010 | WASHER | 31 | 4010 | CONTACTOR | 46 | 4011 | CIRCUIT BREAKER |
| 13 | 4010 | WASHER | 32 | 4009 | GASKET | 47 | 4006 | SCREW |
| 14 | 4010 | SCREW | 33 | 2202 | CABLE ASSEMBLY | 48 | 4018 | SCREW |




MEC 4120-222-25P/8

FIGURE No. 8 EVAPORATOR, VALVES, AND LINES

LEGEND TO PARTS, FIGURE 8

| ITEM NO. | FUNCT GROUP | ITEM NAME | ITEM NO. | FUNCT GROUP | ITEM NAME | ITEM NO. | FUNCT GROUP | ITEM NAME |
|----------|-------------|-----------------|----------|-------------|------------|----------|-------------|-----------|
| 1 | 4010 | LEAD | 12 | 5241 | NUT | 24 | 5247 | CLIP |
| 1 | 4012 | LEAD | 13 | 5217 | SCREW | 25 | 5247 | CLIP |
| 1 | 4012 | WIRE ASSEMBLY | 14 | 5217 | WASHER | 26 | 1301 | SUPPORT |
| 2 | 4012 | SCREW | 15 | 5217 | FLANGE | 26 | 4012 | SUPPORT |
| 3 | 4012 | CUTOUT | 15 | 5241 | FLANGE | 27 | 4012 | NUT |
| 3 | 4012 | SWITCH | 16 | 5217 | GASKET | 28 | 4012 | BRACKET |
| 4 | 5217 | TUBE | 16 | 5217 | PACKING | 28 | 4012 | SUPPORT |
| 5 | 1801 | GROMMET | 17 | 5217 | INSULATION | 29 | 1801 | RIVET |
| 6 | 5217 | TUBE | 18 | 5217 | TUBE | 29 | 4012 | RIVET |
| 7 | 5241 | EVAPORATOR ASSY | 19 | 5217 | ELBOW | 29 | 5241 | RIVET |
| 8 | 5241 | ELIMINATOR | 20 | 5217 | TUBE | 30 | 5241 | VALVE |
| 9 | 5241 | NUT | 21 | 5217 | TEE | 31 | 5217 | TUBE |
| 10 | 5241 | SCREW | 22 | 5217 | TUBE | 32 | 5241 | BLOCKOFF |
| 11 | 5241 | RIVET | 23 | 5217 | TUBE | 33 | 5247 | HEATER |



MEC 4120-222-25P/9

FIGURE NO. 9 CONDENSER AND VALVES

LEGEND TO PARTS, FIGURE 9

| ITEM NO. | FUNCT GROUP | ITEM NAME | ITEM NO. | FUNCT GROUP | ITEM NAME | ITEM NO. | FUNCT GROUP | ITEM NAME |
|----------|-------------|------------------|----------|-------------|-----------|----------|-------------|----------------|
| 1 | 5241 | COUPLING | 18 | 5241 | SCREW | 35 | 5217 | TEE |
| 2 | 5217 | TUBE | 19 | 5217 | FITTING | 36 | 5217 | TUBE |
| 3 | 5217 | ELBOW | 20 | 5217 | TUBE | 37 | 5217 | COUPLING |
| 4 | 4702 | INDICATOR | 21 | 5217 | TUBE | 38 | 5217 | TUBE |
| 4 | 4702 | SIGHT GLASS ASSY | 22 | 5217 | CLAMP | 39 | 5217 | TUBE |
| 5 | 4702 | WASHER | 23 | 5217 | SCREW | 40 | 5230 | COIL |
| 6 | 4702 | SCREW | 24 | 4010 | WASHER | 40 | 5230 | CONDENSER ASSY |
| 7 | 4009 | CONNECTOR | 24 | 5217 | WASHER | 41 | 5230 | SCREW |
| 8 | 5217 | TUBE | 25 | 5217 | CLAMP | 42 | 5230 | RIVET |
| 9 | 5217 | TEE | 26 | 5217 | NUT | 43 | 5230 | NUT |
| 10 | 5217 | TUBE | 27 | 5217 | NOT APPL | 44 | 4702 | NUT |
| 11 | 5217 | TUBE | 28 | 5217 | TEE | 45 | 4702 | BRACKET |
| 12 | 5235 | DEHYDRATOR | 29 | 5217 | TUBE | 46 | 5217 | TUBE |
| 13 | 5235 | BRACKET | 30 | 5235 | SCREW | 47 | 5217 | TUBE |
| 14 | 5241 | NUT | 31 | 5235 | WASHER | 48 | 5217 | SCREW |
| 15 | 5241 | BRACKET | 32 | 5235 | WASHER | 49 | 5217 | WASHER |
| 16 | 5217 | VALVE | 33 | 5235 | NUT | 50 | 5217 | VALVE |
| 17 | 5241 | WASHER | 34 | 5217 | TUBE | 51 | 5217 | COIL |





FIGURE No. 10 SOLENOID VALVES

LEGEND TO PARTS, FIGURE 10

| ITEM NO. | FUNCT GROUP | ITEM NAME |
|----------|-------------|-----------|
| 1 | 5217 | VALVE |
| 2 | 4009 | CONNECTOR |
| 2 | 5217 | CONNECTOR |
| 3 | 5217 | SCREW |
| 4 | 5217 | WASHER |
| 5 | 5217 | CLAMP |
| 6 | 5217 | VALVE |
| 7 | 5217 | COIL |
| 8 | 5217 | COUPLING |
| 9 | 5217 | COIL |




MEC 4120-222-25P/11

FIGURE No. 11 FAN MOTOR

LEGEND TO PARTS, FIGURE 11

| ITEM NO. | FUNCT GROUP | ITEM NAME | ITEM NO. | FUNCT GROUP | ITEM NAME |
|----------|-------------|-------------|----------|-------------|-----------|
| 1 | 4005 | LOAD SPRING | 12 | 4005 | COVER |
| 1 | 4005 | WASHER | 13 | 4005 | SCREW |
| 2 | 4002 | INSULATION | 14 | 4005 | ENDBELL |
| 3 | 4002 | STATOR | 14 | 4005 | FLANGE |
| 4 | 4002 | FIELD SHELL | 15 | 4005 | ENDBELL |
| 4 | 4002 | HOUSING | 16 | 4002 | PIN |
| 5 | 4005 | BEARING | 17 | 4018 | TERMINAL |
| 6 | 4005 | FAN | 18 | 4006 | PROTECTOR |
| 7 | 4005 | PIN | 19 | 4006 | BRACKET |
| 8 | 4001 | ROTOR | 19 | 4006 | PLATE |
| 9 | 4018 | SCREW | 20 | 4006 | WASHER |
| 10 | 4018 | CONNECTOR | 21 | 4006 | SCREW |
| 11 | 4005 | SCREW | | | |




MEC 4120-222-25P/12

FIGURE No. 12 COMPRESSOR

LEGEND TO PARTS, FIGURE 12

| ITEM NO. | FUNCT GROUP | ITEM NAME | ITEM NO. | FUNCT GROUP | ITEM NAME | ITEM NO. | FUNCT GROUP | ITEM NAME |
|----------|-------------|------------|----------|-------------|------------|----------|-------------|-----------------|
| 1 | 5217 | TUBE | 13 | 4010 | NUT | 25 | 5200 | WASHER |
| 2 | 5217 | ELBOW | 14 | 5200 | SCREW | 25 | 5235 | WASHER |
| 3 | 4006 | SCREW | 15 | 5200 | COVER ASSY | 26 | 5200 | WASHER |
| 4 | 4006 | BRACKET | 16 | 5200 | WASHER | 27 | 5200 | WASHER |
| 5 | 4006 | PROTECTOR | 17 | 5217 | TEE | 28 | 5200 | BOLT |
| 6 | 4006 | SWITCH | 18 | 5217 | ADAPTER | 29 | 5200 | SCREW |
| 7 | 5200 | SCREW | 19 | 5217 | VALVE | 30 | 5247 | HEATER |
| 8 | 5244 | BRACKET | 20 | 5217 | TUBE | 31 | 5200 | COMPRESSOR ASSY |
| 9 | 5244 | THERMOSTAT | 21 | 5200 | PLUG | 32 | 5217 | COUPLING |
| 10 | 4009 | CONNECTOR | 22 | 5200 | NUT | 33 | 5217 | PLUG |
| 11 | 5200 | GROMMET | 23 | 5200 | WASHER | 34 | 4010 | GASKET |
| 12 | 4012 | NUT | 24 | 5235 | WASHER | 35 | 4010 | CONNECTOR |
| | 4010 | WASHER | | 5200 | BUSHING | | | SCREW |




MEC 4120-222-25P/13

FIGURE NO. 13 TERMINAL BLOCK AND CIRCUIT BREAKER COVER

LEGEND TO PARTS, FIGURE 13

| ITEM NO. | FUNCT GROUP | ITEM NAME |
|----------|-------------|----------------|
| 1 | 4018 | NUT |
| 2 | 4010 | GASKET |
| 3 | 4010 | SCREW |
| 4 | 4010 | COVER |
| 5 | 4010 | NUT |
| 6 | 4018 | TERMINAL BLOCK |
| 7 | 4018 | SCREW |




MEC 4120-222-25P/14

FIGURE No. 14 GRILLES AND GUARDS

LEGEND TO PARTS, FIGURE 14

| ITEM NO. | FUNCT GROUP | ITEM NAME |
|----------|-------------|------------------|
| 1 | 1801 | SUPPORT AND CONE |
| 2 | 1801 | SPONGE STRIP |
| 3 | 1801 | SPONGE STRIP |
| 4 | 4011 | ROD |
| 5 | 4011 | CONNECTION |
| 6 | 1801 | ATTENUATOR |




MEC 4120-222-25P/15

FIGURE No. 15 FAN MOTOR


LEGEND TO PARTS, FIGURE 15

| ITEM NO. | FUNCT GROUP | ITEM NAME | ITEM NO. | FUNCT GROUP | ITEM NAME | ITEM NO. | FUNCT GROUP | ITEM NAME |
|----------|-------------|-----------|----------|-------------|-----------|----------|-------------|-----------|
| 1 | 5243 | SETSCREW | 6 | 4000 | BUSHING | 12 | 4000 | SPACER |
| 2 | 5243 | FAN | 7 | 4000 | BOLT | 13 | 1801 | SCREW |
| 2 | 5243 | FAN ASSY | 8 | 4000 | WASHER | 14 | 1801 | WASHER |
| 3 | 1801 | SCREW | 9 | 4000 | WASHER | 15 | 1801 | WASHER |
| 4 | 1801 | BRACKET | 10 | 4000 | BUSHING | 16 | 1801 | BAFFLE |
| 5 | 4000 | WASHER | 11 | 4000 | WASHER | | | |




LEGEND TO PARTS, FIGURE 16

| ITEM NO. | FUNCT GROUP | ITEM NAME |
|----------|-------------|-----------------|
| 1 | 4006 | NUT |
| 2 | 4006 | WASHER |
| 3 | 4023 | NUT |
| 4 | 4010 | GUARD |
| 4 | 4011 | COVER |
| 5 | 4010 | LEAD |
| 6 | 4010 | WASHER |
| 7 | 4010 | WASHER |
| 8 | 4010 | SCREW |
| 9 | 4010 | WASHER |
| 10 | 4010 | NUT |
| 11 | 4010 | WASHER |
| 12 | 4010 | SCREW |
| 18 | 4006 | SCREW |
| 14 | 4009 | CAP |
| 14 | 4010 | COVER |
| 15 | 4006 | RELAY |
| 16 | 4006 | WASHER |
| 17 | 4213 | SEMICONDUCTOR |
| 18 | 4208 | SCREW |
| 19 | 4208 | FUSE |
| 20 | 4203 | FUSEHOLDER |
| 21 | 4203 | INSULATOR PLATE |



MEC 4120-222-25P/16

FIGURE No. 16 CONTROL BOX




MEC 4120-222-25P/17

FIGURE No. 17 COMPRESSOR

LEGEND TO PARTS, FIGURE 17

| ITEM NO. | FUNCT GROUP | ITEM NAME | ITEM NO. | FUNCT GROUP | ITEM NAME |
|----------|-------------|------------|----------|-------------|-----------------|
| 1 | 5200 | SCREW ASSY | 7 | 5200 | DESUPERHEATER |
| 2 | 5200 | CLAMP | 8 | 5217 | TUBE |
| 3 | 5200 | SUPPORT | 9 | 5200 | COMPRESSOR ASSY |
| 4 | 5200 | NUT | 10 | 5200 | SCREW ASSY |
| 5 | 5200 | COVER ASSY | 11 | 5217 | CLAMP |
| 6 | 5200 | SCREW | 12 | 5217 | STRAINER |




MEC 4120-222-25P/18

FIGURE No. 18 CONDENSER AND VALVES

LEGEND TO PARTS, FIGURE 18

| ITEM NO. | FUNCT GROUP | ITEM NAME | ITEM NO. | FUNCT GROUP | ITEM NAME | ITEM NO. | FUNCT GROUP | ITEM NAME |
|----------|-------------|-----------|----------|-------------|-----------|----------|-------------|-----------|
| 1 | 4702 | SPACER | 8 | 4006 | GROMMET | 17 | 5217 | VALVE |
| 2 | 4702 | GASKET | 9 | 5217 | WASHER | 18 | 5217 | TUBE |
| 3 | 4006 | SCREW | 10 | 5217 | WASHER | 19 | 5217 | TEE |
| 3 | 4012 | SCREW | 11 | 4012 | STRAP | 20 | 5217 | PIPE |
| 4 | 4006 | COVER | 11 | 5217 | CLAMP | 21 | 5217 | NUT |
| 4 | 4012 | ENCLOSURE | 12 | 5217 | SPACER | 22 | 5217 | STRAP |
| 5 | 4006 | WASHER | 13 | 4012 | BUSHING | 23 | 5217 | SCREW |
| 5 | 4012 | WASHER | 13 | 5217 | BUSHING | 24 | 5217 | WASHER |
| 6 | 4006 | NUT | 14 | 5241 | RIVET | 25 | 4006 | SWITCH |
| 6 | 4012 | NUT | 15 | 5241 | WASHER | 25 | 4012 | SWITCH |
| 7 | 4006 | SCREW | 16 | 5241 | WASHER | 26 | 5217 | COUPLING |
| 7 | 4012 | SCREW | | | | | | |



ME 4120-222-25P/19

Figure No. 19 Evaporator, Valves And Lines

LEGEND TO PARTS, FIGURE 19

| ITEM NO. | FUNCT GROUP | ITEM NAME | ITEM NO. | FUNCT GROUP | ITEM NAME |
|----------|-------------|----------------|----------|-------------|-----------------|
| 1 | 5217 | SCREW | 16 | 5217 | TUBE |
| 2 | 5217 | WASHER | 17 | 5217 | CLAMP |
| 3 | 5217 | WASHER | 18 | 5217 | ANGLE |
| 4 | 5217 | SPACER | 19 | 5217 | NUT |
| 5 | 5217 | CLAMP | 20 | 5247 | HEATING ELEMENT |
| 6 | 5217 | VALVE | 21 | 4006 | WASHER |
| 7 | 5217 | BUSHING | 22 | 1801 | SUPPORT |
| 8 | 5217 | TUBE | 23 | 5217 | TUBE |
| 9 | 5217 | CROSS | 24 | 5217 | TEE |
| 10 | 1801 | DRAIN CONNECTN | 25 | 5217 | TUBE |
| 11 | 5241 | CLIP | 26 | 5217 | TEE |
| 12 | 1801 | BALL | 27 | 5217 | TUBE |
| 12 | 5241 | BEARING | 28 | 5217 | TUBE |
| 13 | 1801 | SPRING | 29 | 5217 | TUBE |
| 13 | 5241 | SPRING | 30 | 5217 | TUBE |
| 14 | 1801 | PIN | 31 | 5217 | TEE |
| 14 | 5241 | PIN | 32 | 5247 | CLAMP |
| 15 | 5217 | SCREW | 33 | 5247 | WASHER |
| | | | 34 | 5247 | SCREW |

- Section . VII. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO INDEX NUMBER

| STOCK NUMBER | INDEX NUMBER | STOCK NUMBER | INDEX NUMBER | STOCK NUMBER | INDEX NUMBER |
|---------------|--------------|----------------|--------------|---------------|--------------|
| 3110-144-8900 | 00324 | 4710-424-26 93 | 00735 | 5305-984-6194 | 00547 |
| 4120-909-3717 | 00316 | | 00740 | | 00548 |
| 4120-961-5553 | 00750 | | 00883 | | 00593 |
| 4130-073-8404 | 00342 | 4710-424-2694 | 00706 | | 00676 |
| 4130-073-8405 | 00591 | | 00714 | | 00677 |
| 4130-302-1412 | 00755 | | 00718 | | 00848 |
| 4130-302-1415 | 00751 | | 00723 | 5305-984-7441 | 00141 |
| 4130-302-1417 | 00053 | | 00731 | | 00187 |
| 4130-302-1427 | 00594 | | 00737 | | 00870 |
| 4130-302-1802 | 00779 | | 00749 | 5305-988-1725 | 00497 |
| 4130-302-1811 | 00828 | | 00884 | 5305-989-7434 | 00176 |
| 4130-302-1818 | 00259 | 4720-540-1778 | 00799 | | 00496 |
| | 00424 | | 00801 | | 00776 |
| | 00853 | | 00875 | 5305-989-7435 | 00348 |
| 4130-327-5095 | 00756 | 4730-011-31 75 | 00602 | | 00679 |
| 4130-467-5156 | 00716 | | 00608 | 5305-995-3441 | 00675 |
| | 00720 | 4730-196-14 98 | 00004 | | 00680 |
| | 00733 | 4730-203-4918 | 00688 | 5305-995-3444 | 00564 |
| | 00745 | 4730-254-64 52 | 00660 | 5306-225-8504 | 00630 |
| | 00747 | 4730-264-9151 | 00793 | 5310-010-6496 | 00767 |
| | 00885 | 4730-264-91 53 | 00794 | | 00871 |
| 4130-789-6526 | 00522 | 4730-264-9154 | 00657 | 5310-011-4986 | 00215 |
| 4130-856-8102 | 00599 | 4730-266-0532 | 00639 | 5310-012-0380 | 00509 |
| 4130-856-8106 | 00867 | 4730-275-6527 | 00641 | 5310-013-1098 | 00768 |
| 4130-858-3081 | 00540 | | 00642 | | 00784 |
| 4130-858-3082 | 00796 | 4730-278-8908 | 00686 | 5310-013-1099 | 00280 |
| 4130-858-3083 | 00772 | 4730-289-05 83 | 00711 | | 00831 |
| 4130-858-3084 | 00866 | 4730-289-5176 | 00010 | 5310-013-1245 | 00802 |
| 4130-867-1096 | 00797 | 4730-345-11 06 | 00690 | 5310-045-3299 | 00218 |
| 4130-867-1097 | 00773 | 4730-424-2692 | 00703 | | 00222 |
| 4130-878-0103 | 00869 | 4730-542-3019 | 00789 | | 00223 |
| 4130-911-2249 | 00753 | | 00790 | 5310-045-4007 | 00534 |
| 4130-911-2250 | 00758 | 4820-940-81 05 | 00752 | 5310-050-3238 | 00484 |
| | 00760 | 5305-013-2636 | 00500 | 5310-050-3250 | 00560 |
| 4130-914-9407 | 00620 | | 00501 | 5310-061-7326 | 00485 |
| 4130-922-7033 | 00683 | 5305-013-2688 | 00850 | | 00487 |
| 4130-925-6627 | 00611 | 5305-013-3043 | 00177 | | 00558 |
| 4130-940-7868 | 00795 | 5305-018-5671 | 00840 | | 00666 |
| 4130-951-0802 | 00836 | 5305-043-6642 | 00179 | | 00668 |
| 4130-951-0837 | 00084 | | 00180 | 5310-071-0241 | 00403 |
| 4130-955-5336 | 00351 | 5305-043-6665 | 00495 | 5310-080-6004 | 00829 |
| 4130-955-5337 | 00605 | | 00585 | 5310-082-1404 | 00357 |
| 4130-961-5552 | 00859 | 5305-043-6750 | 00811 | | 00504 |
| 4130-961-8321 | 00669 | 5305-044-1222 | 00609 | | 00586 |
| 4130-961-8322 | 00461 | 5305-044-72 22 | 00603 | 5310-088-0551 | 00488 |
| 4130-961-8323 | 00541 | 5305-053-1113 | 00503 | 5310-089-6304 | 00133 |
| 4130-961-8324 | 00302 | 5305-053-1114 | 00188 | | 00134 |
| 4130-961-8326 | 00264 | | 00189 | 5310-167-0816 | 00273 |
| 4130-961-8327 | 00300 | | 00422 | | 00355 |
| 4130-967-5979 | 00226 | | 00567 | 5310-176-7410 | 00533 |
| 4130-981-6614 | 00864 | 5305-068-05 01 | 00810 | 5310-186-7379 | 00830 |
| 4130-981-6615 | 00861 | 5305-068-0502 | 00013 | 5310-188-7969 | 00125 |
| 4130-981-6616 | 00835 | 5305-068-05 06 | 00563 | | 00129 |
| 4130-981-6617 | 00834 | 5305-151-1564 | 00185 | | 00131 |
| 4130-981-6619 | 00455 | 5305-151-2769 | 00678 | | 00780 |
| 4130-981-6620 | 00003 | 5305-175-3230 | 00247 | 5310-188-7972 | 00006 |
| 4130-981-6621 | 00175 | | 00248 | | 00008 |
| 4130-981-6622 | 00056 | 5305-206-0513 | 00536 | 5310-207-9053 | 00632 |
| 4130-983-2335 | 00162 | 5305-226-9268 | 00271 | 5310-208-1919 | 00263 |
| | 00416 | | 00350 | | 00667 |
| | 00492 | 5305-285-4619 | 00841 | 5310-209-5309 | 00019 |
| | 00561 | 5305-582-3275 | 00807 | | 00219 |
| 4130-983-2337 | 00005 | 5305-590-3146 | 00349 | | 00221 |
| 4130-988-0637 | 00754 | 5305-639-8115 | 00781 | | 00857 |
| 4130-996-3689 | 00265 | 5305-889-3000 | 00347 | 5310-262-6510 | 00505 |
| | 00315 | 5305-928-9867 | 00499 | 5310-274-8887 | 00527 |
| 4130-996-3698 | 00340 | | 00562 | | 00559 |
| 4710-142-2999 | 00820 | 5305-959-5237 | 00410 | | 00582 |
| | 00823 | | 00502 | 5310-275-6813 | 00402 |
| | 00826 | 5305-964-7814 | 00421 | 5310-530-9963 | 00161 |
| | 00827 | | 00849 | 5310-550-4611 | 00774 |
| 4710-277-5527 | 00880 | 5305-978-9385 | 00674 | | 00803 |
| | 00671 | 5305-984-61 93 | 00419 | 5310-551-6308 | 00217 |
| | 00881 | | 00420 | | 00511 |
| 4710-424-2692 | 00712 | | 00498 | | 00769 |
| | 00742 | | 00847 | | 00770 |
| | 00882 | 5305-984-61 94 | 00014 | 5310-576-5813 | 00126 |
| 4710-424-2693 | 00695 | | 00178 | 5310-655-6933 | 00544 |
| | 00701 | | 00182 | 5310-722-5284 | 00483 |
| | 00725 | | 00184 | 5310-802-8544 | 00508 |
| | 00727 | | 00186 | 5310-804-4920 | 00018 |
| | 00729 | | 00346 | 5310-809-4058 | 00016 |

Section VII. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO INDEX NUMBER

| <u>STOCK NUMBER</u> | <u>INDEX NUMBER</u> | <u>STOCK NUMBER</u> | <u>INDEX NUMBER</u> | <u>STOCK NUMBER</u> | <u>INDEX NUMBER</u> |
|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| 5310-809-4058 | 00506 | 5330-505-6610 | 00108 | 5940-705-6702 | 00370 |
| | 00507 | | 00110 | | 00388 |
| | 00782 | | 00112 | | 00391 |
| 5310-809-8544 | 00017 | | 00114 | | 00395 |
| | 00213 | | 00116 | | 00399 |
| | 00214 | | 00118 | | 00428 |
| | 00354 | | 00120 | 5945-905-9222 | 00343 |
| | 00356 | | 00122 | 5945-958-2680 | 00344 |
| | 00553 | | 00196 | 5950-677-0567 | 00759 |
| | 00596 | | 00198 | | 00761 |
| | 00856 | | 00665 | 5950-858-3261 | 00757 |
| 5310-809-8546 | 00212 | | 00878 | 5960-073-8418 | 00353 |
| | 00762 | 5330-505-6611 | 00335 | 5961-913-1749 | 00584 |
| | 00763 | | 00460 | 6105-014-8166 | 00298 |
| | 00764 | | 00879 | 6105-055-1560 | 00309 |
| | 00765 | 5340-057-3102 | 00649 | 6105-856-8105 | 00341 |
| | 00766 | 5340-205-6301 | 00436 | 6105-949-8627 | 00262 |
| 5310-811-3494 | 00486 | | 00648 | 6105-949-8629 | 00261 |
| 5310-836-9538 | 00411 | 5340-286-9441 | 00645 | 6105-955-5338 | 00260 |
| 5310-836-9578 | 00142 | 5340-543-4394 | 00362 | 6105-961-8325 | 00289 |
| | 00211 | | 00647 | 6105-961-8343 | 00282 |
| 5310-877-5797 | 00338 | | 00653 | 6110-991-8258 | 00454 |
| 5310-889-2544 | 00337 | | 00844 | 6115-010-4723 | 00305 |
| | 00578 | 5340-577-8589 | 00452 | 6130-878-5589 | 00583 |
| 5310-889-2549 | 00336 | 5340-597-9399 | 00331 | 6145-160-4774 | 00475 |
| | 00401 | 5340-598-0597 | 00646 | | 00482 |
| | 00545 | | 00652 | | 00892 |
| | 00592 | 5340-702-1424 | 00791 | 6145-170-6869 | 00443 |
| | 00846 | | 00792 | | 00449 |
| 5310-950-1310 | 00216 | 5340-726-9317 | 00435 | | 00478 |
| 5315-057-6608 | 00838 | 5340-726-9321 | 00650 | | 00886 |
| 5315-058-3832 | 00814 | 5340-835-1853 | 00057 | 6145-238-3407 | 00466 |
| 5315-234-1856 | 00818 | 5355-926-5289 | 00364 | | 00893 |
| 5315-815-9499 | 00837 | | 00365 | 6145-243-0579 | 00472 |
| 5320-083-5009 | 00493 | | 00542 | | 00887 |
| | 00809 | | 00845 | 6145-313-9429 | 00374 |
| 5320-117-6010 | 00207 | 5920-142-7448 | 00576 | | 00888 |
| 5320-117-6939 | 00775 | 5920-939-5442 | 00575 | 6145-316-9072 | 00368 |
| 5320-582-3304 | 00051 | 5925-856-8103 | 00517 | | 00371 |
| | 00068 | 5925-925-5126 | 00519 | | 00386 |
| | 00164 | 5925-957-2462 | 00518 | | 00389 |
| | 00166 | 5930-275-7800 | 00352 | | 00392 |
| | 00167 | | 00551 | | 00396 |
| | 00173 | 5930-856-8104 | 00855 | | 00399 |
| | 00250 | 5930-907-8948 | 00423 | | 00429 |
| | 00417 | | 00552 | | 00889 |
| | 00418 | 5930-981-6680 | 00852 | 6145-548-2705 | 00469 |
| | 00546 | 5935-577-8589 | 00434 | | 00890 |
| | 00806 | 5935-599-9126 | 00491 | 6145-660-8933 | 00377 |
| 5320-582-3305 | 00673 | 5935-721-0490 | 00438 | | 00380 |
| 5320-582-3494 | 00165 | 5935-721-0496 | 00363 | | 00383 |
| | 00251 | | 00555 | | 00891 |
| 5320-660-1292 | 00808 | 5935-726-0686 | 00440 | 6150-929-5561 | 00833 |
| 5320-899-0981 | 00249 | 5935-754-5638 | 00490 | 9535-231-8419 | 00581 |
| | 00252 | 5935-755-3688 | 00445 | 9535-232-1851 | 00539 |
| | 00529 | 5935-801-6616 | 00266 | | 00874 |
| | 00206 | | 00556 | | |
| 5325-067-9222 | 00082 | | 00557 | | |
| 5325-263-6632 | 00333 | 5935-805-4991 | 00441 | | |
| 5325-281-4365 | 00160 | 5935-814-4115 | 00444 | | |
| 5325-724-7655 | 00334 | | 00446 | | |
| 5330-224-4681 | 00090 | | 00450 | | |
| 5330-505-6608 | 00092 | 5935-819-5887 | 00447 | | |
| | 00876 | 5935-899-6873 | 00437 | | |
| 5330-505-6609 | 00058 | 5940-050-6207 | 00373 | | |
| | 00059 | 5940-050-6386 | 00376 | | |
| | 00070 | | 00379 | | |
| | 00072 | | 00382 | | |
| | 00139 | 5940-173-8459 | 00468 | | |
| | 00194 | | 00471 | | |
| | 00406 | 5940-275-7082 | 00572 | | |
| | 00408 | 5940-275-7801 | 00569 | | |
| | 00877 | 5940-275-7802 | 00272 | | |
| 5330-505-6610 | 00086 | 5940-316-6702 | 00385 | | |
| | 00088 | 5940-504-5871 | 00465 | | |
| | 00094 | 5940-504-5874 | 00474 | | |
| | 00095 | | 00481 | | |
| | 00098 | 5940-617-2896 | 00477 | | |
| | 00100 | 5940-705-6701 | 00394 | | |
| | 00102 | | 00398 | | |
| | 00104 | | 00427 | | |
| | 00106 | 5940-705-6702 | 00367 | | |

Section VII. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO INDEX NUMBER

| <u>REFERENCE No.</u> | <u>MEQ CODE</u> | <u>INDEX No.</u> | <u>REFERENCE No.</u> | <u>MEQ CODE</u> | <u>INDEX No.</u> |
|----------------------|-----------------|------------------|----------------------|-----------------|------------------|
| AU42BS | 61957 | 00041 | CMP50 | 60532 | 00643 |
| | | 00168 | CMP59 | 60532 | 00863 |
| | | 00170 | CNT197 | 60532 | 00352 |
| | | 00171 | | | 00551 |
| | | 00172 | CUL160 | 60532 | 00796 |
| | | 00249 | CUL161 | 60532 | 00772 |
| | | 00252 | CUL464 | 60532 | 00797 |
| | | 00529 | CUL465 | 60532 | 00773 |
| AU43BS | 61957 | 00169 | CUN25 | 60532 | 00226 |
| | | 00493 | CUN47 | 60532 | 00520 |
| | | 00809 | CUV236 | 60532 | 00043 |
| AM33HK71-179-2M66 | 74193 | 00519 | CUV237 | 60532 | 00045 |
| AM33HK711791M66 | 74193 | 00518 | CUV255 | 60532 | 00044 |
| ANG11 | 60532 | 00034 | CUV264 | 60532 | 00458 |
| | 88044 | 00061 | CUV306 | 60532 | 00409 |
| ANG12 | 60532 | 00035 | CUV312 | 60532 | 00155 |
| | | 00062 | CUV314 | 60532 | 00332 |
| ANG13 | 60532 | 00048 | CUV328 | 60532 | 00462 |
| ANG14 | 60532 | 00021 | CPL73 | 60532 | 00654 |
| ANS15-4-6 | 88044 | 00501 | CPL75 | 60532 | 00657 |
| ANS15-416-12 | 88044 | 00497 | CPL79 | 60532 | 00656 |
| ANS15-6-4 | 88044 | 00349 | CPL81 | 60532 | 00525 |
| | | 00549 | C0835 | 78462 | 00779 |
| ANS15-6-5 | 88044 | 00536 | C13853-1420 | 78553 | 00402 |
| ANS15-6-8 | 88044 | 00585 | C22146-017 | 78553 | 00791 |
| ANS15-8-10 | 88044 | 00181 | | | 00792 |
| | | 00183 | C36H | 66295 | 00644 |
| ANS20-10-12 | 88044 | 00678 | C4690-025 | 78553 | 00865 |
| ANS30-4K8 | 88044 | 00503 | C6974-22-41 | 78553 | 00162 |
| AN931-4-7 | 88044 | 00082 | | | 00416 |
| AN960-6 | 88044 | 00273 | | | 00492 |
| | | 00355 | | | 00561 |
| A15073 | 41947 | 00751 | C7968-7614-541 | 78553 | 00005 |
| A2059 | 21585 | 00859 | DMF34 | 60532 | 00046 |
| A25KH0 | 25472 | 00007 | DMF6 | 60532 | 00049 |
| A31K125 | 25472 | 00123 | DT9604-1 | 70255 | 00828 |
| A330 | 41947 | 00639 | UUC1 | 60532 | 00033 |
| ABK120 | 25472 | 00130 | UUC10 | 60532 | 00063 |
| ABK160 | 25472 | 00006 | UUC11 | 60532 | 00064 |
| | 61957 | 00127 | UUC2 | 60532 | 00036 |
| ABK75 | 25472 | 00124 | UUC3 | 60532 | 00037 |
| ABK75 | 25472 | 00128 | UUC6 | 60532 | 00060 |
| BAF26 | 60532 | 00024 | EC1126 | 76381 | 00192 |
| BAF27 | 60532 | 00026 | EC800 | 76381 | 00190 |
| BAF28 | 60532 | 00025 | ELL94 | 60532 | 00659 |
| BAF37 | 60532 | 00023 | | | 00661 |
| BAL25 | 60532 | 00813 | ERF215H1 | 58849 | 00584 |
| | | 00817 | E7C | 73646 | 00057 |
| BAS147 | 60532 | 00002 | FAN183 | 60532 | 00835 |
| BL06 | 60532 | 00047 | FAN184 | 60532 | 00834 |
| BLK27 | 60532 | 00568 | FAN290 | 60532 | 00836 |
| BLT72 | 60532 | 00255 | FAN291 | 60532 | 00833 |
| BUX47 | 60532 | 00430 | FLG71 | 60532 | 00663 |
| BUX75 | 60532 | 00431 | FRM22 | 60532 | 00030 |
| BUX80 | 60532 | 00433 | FTG5 | 41947 | 00658 |
| BUX81 | 60532 | 00360 | GKT371 | 60532 | 00069 |
| BUX88 | 60532 | 00432 | | | 00071 |
| B025 | 60532 | 00787 | GKT373 | 60532 | 00138 |
| BKK215 | 60532 | 00640 | | | 00193 |
| BKK217 | 60532 | 00788 | GKT374 | 60532 | 00461 |
| BKK220 | 60532 | 00778 | GKT375 | 60532 | 00541 |
| BKK221 | 60532 | 00028 | GKT376 | 60532 | 00058 |
| BKK222 | 60532 | 00029 | GKT377 | 60532 | 00059 |
| BUS39 | 60532 | 00516 | GKT409 | 60532 | 00197 |
| | | 00523 | GKT410 | 60532 | 00195 |
| BUS42 | 60532 | 00631 | GKT427 | 60532 | 00459 |
| BUS53 | 60532 | 00256 | GKT479 | 60532 | 00590 |
| BUS54 | 60532 | 00257 | GKT485 | 60532 | 00258 |
| BY10561 | 04594 | 00451 | GKT528 | 60532 | 00405 |
| BY11149 | 04594 | 00603 | GKT529 | 60532 | 00407 |
| BY9128 | 04594 | 00851 | GP1-093X188-12 | 73957 | 00286 |
| B025 | 60532 | 00027 | | | 00301 |
| CAS54 | 60532 | 00456 | | | 00323 |
| CAS61 | 60532 | 00032 | GRD64 | 60532 | 00079 |
| | | 00361 | GRD65 | 60532 | 00003 |
| CAS63 | 60532 | 00031 | GRD66 | 60532 | 00463 |
| CAS66 | 60532 | 00030 | GRL16 | 60532 | 00073 |
| CME2 | 60532 | 00056 | GRL17 | 60532 | 00075 |
| CME3 | 60532 | 00156 | GRL22 | 60532 | 00076 |
| CMP32 | 60532 | 00524 | GRL27 | 60532 | 00074 |
| CMP35 | 60532 | 00649 | GRL29 | 60532 | 00078 |
| | | 00651 | GRL32 | 60532 | 00080 |

Section VII. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO INDEX NUMBER

| REFERENCE No. | MFG CODE | INDEX No. | REFERENCE No. | MFG CODE | INDEX No. |
|---------------|----------|-----------|---------------|----------|-----------|
| GRL33 | 60532 | 00077 | MS20600AD4W2 | 96906 | 00417 |
| GKP21 | 60532 | 00448 | | | 00546 |
| GKP23 | 60532 | 00442 | | | 00806 |
| HUL1 | 60532 | 00083 | MS20600AD4W3 | 96906 | 00673 |
| HUL2 | 60532 | 00084 | MS20600AD4W4 | 96906 | 00165 |
| HSE45 | 60532 | 00798 | | | 00251 |
| | | 00800 | MS20601AD4W5 | 96906 | 00807 |
| HTR108 | 60532 | 00869 | MS21045-06 | 96906 | 00337 |
| HTR36 | 60532 | 00866 | | | 00578 |
| INS13 | 60532 | 00115 | MS21045-08 | 96906 | 00336 |
| INS16 | 60532 | 00103 | | | 00400 |
| INS17 | 60532 | 00085 | | | 00401 |
| INS18 | 60532 | 00087 | | | 00545 |
| INS21 | 60532 | 00097 | | | 00592 |
| INS24 | 60532 | 00107 | | | 00846 |
| INS26 | 60532 | 00109 | MS21045-3 | 96906 | 00485 |
| INS27 | 60532 | 00093 | | | 00487 |
| INS28 | 60532 | 00091 | | | 00544 |
| INS29 | 60532 | 00089 | | | 00558 |
| INS42 | 60532 | 00111 | | | 00666 |
| | | 00121 | | | 00668 |
| INS72 | 60532 | 00099 | MS21318-14 | 96906 | 00247 |
| INS73 | 60532 | 00101 | | | 00248 |
| | | 00105 | MS21919UG20 | 96906 | 00650 |
| INS75 | 60532 | 00095 | MS21919UG4 | 96906 | 00436 |
| INS76 | 60532 | 00113 | | | 00648 |
| INS77 | 60532 | 00117 | MS21919UG6 | 96906 | 00362 |
| INS78 | 60532 | 00119 | | | 00647 |
| INS79 | 60532 | 00577 | | | 00844 |
| KAH5 | 71400 | 00575 | MS21919UG8 | 96906 | 00646 |
| KIT80 | 60532 | 00522 | | | 00652 |
| KNB10 | 60532 | 00521 | | | 00653 |
| | | 00526 | MS21919UG9 | 96906 | 00435 |
| LED11 | 60532 | 00543 | MS21919H11 | 96906 | 00331 |
| LED54 | 60532 | 00426 | MS24621-11 | 96906 | 00188 |
| LED56 | 60532 | 00393 | | | 00189 |
| LED57 | 60532 | 00372 | | | 00422 |
| LED58 | 60532 | 00387 | | | 00567 |
| LED59 | 60532 | 00390 | MS24665-155 | 96906 | 00814 |
| LED60 | 60532 | 00384 | | | 00818 |
| LED61 | 60532 | 00369 | MS24693-28 | 96906 | 00579 |
| LED62 | 60532 | 00375 | MS25043-22C | 96906 | 00452 |
| LED63 | 60532 | 00480 | MS25043-226 | 96906 | 00434 |
| LED64 | 60532 | 00464 | MS27130-14K | 96906 | 00125 |
| LED65 | 60532 | 00366 | | | 00129 |
| | | 00397 | | | 00131 |
| LED66 | 60532 | 00473 | | | 00780 |
| | | 00479 | MS27130-18K | 96906 | 00008 |
| LED67 | 60532 | 00378 | MS27130-32K | 96906 | 00132 |
| LED68 | 60532 | 00476 | MS27183 | 96906 | 00553 |
| LED69 | 60532 | 00381 | MS27183-10 | 96906 | 00016 |
| LL500-4-5 | 03038 | 00268 | | | 00507 |
| | | 00565 | | | 00782 |
| | | 00566 | MS27183-14 | 96906 | 00829 |
| LL500-6-6 | 03038 | 00271 | MS27183-6 | 96906 | 00357 |
| | | 00350 | | | 00504 |
| LP500-416-12 | 03038 | 00269 | MS27183-7 | 96906 | 00017 |
| | | 00325 | | | 00213 |
| LP500-8-28 | 03038 | 00270 | | | 00214 |
| | | 00326 | | | 00354 |
| L4449-196 | 75543 | 00081 | | | 00356 |
| MNT53 | 60532 | 00629 | | | 00596 |
| MS55306-6 | 08288 | 00630 | | | 00856 |
| MS15795-206 | 96906 | 00586 | MS27183-8 | 96906 | 00212 |
| MS15795-709 | 96906 | 00508 | | | 00762 |
| MS16997-62 | 96906 | 00674 | | | 00763 |
| MS20365-440A | 96906 | 00488 | | | 00764 |
| MS20365-632A | 96906 | 00527 | | | 00765 |
| | | 00559 | | | 00766 |
| | | 00582 | MS2919H4 | 96906 | 00645 |
| MS20365-832A | 96906 | 00486 | MS3102A22-23S | 96906 | 00437 |
| MS20426AU2-3 | 96906 | 00207 | MS3102R1457P | 96906 | 00266 |
| MS20426AU3-4 | 96906 | 00808 | | | 00556 |
| MS20426AU3-5 | 96906 | 00775 | | | 00557 |
| MS20600ADW2 | 96906 | 00418 | MS3102R1457S | 96906 | 00445 |
| MS20600AD4W2 | 96906 | 00051 | MS3102R1654S | 96906 | 00444 |
| | | 00068 | | | 00446 |
| | | 00164 | | | 00450 |
| | | 00166 | MS3102R20-15P | 96906 | 00490 |
| | | 00167 | MS3102R22-14P | 96906 | 00363 |
| | | 00173 | | | 00438 |
| | | 00250 | | | 00555 |

Section VII. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO INDEX NUMBER

| REFERENCE No. | Mea Conc | INDEX No. | REFERENCE No. | Mea Conc | INDEX No. |
|----------------|----------|-----------|----------------|----------|-----------|
| MS3102K22-235 | 96906 | 00439 | PNL1108 | 60532 | 00153 |
| MS3106K14575 | 96906 | 00441 | PNL1110 | 60532 | 00143 |
| MS3106K1654P | 96906 | 00447 | PNL1112 | 60532 | 00151 |
| MS3106K1654S | 96906 | 00440 | PNL1116 | 60532 | 00137 |
| MS35206-230 | 96906 | 00347 | PNL1117 | 60532 | 00140 |
| MS35206-245 | 96906 | 00419 | PNL1122 | 60532 | 00455 |
| | | 00420 | PNL1307 | 60532 | 00146 |
| | | 00847 | PNL1308 | 60532 | 00149 |
| MS35206-246 | 96906 | 00014 | PNL1309 | 60532 | 00152 |
| | | 00182 | PNL1499 | 60532 | 00147 |
| | | 00184 | PNL1500 | 60532 | 00150 |
| | | 00186 | PNL1503 | 60532 | 00136 |
| | | 00346 | PNL1530 | 60532 | 00154 |
| | | 00547 | PNL1531 | 60532 | 00144 |
| | | 00548 | PNL1532 | 60532 | 00135 |
| | | 00676 | PNL1534 | 60532 | 00404 |
| | | 00677 | PNL1538 | 60532 | 00066 |
| | | 00848 | PNL1539 | 60532 | 00067 |
| MS35207-210 | 96906 | 00499 | PNL1573 | 60532 | 00412 |
| | | 00562 | PNL1574 | 60532 | 00413 |
| MS35207-263 | 96906 | 00170 | P202K00F550160 | 21335 | 00265 |
| | | 00496 | | | 00315 |
| | | 00770 | RU175 | 86797 | 00364 |
| | | 00679 | | | 00365 |
| MS35207-264 | 96906 | 00675 | | | 00542 |
| MS35207-269 | 96906 | 00680 | | | 00845 |
| | | 00421 | KNG148 | 60532 | 00669 |
| MS35207-291 | 96906 | 00849 | KNG177 | 60532 | 00163 |
| | | 00013 | KOU65 | 60532 | 00530 |
| MS35297-6 | 96906 | 00781 | KOU83 | 60532 | 00531 |
| | | 00019 | KOU93 | 60532 | 00535 |
| MS35338-23 | 96906 | 00219 | KTR15 | 60532 | 00159 |
| | | 00221 | KTK18 | 60532 | 00158 |
| | | 00857 | SAK13 | 78462 | 00591 |
| MS35338-41 | 96906 | 00534 | SCR265 | 60532 | 00494 |
| MS35338-42 | 96906 | 00218 | SCR304 | 60532 | 00532 |
| | | 00220 | SCR338 | 60532 | 00275 |
| | | 00223 | SHK33 | 60532 | 00052 |
| MS35339-25 | 96906 | 00768 | SN1032-4 | 56878 | 00403 |
| | | 00784 | SVC17 | 60532 | 00595 |
| MS35339-27 | 96906 | 00280 | SPC18 | 60532 | 00276 |
| | | 00831 | SPC20 | 60532 | 00681 |
| MS35339-43 | 96906 | 00217 | SPC33 | 60532 | 00682 |
| | | 00511 | SPG51 | 60532 | 00274 |
| | | 00769 | | | 00327 |
| | | 00770 | SPG55 | 60532 | 00815 |
| MS35339-44 | 96906 | 00018 | SRN21 | 60532 | 00015 |
| MS35342-1 | 96906 | 00789 | SRN23 | 60532 | 00175 |
| | | 00790 | SRN24 | 60532 | 00174 |
| | | 00793 | SRN31 | 60532 | 00861 |
| MS35342-2 | 96906 | 00593 | SKP24 | 60532 | 00589 |
| MS36206-246 | 96906 | 00563 | SUP113 | 60532 | 00205 |
| MS90726-6 | 96906 | 00540 | SUP114 | 60532 | 00204 |
| MYA1250 | 96214 | 00342 | SUP115 | 60532 | 00054 |
| MYA1258 | 82467 | 00340 | SUP116 | 60532 | 00055 |
| MYA1263 | 82467 | 00605 | SUP117 | 60532 | 00209 |
| MYH700TA3-2159 | 04594 | 00191 | SUP118 | 60532 | 00684 |
| M6244 | 76381 | 00804 | SUP119 | 60532 | 00202 |
| NAS1032P | 96906 | 00852 | SUP121 | 60532 | 00200 |
| NTP25 | 93410 | 00805 | | | 00550 |
| P4U30 | 60532 | 00038 | SUP130 | 60532 | 00208 |
| PAN92 | 60532 | 00065 | SUP132 | 60532 | 00538 |
| | | 00239 | SUP169 | 60532 | 00703 |
| PLT152 | 60532 | 00415 | SUP171 | 60532 | 00210 |
| | | 00457 | TCL50H | 70255 | 00754 |
| PLT156 | 60532 | 00242 | Tee34 | 60532 | 00687 |
| PLT157 | 60532 | 00246 | TLX2004W100 | 70255 | 00753 |
| | | 00528 | TUB118 | 60532 | 00825 |
| PLT170 | 60532 | 00234 | TUB119 | 60532 | 00710 |
| PLT196 | 60532 | 00238 | TUB181 | 60532 | 00743 |
| PLT222 | 60532 | 00241 | TUB182 | 60532 | 00709 |
| PLT238 | 60532 | 00240 | TUB184 | 60532 | 00685 |
| PLT239 | 60532 | 00245 | TUB190 | 60532 | 00816 |
| PLT242 | 60532 | 00414 | TUB191 | 60532 | 00812 |
| PLU118 | 60532 | 00009 | TUB196 | 60532 | 00699 |
| | | 00011 | TUB197 | 60532 | 00744 |
| PLU83 | 60532 | 00157 | TUB198 | 60532 | 00705 |
| PLU90 | 60532 | 00010 | TUB199 | 60532 | 00697 |
| PNL1104 | 60532 | 00145 | TUB201 | 60532 | 00698 |
| PNL1105 | 60532 | 00148 | TUB202 | 60532 | 00700 |
| PNL1106 | 60532 | 00039 | | | 00702 |
| PNL1107 | 60532 | 00040 | TUB206 | 60532 | 00708 |

Section VII. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO INDEX NUMBER

| REFERENCE No. | Mem Code | INDEX No. | REFERENCE No. | Mem Code | INDEX No. |
|-----------------|----------|-----------|-----------------|----------|-----------|
| TUB207 | 60532 | 00696 | 13211E8369 | 97403 | 00755 |
| TUB208 | 60532 | 00704 | 13211E8392 | 97403 | 00225 |
| TUR209 | 60532 | 00738 | 1409-18 | 02289 | 00344 |
| TUR210 | 60532 | 00707 | 1410-18 | 02289 | 00343 |
| TUB53 | 60532 | 00822 | 1453-36 | 04594 | 00517 |
| TUB55 | 60532 | 00821 | 1454-10 | 04594 | 00855 |
| TUB56 | 60532 | 00824 | 1456-832 | 04594 | 00341 |
| TUB59 | 60532 | 00736 | 1456-833 | 06853 | 00351 |
| TUB60 | 60532 | 00746 | 1501-4 | 04594 | 00667 |
| TUB62 | 60532 | 00748 | 1541-1 | 04594 | 00489 |
| TUB63 | 60532 | 00726 | 1550-114 | 04594 | 00600 |
| TUB66 | 60532 | 00741 | | | 00606 |
| TUB67 | 60532 | 00719 | 183-1227 | 04594 | 00329 |
| TUB69 | 60532 | 00734 | 183-1233 | 04594 | 00330 |
| TUR70 | 60532 | 00730 | 183-1286 | 04594 | 00843 |
| TUR71 | 60532 | 00722 | 19040015 | 60532 | 00394 |
| TUR72 | 60532 | 00694 | | | 00398 |
| TUR74 | 60532 | 00724 | | | 00427 |
| TUR75 | 60532 | 00819 | 19040016 | 60532 | 00367 |
| TUR81 | 60532 | 00715 | | | 00370 |
| TUR82 | 60532 | 00713 | | | 00385 |
| TUR83 | 60532 | 00717 | | | 00391 |
| T18182 | 60532 | 00728 | | | 00395 |
| VAL573 | 60532 | 00758 | | | 00399 |
| WAS112 | 60532 | 00510 | | | 00428 |
| WAS125 | 60532 | 00634 | | 78553 | 00388 |
| | | 00783 | 201060 | 01422 | 00683 |
| WAS126 | 60532 | 00633 | 20744S S017-27 | 78553 | 00864 |
| WAS127 | 60532 | 00635 | 21MO2 | 72962 | 00338 |
| | | 00785 | 229XC | 92578 | 00424 |
| WAS170 | 60532 | 00277 | | | 00853 |
| WAS171 | 60532 | 00279 | 239-340 | 04594 | 00637 |
| WAS172 | 60532 | 00278 | 240-216 | 04594 | 00345 |
| WAS189 | 60532 | 00358 | 247-337 | 04594 | 00604 |
| WC400W1009 | 41947 | 00655 | | | 00610 |
| | | 00794 | 248-5 | 04594 | 00607 |
| WC403W1306 | 41947 | 00662 | | | 00868 |
| WC416AH22 | 41947 | 00672 | 2522-04-00-2041 | 78189 | 00272 |
| WC417A7812 | 41947 | 00642 | | | 00572 |
| WHP622H18-2UR-3 | 01479 | 00611 | 253-62 | 04594 | 00602 |
| WIR74 | 60532 | 00512 | 3A6KS 20SG10H10 | 08771 | 00353 |
| WIR75 | 60532 | 00514 | 3MP23 | 60532 | 00761 |
| WIR77 | 60532 | 00513 | | 93781 | 00759 |
| WPH422H18-2UR-3 | 01479 | 00620 | 3030A | 09278 | 00601 |
| WT600W4000 | 41947 | 00688 | 355-31-08-001 | 71785 | 00569 |
| WT600W4001 | 41947 | 00690 | 374 | 70485 | 00333 |
| WT600W4015 | 41947 | 00689 | 401976 | 61311 | 00308 |
| | | 00693 | 403230 | 61311 | 00322 |
| WT600W4018 | 41947 | 00691 | 405310 | 61311 | 00300 |
| WT600W40350 | 41947 | 00692 | 405653 | 61311 | 00287 |
| WT602W4229 | 41947 | 00686 | 405832 | 61311 | 00260 |
| W2009 | 41947 | 00660 | 405835 | 61311 | 00259 |
| X36945 | 61311 | 00233 | 405855 | 61311 | 00307 |
| X38956 | 61311 | 00228 | 405857 | 61311 | 00309 |
| X38957 | 61311 | 00229 | 405860 | 61311 | 00232 |
| X38958 | 61311 | 00230 | 405868 | 61311 | 00321 |
| X39601 | 61311 | 00231 | 405919 | 61311 | 00303 |
| X78700 | 61311 | 00243 | 405920 | 61311 | 00302 |
| | | 00244 | 405922- | 61311 | 00284 |
| | | 00267 | 405924 | 61311 | 00319 |
| 1-2101 | 04594 | 00599 | 405925 | 61311 | 00320 |
| 10-36675-20 | 77820 | 00491 | 405926 | 61311 | 00306 |
| 12-11-203-12 | 94222 | 00410 | 405929 | 61311 | 00299 |
| 12-11-013-12 | 94222 | 00141 | 405932 | 61311 | 00294 |
| | | 00187 | 405935 | 61311 | 00305 |
| | | 00870 | 405936 | 61311 | 00288 |
| 12-110104-11 | 94222 | 00411 | 405938 | 61311 | 00339 |
| 12-11014-11 | 94222 | 00142 | 405939 | 61311 | 00318 |
| | | 00211 | 405946 | 61311 | 00298 |
| 12-11014-12 | 94222 | 00871 | 406195 | 61311 | 00293 |
| 12-11020-13 | 94222 | 00133 | 406198-3 | 61311 | 00291 |
| | | 00134 | 406864 | 61311 | 00304 |
| 12-110203-12 | 94222 | 00502 | 406889 | 61311 | 00283 |
| 12K1-1AA | 71286 | 00206 | 406890 | 61311 | 00285 |
| 12S1-9-1AA | 71286 | 00160 | 406979-1 | 61311 | 00290 |
| 132 | 93781 | 00760 | 407008 | 61311 | 00311 |
| 13211E3798 | 97403 | 00022 | 407434 | 61311 | 00264 |
| 13211E3800 | 97403 | 00750 | 407676 | 61311 | 00310 |
| 13211E8156 | 97403 | 00854 | 407808 | 61311 | 00292 |
| 13211E8224 | 97403 | 00861 | 408 | 61864 | 00199 |
| 13211E8248 | 97403 | 00795 | 408128 | 61311 | 00289 |
| 13211E8311 | 97403 | 00756 | 408266 | 61311 | 00282 |

Section VII. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO INDEX NUMBER

| <u>REFERENCE No.</u> | <u>MFG CODE</u> | <u>INDEX No.</u> |
|----------------------|-----------------|------------------|
| 40977 | 60532 | 00376 |
| | | 00379 |
| | | 00382 |
| 42NE040 | 72962 | 00263 |
| | | 00667 |
| 42NE058 | 72962 | 00632 |
| 4525 | 71400 | 00576 |
| 453321 | 16764 | 00348 |
| 4725-8 | 64731 | 00262 |
| 474865 | 01479 | 00636 |
| 474870 | 01479 | 00614 |
| | | 00623 |
| 474872 | 01479 | 00619 |
| | | 00628 |
| 474873 | 01479 | 00612 |
| | | 00621 |
| 474881 | 01479 | 00235 |
| 474882 | 01479 | 00613 |
| | | 00622 |
| 474941 | 01479 | 00237 |
| 474993 | 01479 | 00236 |
| 487249 | 01479 | 00618 |
| | | 00627 |
| 487965 | 01479 | 00624 |
| 488096 | 01479 | 00617 |
| | | 00626 |
| 49444 | 61864 | 00042 |
| 553-1 | 71286 | 00161 |
| 500-87 | 79136 | 00012 |
| 508C516G90 | 79500 | 00583 |
| 52LH3324-82 | 01479 | 00615 |
| | | 00625 |
| 524871 | 64731 | 00316 |
| 58-054 | 00644 | 00053 |
| 583935 | 00000 | 00841 |
| 5939XA | 58553 | 00752 |
| 641FS | 30327 | 00711 |
| 699-6 | 75382 | 00571 |
| 699-7 | 75382 | 00570 |
| 8319-100 | 90598 | 00201 |
| 890STX2 | 58553 | 00594 |
| 8912K216 | 15605 | 00423 |
| | | 00552 |
| 908900 | 64731 | 00317 |
| 9487965 | 01479 | 00616 |
| 951201 | 64731 | 00313 |
| 951202 | 64731 | 00296 |
| 951401 | 64731 | 00312 |
| 951402 | 64731 | 00295 |
| 9565EU3 | 15605 | 00454 |
| 97234 | 61311 | 00324 |

By Order of the Secretary of the Army:

W. C. WESTMORELAND,
General, United States Army,
Chief of Staff.

Official:

KENNETH G. WICKHAM,
Major General, United States Army,
The Adjutant General.

Distribution:

To be distributed in accordance with DA Form 12-25, Sec III (qty rqr Block #542), Organizational maintenance requirements for Air Conditioners, 18,000 BTU, Compact.

☆ U.S. GOVERNMENT PRINTING OFFICE : 1990 O 261-872 (20405)